





### General information

Make	MERCEDES-BENZ
Model	SPRINTER 311 CDI LWB P/V
Colour	White
Year of manufacture	-
Top speed	93 mph
Gearbox	5 speed Manual

# Engine & fuel consumption

Power	999 BHP
Max. torque	9999 Nm at 9.999 rpm
Cylinders	4
Fuel type	Diesel







Internet history		
Entry 1		
Date	2021-09-17	
Pictures	0	
Listing price	View report	

source: cargurus.co.uk





### MOT history

MOT #22	2021-09-15 14:50
MOT test r	number 799130068030
Result	× Failed
MAJOR	Nearside Rear Position lamp not working (4.2.1 (a) (ii))
Advice	Nearside Rear Lower sill damaged
MAJOR	Front Bonnet primary retaining device excessively deteriorated cannot open bonnet (3.1 (c))
Advice chassis rail	Nearside Front Vehicle structure is corroded but structural rigidity is not significantly reduced (6.1.1 (c) (i))
Advice	Body in general poor/corroded
MAJOR	All direction indicators not working (4.4.1 (a) (ii))
MAJOR brace coro	Rear Engine mounting bracket damaged or deteriorated resulting in excessive movement gearbox ded (6.1.8 (a) (i))
Advice	Nearside Front Shock absorbers has light misting of oil damp (5.3.2 (b))
<b>MAJOR</b> (4.1.2 (c))	Nearside Front Headlamp aim projected beam image is obviously incorrect headlamps misted
Advice	Offside Rear Wheel bearing slightly noisy (5.1.3 (b) (i))
MAJOR	Offside Front Body component corroded and likely to cause injury door (6.2.1 (a) (i))
Advice	Nearside door mirror brpken
MAJOR	Nearside Front Brake pipe excessively corroded x3 (1.1.11 (c))
Advice	Nearside Rear reflector damaged
MAJOR	Horn not working (7.7 (a))
Advice	Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))
Advice chassis (6.	Offside Front Vehicle structure is corroded but structural rigidity is not significantly reduced 1.1 (c) (i))
Advice	Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))
MAJOR	Hazard warning switch inoperative (4.4.2 (a) (ii))
Advice	Offside Front Exhaust mounting defective flexi split (6.1.2 (a))
MAJOR	Offside Front Headlamp aim projected beam image is obviously incorrect misted (4.1.2 (c))





MOT #21		2020-09-11 10:48
MOT test	number	428591469376
Result		✓ Passed
Advice	Nearside Front Shock absorbers light misting of oil or has limited damping effe	ect (5.3.2 (b))
Minor	Offside Rear reflector defective or damaged by up to 50% of the reflecting surface	ace (4.8.1 (a) (i))
Advice	Rear Tyre worn close to legal limit/worn on edge both (5.2.3 (e))	
Advice seriously	Offside Rear Integral body structure or chassis corroded within 30cm of a mou affecting overall security (6.2.2 (d) (i))	nting, but not
Advice	Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))	

МОТ #20	2019-09-14 11:26
MOT test number	763263855144
Result	✓ Passed
<b>Advice</b> Offside Front Integral body structure or chassis corroded within 30cm of seriously affecting overall security (6.2.2 (d) (i))	a mounting, but not
Advice Rear Brake disc worn, pitted or scored, but not seriously weakened both	(1.1.14 (a) (ii))
Advice Front Brake pipe corroded, covered in grease or other material both (1.1	.11 (c))

MOT #19		2018-09-14 12:27
MOT test	number	242419952918
Result		✓ Passed
Advice Advice great	Front brake flexis splitting,front brake discs rusting,rear brake discs and Drivers front lower balljoint deteriorating,front brake pipes rusting,rear p	

MOT #18	2017-08-18 11:18
MOT test number	940930771303
Result	✓ Passed





MOT #17	2	2017-08-18 11:18
MOT test number		484689742477
Result		🗙 Failed
<b>Pass with rectification</b> lamps (1.1.C.1a)	Registration plate lamp does not illuminate simultaneously with	the position
MOT #16	2	2016-07-28 11:21
MOT test number		178061670714
Result		✓ Passed
Advice Offside Play in st	teering rack inner joint(s)	
MOT #15	2	2016-07-27 11:41
MOT test number		726169526899
Result		🗙 Failed
Fail Parking brake: efficient	iency below requirements (3.7.B.7)	
Fail Offside Front positio	on lamp(s) not working all 3 side markers not working (1.1.A.3b)	
Advice Offside Front Type	re worn close to the legal limit inner edge (4.1.E.1)	
<b>Fail</b> Service brake: effici	iency below requirements (3.7.B.7)	
Fail Nearside Front posit	tion lamp(s) not working all 3 side markers not working (1.1.A.3b)	
Fail         Offside Front Front	position lamp(s) not working (1.1.A.3b)	
Advice Offside Play in st	teering rack inner joint(s)	

MOT #14	2015-07-03 16:14
MOT test number	535464085189
Result	✓ Passed





MOT #13		2014-05-16 12:56
MOT test	number	245726034432
Result		✓ Passed
Advice	Offside Front suspension has slight play in a lower suspension ball joint (2.5.B.1a	)
Notice	O/s/f tyre worn inner edge slightly.	
Advice	Nearside Front suspension has slight play in a lower suspension ball joint (2.5.B.2	La)

MOT #12		2014-05-16 12:56
MOT test number		608066034146
Result		🗙 Failed
Advice Offside Front sur	spension has slight play in a lower suspension ball joint (2.5.B.1a	)
Pass with rectification	Nearside Front Front position lamp(s) not working (1.1.A.3b)	
Advice Nearside Front s	uspension has slight play in a lower suspension ball joint (2.5.B.1	.a)
Notice O/s/f tyre worn i	nner edge slightly.	
Pass with rectification	Offside Front Headlamp not working on dipped beam (1.7.5a)	
Pass with rectification	Registration plate lamp not working (1.1.C.1d)	

MOT #11	2013-03-20 15:27
MOT test number	115089373045
Result	✓ Passed
MOT #10	2013-03-20 12:17
MOT test number	976359773008

MOT test number	970559775008
Result	🗙 Failed
Fail Windscreen has damage to an area in excess of a 10mm circle within zone 'A	A' (8.3.1a)





MOT #9		2011-09-09 14:59
MOT test	number	508142751274
Result		✓ Passed
Advice	Nearside Front Brake hose slightly deteriorated (3.6.B.4d)	
Advice	Rear Exhaust has part of the system slightly deteriorated (7.1.1a)	
Notice	Brake pedal anti slip started to wear smooth	
<b>Advice</b> (2.4.G.2)	Offside Rear Anti-roll bar rubber mounting deteriorated but not resulting in e	excessive movement
<b>Advice</b> (2.4.G.2)	Nearside Rear Anti-roll bar rubber mounting deteriorated but not resulting ir	n excessive movement

MOT #8		2011-09-09 12:35
MOT test r	umber	638612951270
Result		🗙 Failed
Notice	Brake pedal anti slip started to wear smooth	
Advice	Rear Exhaust has part of the system slightly deteriorated (7.1.1a)	
<b>Advice</b> (2.4.G.2)	Offside Rear Anti-roll bar rubber mounting deteriorated but not resulting	in excessive movement
<b>Advice</b> Service brake: service brake efficiency only just met. It would appear that the braking system requires adjustment or repair. (3.7.B.7)		
Fail Of	side Front Seat belt retracting mechanism defective (5.2.5b)	
<b>Advice</b> (2.4.G.2)	Nearside Rear Anti-roll bar rubber mounting deteriorated but not resultin	g in excessive movement
Advice	Nearside Front Brake hose slightly deteriorated (3.6.B.4d)	

MOT #7	2010-01-29 12:19
MOT test number	142189520468
Result	✓ Passed





MOT #6	2010-01-28 13:15	
MOT test number	922738520011	
Result	× Failed	
Fail Windscreen has damage to an area in excess of a 10mm circle within zone 'A' (8.3.1a)		
MOT #5	2009-01-30 14:03	
MOT test number	170270839463	
Result	× Failed	
Pass with rectification	Offside Windscreen wiper does not clear the windscreen effectively (8.2.2)	
Pass with rectification	Nearside Windscreen wiper does not clear the windscreen effectively (8.2.2)	
Pass with rectification	Rear Registration plate lamp not working (1.1.C.1d)	

MOT #4	2009-01-30 14:03
MOT test number	901940339011
Result	✓ Passed

MOT #3	2007-08-29 08:47
MOT test	number 541691547206
Result	✓ Passed
Advice	Nearside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
Advice	Offside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)





MOT #2	2007-08-28 08:55
MOT test number	483340647287
Result	🗙 Failed
Advice Nearside Rear Tyre worn close to the legal limit (4.1.E.1)	
<b>Fail</b> Nearside Front Brake pad(s) less than 1.5 mm thick (3.5.1g)	
<b>Fail</b> Offside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1)	
<b>Fail</b> Offside Front Brake pad(s) less than 1.5 mm thick (3.5.1g)	

MOT #1	2006-08-30 08:45
MOT test number	420472246230
Result	✓ Passed





#### Damage history

Check the damage history for this MERCEDES-BENZ. See if, where and when this MERCEDES-BENZ had damage and the car repair costs. We also check if this MERCEDES-BENZ was scrapped. Download the premium report <u>here</u> for the results.

Damage 1	
Date	FERRE
Category	A PLANE
Туре	
Damage 2	AMPLE
	A A A A A A A A A A A A A A A A A A A
Date	1. E
Category	ant
Туре	

#### Extra MERCEDES-BENZ salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.

More info >





#### Vehicle valuation

What is this car worth? See the vehicle value of this MERCEDES-BENZ in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	4.00.000
Auction value	4 10.000
Average private trade value	4 10.200

More info  $\rightarrow$ 





### Owner history

For how long did the current and previous owner(s) have this MERCEDES-BENZ? How many owners did this MERCEDES-BENZ have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

*******	
*****	
********	
And a second sec	
***********	
ACCOUNTS AND A DESCRIPTION OF A DESCRIPR	
	More info >
Plate changes	
See in this check if this MERCEDES-BENZ had different number plates.	
Number of plates	
Current registration	
Carrent registration Plate since	
Carrent registration Fore since Carrent registration	
Current registration Fate since Fate since Fate since	1000-20-20





#### Finance check

Check if this MERCEDES-BENZ is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this MERCEDES-BENZ has been settled.

If not, and you buy this MERCEDES-BENZ then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this MERCEDES-BENZ is financed.

Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	


More info  $\rightarrow$ 





# Mileage check

Odometer	In miles
Mileage registrations	22
First mileage registration	2003-09-01
Last registration	2021-09-15
Complete history	See info



Registration #1	2003-09-01	26 mi
Registration #2	2006-08-30	48.388 mi
Registration #3	2007-08-28	63.827 mi
Registration #4	2007-08-29	61.710 mi
Registration #5	2009-01-30	73.688 mi
Registration #6	2010-01-28	94.692 mi
Registration #7	2010-01-29	94.962 mi
Registration #8	2011-09-09	107.083 mi
Registration #9	2011-09-09	107.085 mi
Registration #10	2013-03-20	118.439 mi
Registration #11	2013-03-20	118.439 mi
Registration #12		11.777 esi
Registration #13		11.777 esi
Registration #14		11.777 es
Registration #15		11.777 esi
Registration #16		11.277 es
Registration #17		11.777 mi
Registration #18		11.777 esi
Registration #19		11.777 mi
Registration #20		11.777 est
Registration #21		11.777 mi
Registration #22		11.317 mi

More info  $\rightarrow$ 





## Car features

S0225	Air conditioning
S0295	
50482	
S0501	
S0566	
S0567	
S0569	

# Dimensions & weight

Width	1933 mm
Kerb weight	2090 kg
Max. allowed weight	3500 kg

# Additional information

Fuel tank capacity	75
Fuel delivery	Direct Injection
Number of doors	4
	2
Number of axles	2
	61100150041110
Engine number	61198150841119