



RENAULT

SG60LVO

report date: 2024-03-29

General information

Make	RENAULT
Model	MEGANE GENERATION VVT
Colour	Silver
Year of manufacture	2010
Top speed	113 mph
0 - 60 mph	11.8 seconds
Gearbox	5 speed Manual

Engine & fuel consumption

Power	100 BHP
Max. torque	151 Nm at 4.250 rpm
Engine capacity	1.598 cc
Cylinders	4
Fuel type	Petrol
Consumption city	32.1 mpg
Consumption extra urban	52.3 mpg
Consumption combined	42.2 mpg
CO2 emission	155 g/km
CO2 label	G





Internet history

Entry 2


Date	2021-10-22
Pictures	28
Listing price	<a href="#">View report</a>



source: cargurus.co.uk

Entry 1

Date	2021-10-20
Pictures	28
Listing price	<a href="#">View report</a>



source: autotrader.co.uk



MOT history

MOT expiry date	2024-11-15
MOT pass rate	61 %
MOT passed	11
Failed MOT tests	7
Total advice items	83
Total items failed	21

MOT #18	2023-11-16 14:07
MOT test number	317528163316
Result	✓ Passed
Next expiry date	2024-11-15
Advice	Front Brake disc worn, pitted or scored, but not seriously weakened x2 (1.1.14 (a) (ii))
Advice	Rear Shock absorbers has slight external damage to the casing x2 (5.3.2 (b))

MOT #17	2022-10-26 16:22
MOT test number	372317205529
Result	✓ Passed
Advice	Rear Tyre slightly damaged/cracking or perishing x2 (5.2.3 (d) (ii))
Advice	Nearside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))
Advice	Nearside Front Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))
Advice	Rear Brake pipe corroded, covered in grease or other material x2 (1.1.11 (c))

**MOT #16**

2022-10-26 10:08

**MOT test number**

849692217828

**Result****✗ Failed****Advice** Nearside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))**Advice** Rear Tyre slightly damaged/cracking or perishing x2 (5.2.3 (d) (ii))**Fail** Offside Front Brake pipe excessively corroded (1.1.11 (c))**Fail** Offside Front Tyre tread depth below requirements of 1.6mm (5.2.3 (e))**Advice** Rear Brake pipe corroded, covered in grease or other material x2 (1.1.11 (c))**Advice** Nearside Front Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))**Fail** Offside Front Macpherson strut ball joint dust cover missing (5.3.4 (b) (ii))**MOT #15**

2022-10-25 11:57

**MOT test number**

875266493183

**Result****✗ Failed****Advice** Nearside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))**Fail** Offside Front Brake pipe excessively corroded (1.1.11 (c))**Advice** Nearside Rear Tyre worn close to legal limit/worn on edge 3 mm (5.2.3 (e))**Fail** Offside Front Tyre has ply or cords exposed (5.2.3 (d) (ii))**Advice** Rear Brake pipe corroded, covered in grease or other material across axle (1.1.11 (c))**Advice** Offside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))**Fail** Offside Front Suspension arm ball joint dust cover no longer prevents the ingress of dirt (5.3.4 (b) (ii))

**MOT #14** 2021-10-20 07:57**MOT test number** 761187972080**Result** ✓ Passed**Advice** Rear Tyre slightly damaged/cracking or perishing Both (5.2.3 (d) (ii))**Advice** Offside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))**MOT #13** 2021-10-18 16:26**MOT test number** 399707367362**Result** ✗ Failed**Fail** Registration plate lamp inoperative in the case of a single lamp or all lamps (4.7.1 (b) (ii))**Advice** Rear Tyre slightly damaged/cracking or perishing Both (5.2.3 (d) (ii))**Advice** Offside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))**Fail** Brake pipe excessively corroded Front to rear (Nearside) (1.1.11 (c))**MOT #12** 2020-11-02 13:57**MOT test number** 332226371267**Result** ✓ Passed**Advice** Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))**Advice** Stop lamp(s) non-obligatory stop lamp not working high level (4.3.1 (a) (ii))**Advice** Offside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))**Advice** Nearside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))**MOT #11** 2019-11-23 11:12**MOT test number** 532274920477**Result** ✓ Passed**Advice** Offside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))**Advice** Offside Rear Brake pipe corroded, covered in grease or other material main brake pipe (1.1.11 (c))

**MOT #10**

2018-11-20 14:27

**MOT test number**

480103158446

**Result**

✓ Passed

- Advice** Oil residue on engine
- Advice** Offside front suspension lower arm ball joint dust cover damaged
- Advice** Rear brake discs lipped and corroded

**MOT #9**

2018-11-20 09:30

**MOT test number**

578372038148

**Result**

✗ Failed

- Advice** Brake fluid level close to min
- Advice** Offside rear tyre punctured
- Fail** Offside Front Lower Anti-roll bar linkage ball joint dust cover no longer prevents the ingress of dirt (5.3.4 (b) (ii))
- Advice** Offside front suspension lower arm ball joint dust cover damaged
- Advice** Oil residue on engine
- Advice** Rear brake discs lipped and corroded
- Fail** Offside Rear Inner Brake pad(s) less than 1.5 mm thick (1.1.13 (a) (ii))
- Advice** Offside rear slight brake bind

**MOT #8**

2017-11-23 12:29

**MOT test number**

751407272535

**Result**

✓ Passed

- Advice** Offside Front Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)
- Advice** Nearside Front Play in steering rack inner joint(s)
- Advice** Nearside Front Track rod end ball joint has slight play (2.2.B.1f)

**MOT #7** 2017-11-22 14:31**MOT test number** 392213982126**Result** ✗ Failed

- Advice** Offside Front Tyre worn close to the legal limit (4.1.E.1)
- Advice** Oil low - warning on dash
- Advice** Nearside Front Track rod end ball joint has slight play (2.2.B.1f)
- Fail** Nearside Headlamp not working on dipped beam (1.7.5a)
- Fail** Nearside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)
- Advice** Coolant low
- Advice** Offside Front Brake pad(s) wearing thin (3.5.1g)
- Advice** Nearside Front Play in steering rack inner joint(s)
- Advice** Offside Front Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)

**MOT #6** 2016-11-22 10:45**MOT test number** 313628766275**Result** ✓ Passed

- Advice** Nearside Front Tyre worn close to the legal limit (4.1.E.1)
- Advice** Offside Front Tyre worn close to the legal limit (4.1.E.1)

**MOT #5** 2016-11-22 10:45**MOT test number** 738178380917**Result** ✗ Failed

- Pass with rectification** Nearside Rear Direction indicator excessively deteriorated so that it is not visible from a reasonable distance (1.4.A.2e)
- Advice** Offside Front Tyre worn close to the legal limit (4.1.E.1)
- Pass with rectification** Offside Rear Direction indicator excessively deteriorated so that it is not visible from a reasonable distance (1.4.A.2e)
- Advice** Nearside Front Tyre worn close to the legal limit (4.1.E.1)



MOT #4

2015-11-11 14:53

MOT test number

609780495008

Result

✓ Passed

- Advice
- Offside Front Brake hose has slight corrosion to ferrules (3.6.B.4e)
- Advice
- ALL FOUR COIL SPRINGS ARE SLIGHTLY CORRODED
- Advice
- Offside Rear Tyre worn close to the legal limit 205/65/15 (4.1.E.1)
- Advice
- Offside Front Anti-roll bar rubber bush deteriorated but not resulting in excessive movement D MOUNT BUSH (2.4.G.2)
- Advice
- BOTH FRONT STRUTS ARE SLIGHTLY STIFF
- Advice
- ENGINE COVER
- Advice
- Offside Front Upper Macpherson strut has slight movement at the upper attachment (2.5.A.1c)
- Advice
- Nearside Rear Brake hose has slight corrosion to ferrules (3.6.B.4e)
- Advice
- ALL FOUR BRAKE DISCS ARE WORN
- Advice
- Offside Rear Brake hose has slight corrosion to ferrules (3.6.B.4e)
- Advice
- Nearside Front Upper Anti-roll bar ball joint dust cover deteriorated, but preventing the ingress of dirt AND LOWER (2.4.G.2)
- Advice
- Nearside Front Upper Macpherson strut has slight movement at the upper attachment (2.5.A.1c)
- Advice
- BODY WORK DAMAGE
- Advice
- Nearside Front Brake hose has slight corrosion to ferrules (3.6.B.4e)
- Advice
- ALL THE BRAKE PIPES ARE PLASTIC COATED





MOT #3	2015-11-11 09:48
MOT test number	802915978652
Result	✗ Failed

**Advice** Nearside Front Brake hose has slight corrosion to ferrules (3.6.B.4e)

**Advice** ENGINE COVER

**Advice** Offside Front Anti-roll bar rubber bush deteriorated but not resulting in excessive movement D MOUNT BUSH (2.4.G.2)

**Advice** Offside Front Brake hose has slight corrosion to ferrules (3.6.B.4e)

**Advice** ALL FOUR BRAKE DISCS ARE WORN

**Fail** Parking brake: efficiency below requirements (3.7.B.7)

**Advice** Offside Front Upper Macpherson strut has slight movement at the upper attachment (2.5.A.1c)

**Fail** Nearside Rear Tyre tread depth below requirements of 1.6mm 205/65/15 (4.1.E.1)

**Fail** Nearside Rear rear brake binding (3.7.B.1)

**Advice** Offside Front Lower Suspension arm has slight play in a ball joint (2.4.G.2)

**Advice** Nearside Front Upper Anti-roll bar ball joint dust cover deteriorated, but preventing the ingress of dirt AND LOWER (2.4.G.2)

**Fail** Offside Front Headlamp aim too low (1.8)

**Advice** BODY WORK DAMAGE

**Advice** Nearside Front Anti-roll bar rubber bush deteriorated but not resulting in excessive movement D MOUNT BUSH (2.4.G.2)

**Advice** Nearside Rear Brake hose has slight corrosion to ferrules (3.6.B.4e)

**Advice** ALL THE BRAKE PIPES ARE PLASTIC COATED

**Advice** Nearside Front Upper Macpherson strut has slight movement at the upper attachment (2.5.A.1c)

**Advice** ALL FOUR COIL SPRINGS ARE SLIGHTLY CORRODED

**Advice** Offside Rear Brake hose has slight corrosion to ferrules (3.6.B.4e)

**Fail** Rear Brakes imbalanced across an axle Axle 2 (3.7.B.5b)

**Advice** Nearside Front Lower Suspension arm has slight play in a ball joint (2.4.G.2)

**Advice** Offside Rear Tyre worn close to the legal limit 205/65/15 (4.1.E.1)

**Fail** Offside Rear rear brake binding (3.7.B.1)

**Advice** BOTH FRONT STRUTS ARE SLIGHTLY STIFF

**Fail** Offside Front Lower Anti-roll bar ball joint dust cover excessively deteriorated so that it no longer prevents the ingress of dirt (2.4.G.2)



MOT #2	2014-11-28 11:12
MOT test number	646132134312
Result	✓ Passed
Advice	Nearside Front Tyre worn close to the legal limit (4.1.E.1)
Advice	Offside Front Tyre worn close to the legal limit (4.1.E.1)
Notice	Nearside rear tyre worn on outer shoulder

MOT #1	2013-10-10 11:25
MOT test number	958073283221
Result	✓ Passed



Tax & MOT check

✓  
**Taxed**  
**Tax due:**  
1 November 2024

✓  
**MOT**  
**Expires:**  
15 November 2024

<b>Tax status</b>	Valid until 1 November
<b>Days left</b>	185
<b>MOT expiry date</b>	15 November 2024
<b>Full MOT history</b>	<a href="#">See MOT history</a>

Tax calculation

<b>Vehicle class</b>	48
<b>Band</b>	G
<b>Single payment (12 months)</b>	£ 240,00,-
<b>Single six month payment</b>	£ 132,00,-
<b>Total payable by 12 monthly instalments</b>	£ 252,00,-



Damage history

Check the damage history for this RENAULT. See if, where and when this RENAULT had damage and the car repair costs. We also check if this RENAULT was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	

Damage 2

Date	
Category	
Type	



Extra RENAULT salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this RENAULT in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	£ 15,200
Auction value	£ 15,200
Average private trade value	£ 15,200

More info >



Owner history

For how long did the current and previous owner(s) have this RENAULT? How many owners did this RENAULT have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since

More info >

Plate changes

See in this check if this RENAULT had different number plates.

Number of plates	1
Current registration	<b>SG60LVO</b>
Plate since	2019-09-29
Current registration	<b>SG60LVO</b>
Plate since	2019-09-29

More info >



Finance check

Check if this RENAULT is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this RENAULT has been settled.

If not, and you buy this RENAULT then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this RENAULT is financed.

Finance company	RENAULT	2024
Date of agreement	RENAULT	2024
Agreement type	RENAULT	2024
Agreement term	RENAULT	2024
Agreement number	RENAULT	2024
Contact info	RENAULT	2024

More info >





Mileage check

Odometer	In miles
Mileage registrations	21
First mileage registration	2010-09-01
Last registration	2023-11-16
Complete history	<a href="#">See info</a>



Registration #1	2010-09-01	8 mi
Registration #2	2013-10-10	27.218 mi
Registration #3	2014-11-28	36.848 mi
Registration #4	2015-11-11	45.969 mi
Registration #5	2015-11-11	45.969 mi
Registration #6	2016-11-22	56.109 mi
Registration #7	2016-11-22	56.109 mi
Registration #8	2017-11-22	67.695 mi
Registration #9	2017-11-23	67.697 mi
Registration #10	2018-11-20	72.610 mi
Registration #11	2018-11-20	72.610 mi
Registration #12	2019-05-29	75.277 mi
Registration #13	2019-05-29	75.277 mi
Registration #14	2019-05-29	75.277 mi
Registration #15	2019-05-29	75.277 mi
Registration #16	2019-05-29	75.277 mi
Registration #17	2019-05-29	75.277 mi
Registration #18	2019-05-29	75.277 mi
Registration #19	2019-05-29	75.277 mi
Registration #20	2019-05-29	75.277 mi
Registration #21	2019-05-29	75.277 mi

More info >



Car features

The RENAULT factory car options list is only available in the premium report.

S0225	Air conditioning
S0295	
S0482	
S0501	
S0566	
S0567	
S0569	

View the complete RENAULT factory list for this vehicle [here](#).

More info >

Safety ratings

NCAP rating ★★★★★

Video [see crash video](#)



Dimensions & weight

Width	1808 mm
Height	1471 mm
Length	4295 mm
Wheel base	2641 mm
Kerb weight	1200 kg
Max. allowed weight	1720 kg

Additional information

Fuel tank capacity	60 l
Fuel delivery	Multi-Point Injection
Number of doors	5
Number of seats	5

Number of axles	2
Engine number	R013871