



HYUNDAI



report date: 2024-03-29

General information

Make	HYUNDAI
Model	AMICA CDX
Colour	Red
Year of manufacture	2006
Top speed	91 mph
Gearbox	5 speed Manual

Engine & fuel consumption

Power	62 BHP
Max. torque	97 Nm at 3.000 rpm
Engine capacity	1.086 cc
Cylinders	4
Fuel type	Petrol
Consumption city	41.5 mpg
Consumption extra urban	57.7 mpg
Consumption combined	51.4 mpg
CO2 emission	131 g/km
CO2 label	E






Internet history

Entry 1

Date	2021-09-24
Pictures	25
Listing price	View report



source: autotrader.co.uk



MOT history

MOT expiry date	2025-03-08
MOT pass rate	77 %
MOT passed	17
Failed MOT tests	5
Total advice items	66
Total items failed	13

MOT #22	2024-03-06 14:08
MOT test number	290000460153
Result	✓ Passed
Next expiry date	2025-03-08
Advice	Front Suspension arm pin or bush worn but not resulting in excessive movement both (5.3.4 (a) (i))
Minor	Offside Front Drive shaft joint constant velocity boot severely deteriorated (6.1.7 (g) (i))
Advice	Rear Integral body structure is corroded but structural rigidity is not significantly reduced both (6.1.1 (c) (i))
Advice	Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))

**MOT #21**

2023-03-09 12:09

MOT test number

820822024107

Result

✓ Passed

Minor

Nearside Rear Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i))

Advice

Offside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))

Advice

Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))

Advice

Rear Suspension component mounting prescribed area is corroded but not considered excessive Both sides (5.3.6 (a) (i))

Minor

Nearside Front Battery insecure but not likely to fall from carrier (4.13 (a) (i))

Advice

Nearside Front Tyre worn close to legal limit/worn on edge AT LIMIT (5.2.3 (e))

Minor

Front Lower Suspension arm ball joint dust cover severely deteriorated Both sides (5.3.4 (b) (i))

Advice

Nearside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))

Advice

Integral body structure is corroded but structural rigidity is not significantly reduced Both sides inner sills (6.1.1 (c) (i))

**MOT #20**

2023-03-08 16:14

MOT test number

709541490186

Result

✗ Failed

- Fail** Front Windscreen washer not working (3.5 (a))
- Advice** Rear Suspension component mounting prescribed area is corroded but not considered excessive Both sides (5.3.6 (a) (i))
- Advice** Offside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))
- Advice** Integral body structure is corroded but structural rigidity is not significantly reduced Both sides inner sills (6.1.1 (c) (i))
- Fail** Offside Rear Tyre has a bulge, caused by separation or partial failure of its structure (5.2.3 (d) (ii))
- Minor** Nearside Rear Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i))
- Minor** Front Lower Suspension arm ball joint dust cover severely deteriorated Both sides (5.3.4 (b) (i))
- Fail** Nearside Rear Coil spring fractured or broken (5.3.1 (b) (i))
- Advice** Nearside Front Tyre worn close to legal limit/worn on edge AT LIMIT (5.2.3 (e))
- Fail** Nearside Rear Inner Suspension component mounting prescribed area excessively corroded significantly reducing structural strength Sill area (5.3.6 (a) (i))
- Advice** Nearside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))
- Advice** Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- Minor** Nearside Front Battery insecure but not likely to fall from carrier (4.13 (a) (i))

MOT #19

2022-03-07 12:24

MOT test number

647259203262

Result

✓ Passed

**MOT #18** 2021-05-29 14:32**MOT test number** 558198904027**Result** ✓ Passed**Advice** Offside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))**Advice** General corrosion to under body and components**Advice** Rear Exhaust mounting defective (6.1.2 (a))**MOT #17** 2020-07-30 12:19**MOT test number** 409872914437**Result** ✓ Passed**Minor** Nearside Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i))**Advice** Nearside Rear Inner Integral body structure or chassis corroded within 30cm of a mounting, but not seriously affecting overall security Sill (6.2.2 (d) (i))**Advice** Nearside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))**Advice** Offside Rear Tyre worn close to legal limit/worn on edge Inner edge. (5.2.3 (e))**Advice** Rear Exhaust mounting defective Silencer mount detached. (6.1.2 (a))**Minor** Nearside Front Lower Suspension arm ball joint dust cover severely deteriorated Leaking grease. (5.3.4 (b) (i))**Advice** Underside corroded, (Axle/Suspension components).**Advice** Offside Rear Inner Integral body structure or chassis corroded within 30cm of a mounting, but not seriously affecting overall security Sill (6.2.2 (d) (i))**Advice** Offside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))

**MOT #16**

2020-07-30 09:23

MOT test number

589774039994

Result**✗ Failed**

Advice Offside Rear Inner Integral body structure or chassis corroded within 30cm of a mounting, but not seriously affecting overall security Sill (6.2.2 (d) (i))

Minor Nearside Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i))

Fail Nearside Front Wheel bearing rough when rotated (5.1.3 (b) (i))

Advice Offside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))

Advice Underside corroded, (Axle/Suspension components).

Fail Nearside Front Position lamp not working (4.2.1 (a) (ii))

Advice Nearside Rear Inner Integral body structure or chassis corroded within 30cm of a mounting, but not seriously affecting overall security Sill (6.2.2 (d) (i))

Fail Nearside Front Wheel bearing has excessive play (5.1.3 (a) (i))

Minor Nearside Front Lower Suspension arm ball joint dust cover severely deteriorated Leaking grease. (5.3.4 (b) (i))

Advice Nearside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))

Advice Offside Rear Tyre worn close to legal limit/worn on edge Inner edge. (5.2.3 (e))

Fail Front Windscreen wiper does not clear the windscreen effectively Smearing/ Torn (3.4 (b) (ii))

Advice Rear Exhaust mounting defective Silencer mount detached. (6.1.2 (a))

MOT #15

2019-06-14 07:32

MOT test number

594721503415

Result**✓ Passed**

Advice Front Inner Tyre worn close to legal limit/worn on edge Advice replacement asap. (5.2.3 (e))

Minor Nearside Front Outer Suspension arm ball joint dust cover severely deteriorated (5.3.4 (b) (i))

Advice Front Brake disc worn, pitted or scored, but not seriously weakened Both nearside and offside. (1.1.14 (a) (ii))

Advice Under side of vehicle corroded.

Minor Nearside Front Windscreen wiper blade defective (3.4 (b) (i))

**MOT #14**

2019-06-10 10:16

MOT test number

361243763430

Result**✗ Failed****Advice** Front Inner Tyre worn close to legal limit/worn on edge Advice replacement asap. (5.2.3 (e))**Fail** Nearside Front Inner Steering rack has excessive free play detected at the steering wheel (steering rack fitted) (2.3 (a) (i))**Advice** Under side of vehicle corroded.**Fail** Nearside Rear Brake pipe excessively corroded (1.1.11 (c))**Minor** Nearside Front Outer Suspension arm ball joint dust cover severely deteriorated (5.3.4 (b) (i))**Advice** Front Brake disc worn, pitted or scored, but not seriously weakened Both nearside and offside. (1.1.14 (a) (ii))**Fail** Offside Front Brake pipe excessively corroded (1.1.11 (c))**Minor** Nearside Front Windscreen wiper blade defective (3.4 (b) (i))**MOT #13**

2018-06-01 16:30

MOT test number

396685315422

Result**✓ Passed****Advice** Nearside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))**Advice** Nearside Front Play in steering rack inner joint(s)**Advice** Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))**MOT #12**

2018-06-01 09:14

MOT test number

380123274198

Result**✗ Failed****Fail** Offside Rear Coil spring fractured or broken (5.3.1 (b) (i))**Advice** Nearside Front Play in steering rack inner joint(s)**Advice** Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))**Advice** Nearside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))

**MOT #11** 2017-06-13 08:20**MOT test number** 439217873363**Result** ✓ Passed**Advice** Nearside Rear Brake pipe slightly corroded (3.6.B.2c)**Advice** Offside Rear Brake pipe slightly corroded (3.6.B.2c)**Advice** Offside Front Wheel bearing slightly rough**MOT #10** 2016-06-14 09:16**MOT test number** 654499107197**Result** ✓ Passed**MOT #9** 2015-06-03 11:24**MOT test number** 415374755108**Result** ✓ Passed**Advice** Nearside front brake fluctuating, but not excessively (3.7.B.3)**Advice** Offside Rear Brake pipe slightly corroded (3.6.B.2c)**Notice** N/S/R tyre perrished**Advice** Offside Front Brake pipe slightly corroded (3.6.B.2c)**MOT #8** 2014-06-10 10:06**MOT test number** 965851164146**Result** ✓ Passed**MOT #7** 2013-06-18 10:53**MOT test number** 289729863118**Result** ✓ Passed



MOT #6	2012-06-12 09:03
---------------	------------------

MOT test number	667964562162
------------------------	--------------

Result	✓ Passed
---------------	----------

MOT #5	2011-06-13 12:02
---------------	------------------

MOT test number	757084861101
------------------------	--------------

Result	✓ Passed
---------------	----------

MOT #4	2010-06-25 14:17
---------------	------------------

MOT test number	432766070142
------------------------	--------------

Result	✓ Passed
---------------	----------

MOT #3	2010-04-07 16:22
---------------	------------------

MOT test number	173387690426
------------------------	--------------

Result	✓ Passed
---------------	----------

MOT #2	2009-03-23 10:57
---------------	------------------

MOT test number	404612789043
------------------------	--------------

Result	✓ Passed
---------------	----------

MOT #1	2009-03-23 10:57
---------------	------------------

MOT test number	252872889025
------------------------	--------------

Result	✗ Failed
---------------	----------

Pass with rectification	Nearside Front Tyre has ply or cords exposed (4.1.D.1b)
--------------------------------	---



Tax & MOT check

✓
Taxed
Tax due:
1 June 2024

✓
MOT
Expires:
8 March 2025

Tax status	Valid until 1 June
Days left	32
MOT expiry date	8 March 2025
Full MOT history	See MOT history

Tax calculation

Vehicle class	48
Band	E
Single payment (12 months)	£ 180,00,-
Single six month payment	£ 99,00,-
Total payable by 12 monthly instalments	£ 189,00,-



Damage history

Check the damage history for this HYUNDAI. See if, where and when this HYUNDAI had damage and the car repair costs. We also check if this HYUNDAI was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	

Damage 2

Date	
Category	
Type	



Extra HYUNDAI salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this HYUNDAI in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	£ 19,999
Auction value	£ 19,999
Average private trade value	£ 19,999

More info >



Owner history

For how long did the current and previous owner(s) have this HYUNDAI? How many owners did this HYUNDAI have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration

More info >

Plate changes

See in this check if this HYUNDAI had different number plates.

Number of plates	1
Current registration	XXXXXX
Plate since	2024-03-29
Current registration	XXXXXX
Plate since	2024-03-29

More info >



Finance check

Check if this HYUNDAI is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this HYUNDAI has been settled.

If not, and you buy this HYUNDAI then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this HYUNDAI is financed.

Finance company	XXXXXXXX XX
Date of agreement	XXXXXXXX XX
Agreement type	XXXXXXXX XX
Agreement term	XXXXXXXX XX
Agreement number	XXXXXXXX XX
Contact info	XXXXXXXX XX

More info >



Mileage check

Odometer	In miles
Mileage registrations	23
First mileage registration	2006-04-11
Last registration	2024-03-06
Complete history	See info



Registration #1	2006-04-11	27 mi
Registration #2	2009-03-23	4.526 mi
Registration #3	2010-04-07	6.315 mi
Registration #4	2010-06-25	6.407 mi
Registration #5	2011-06-13	11.968 mi
Registration #6	2012-06-12	18.257 mi
Registration #7	2013-06-18	24.453 mi
Registration #8	2014-06-10	31.491 mi
Registration #9	2015-06-03	37.456 mi
Registration #10	2016-06-14	44.404 mi
Registration #11	2017-06-13	51.021 mi
Registration #12	2018-06-01	57.131 mi
Registration #13	2019-06-01	57.131 mi
Registration #14	2020-06-01	57.131 mi
Registration #15	2021-06-01	57.131 mi
Registration #16	2022-06-01	57.131 mi
Registration #17	2023-06-01	57.131 mi
Registration #18	2024-03-06	57.131 mi
Registration #19		
Registration #20		
Registration #21		
Registration #22		
Registration #23		

More info >



Car features

The HYUNDAI factory car options list is only available in the premium report.

S0225	Air conditioning
S0295	
S0482	
S0501	
S0566	
S0567	
S0569	

View the complete HYUNDAI factory list for this vehicle [here](#).

More info >

Dimensions & weight

Width	1525 mm
Height	1570 mm
Length	3565 mm
Wheel base	2380 mm
Kerb weight	932 kg
Max. allowed weight	1336 kg

Additional information

Fuel tank capacity	35 l
Fuel delivery	Multi-Point Injection
Number of doors	5
Number of seats	4
Number of axles	2
Engine number	G4HG5M724984