



 **K278DUR**

report date: 2024-03-28

General information

Make	HONDA
Model	CRX
Colour	Blue
Year of manufacture	1993
Gearbox	-

Engine & fuel consumption

Engine capacity	1.500 cc
Fuel type	Petrol



LABEL UNKNOWN



Internet history

Entry 1

Date	2021-07-31
Pictures	7
Listing price	<a href="#">View report</a>



source: [autotrader.co.uk](https://www.autotrader.co.uk)



## MOT history

MOT expiry date	2025-02-06
MOT pass rate	58 %
MOT passed	18
Failed MOT tests	13
Total advice items	63
Total items failed	63

## MOT #31 2024-02-06 20:38

MOT test number 980503905997

Result ✓ Passed

Next expiry date 2025-02-06

- Advice** Offside Front Upper Suspension arm ball joint has slight play (5.3.4 (a) (i))
- Minor** Nearside Front Upper Suspension arm ball joint dust cover severely deteriorated (5.3.4 (b) (i))
- Advice** Car is covered with underseal paint
- Advice** Front Brake disc worn, pitted or scored, but not seriously weakened n/s and o/s (1.1.14 (a) (ii))
- Advice** Offside Front Lower Suspension arm pin or bush worn but not resulting in excessive movement front end bush (5.3.4 (a) (i))

## MOT #30 2023-02-07 11:51

MOT test number 324175225825

Result ✓ Passed

- Advice** Offside Front Upper Suspension arm ball joint has slight play (5.3.4 (a) (i))

## MOT #29 2022-02-04 15:40

MOT test number 903728301733

Result ✓ Passed

- Advice** Offside Front Upper Suspension arm ball joint has slight play (5.3.4 (a) (i))

**MOT #28**

2022-02-02 15:46

**MOT test number**

394563482349

**Result****✗ Failed**

**Fail** Exhaust carbon monoxide content after 2nd fast idle exceeds manufacturer's specified limits (8.2.1.2 (a))

**Advice** Offside Front Upper Suspension arm ball joint has slight play (5.3.4 (a) (i))

**Fail** Exhaust carbon monoxide content after 2nd fast idle exceeds manufacturer's specified limits (8.2.1.2 (a))

**Fail** Nearside Front Lower Suspension arm ball joint excessively worn (5.3.4 (a) (i))

**MOT #27**

2021-02-03 16:23

**MOT test number**

613144801141

**Result****✓ Passed**

**Advice** Nearside Rear Vehicle structure is corroded but structural rigidity is not significantly reduced (6.1.1 (c) (i))

**Advice** Tank straps corroded

**Advice** Nearside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))

**Advice** Oil leak, but not excessive (8.4.1 (a) (i))

**Minor** Offside Front Outer Drive shaft joint constant velocity boot severely deteriorated (6.1.7 (g) (i))

**Advice** Headlamp image just acceptable

**Advice** Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))

**MOT #26**

2020-12-16 15:08

**MOT test number**

103678507201

**Result****✗ Failed**

- Fail** Offside Steering rack gaiter missing or no longer prevents the ingress of dirt (2.1.3 (g) (ii))
- Minor** Offside Outer Drive shaft joint constant velocity boot severely deteriorated (6.1.7 (g) (i))
- Fail** Offside Rear Suspension arm pin or bush excessively worn (5.3.4 (a) (i))
- Fail** Exhaust hydrocarbon content after 2nd fast idle exceeds manufacturer's specified limits (8.2.1.2 (a))
- Fail** Nearside Headlamp aim projected beam image is obviously incorrect (4.1.2 (c))
- Fail** Nearside Steering rack gaiter missing or no longer prevents the ingress of dirt (2.1.3 (g) (ii))
- Advice** Oil leak, but not excessive (8.4.1 (a) (i))
- Fail** Nearside Front Coil spring fractured or broken (5.3.1 (b) (i))
- Advice** Tank straps corroded
- Advice** Nearside Rear Vehicle structure is corroded but structural rigidity is not significantly reduced (6.1.1 (c) (i))
- Fail** Offside Headlamp aim projected beam image is obviously incorrect (4.1.2 (c))
- Fail** Offside Rear Vehicle structure has excessive corrosion which adversely affects braking or steering filled with glassfibre (6.1.1 (c) (ii))

**MOT #25**

2019-07-06 09:11

**MOT test number**

769342376252

**Result****✓ Passed**

- Advice** Nearside Rear Shock absorbers light misting of oil or has limited damping effect (5.3.2 (b))
- Advice** Coil spring corroded ALL (5.3.1 (b) (i))



MOT #242018-07-24 14:47

MOT test number123422191247

Result		✓ Passed
Advice	Nearside Rear Shock absorbers light misting of oil or has limited damping effect (5.3.2 (b))	
Advice	Offside Front Shock absorbers light misting of oil or has limited damping effect (5.3.2 (b))	
Advice	Offside Rear Suspension arm pin or bush worn but not resulting in excessive movement trailing arm bush (5.3.4 (a) (i))	
Advice	Nearside Front Shock absorbers light misting of oil or has limited damping effect (5.3.2 (b))	

**MOT #23**

2018-07-13 10:48

**MOT test number**

656346404082

**Result****✗ Failed**

- Fail** Nearside Headlamp aim too high and too far to the left. (4.1.2 (a))
- Advice** Nearside Front Shock absorbers light misting of oil or has limited damping effect (5.3.2 (b))
- Fail** Exhaust emits excessive dense blue smoke during acceleration (8.2.1.2 (g))
- Advice** Nearside Rear Shock absorbers light misting of oil or has limited damping effect (5.3.2 (b))
- Fail** Exhaust carbon monoxide content after 2nd fast idle exceeds default limits (8.2.1.2 (b))
- Minor** Nearside Front Track rod end ball joint dust cover damaged or deteriorated, but preventing the ingress of dirt (2.1.3 (g) (i))
- Fail** Service brake efficiency below requirements (1.2.2 (a) (i))
- Fail** Rear fog lamp not working (4.5.1 (a) (ii))
- Minor** Offside Front Outer Drive shaft joint constant velocity boot severely deteriorated (6.1.7 (g) (i))
- Fail** Offside Headlamp aim too high and too far to the left. (4.1.2 (a))
- Fail** Exhaust carbon monoxide content after 2nd fast idle exceeds manufacturer's specified limits (8.2.1.2 (a))
- Advice** Offside Front Shock absorbers light misting of oil or has limited damping effect (5.3.2 (b))
- Fail** Exhaust hydrocarbon content after 2nd fast idle exceeds manufacturer's specified limits (8.2.1.2 (a))
- Minor** Offside Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i))
- Advice** Offside Rear Suspension arm pin or bush worn but not resulting in excessive movement trailing arm bush (5.3.4 (a) (i))
- Fail** Horn not working (7.7 (a) (ii))
- Minor** Offside Front Track rod end ball joint dust cover damaged or deteriorated, but preventing the ingress of dirt (2.1.3 (g) (i))

**MOT #22**

2017-07-18 08:42

**MOT test number**

879740080490

**Result**

✓ Passed

**Advice**

Offside Rear Trailing arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)

**Advice**

Offside Track rod end ball joint dust cover deteriorated, but preventing the ingress of dirt (2.2.C.1c)

**Advice**

Nearside Rear Trailing arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)

**Advice**

Nearside Track rod end ball joint dust cover deteriorated, but preventing the ingress of dirt (2.2.C.1c)

**Advice**

Nearside Steering rack gaiter deteriorated (2.2.D.2d)

**MOT #21**

2016-07-07 15:29

**MOT test number**

246406666187

**Result**

✓ Passed

**Advice**

Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)

**Advice**

Offside Rear Trailing arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)

**Advice**

Front Brake pad(s) wearing thin (3.5.1g)

**Advice**

Nearside Trailing arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)



**MOT #20**

2016-07-07 10:35

**MOT test number**

855210508589

**Result****✗ Failed****Advice**

Offside Rear Trailing arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)

**Fail**

Service brake: efficiency below requirements (3.7.B.7)

**Advice**

Front Brake pad(s) wearing thin (3.5.1g)

**Fail**

Offside Headlamp aim beam image obviously incorrect (1.8.A.1b)

**Fail**

Offside Front constant velocity joint gaiter deteriorated to the extent that it no longer prevents the ingress of dirt etc (2.5.C.1a)

**Advice**

Nearside Trailing arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)

**Advice**

Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)

**Fail**

Nearside Headlamp aim beam image obviously incorrect (1.8.A.1b)

**Fail**

Nearside Front Lower Suspension arm has excessive play in a ball joint (2.4.G.2)

**MOT #19**

2015-07-08 16:07

**MOT test number**

629320153414

**Result****✓ Passed****MOT #18**

2015-07-08 09:52

**MOT test number**

116612461004

**Result****✗ Failed****Fail**

Service brake: efficiency below requirements (3.7.B.7)

**Fail**

Headlamp aim beam image obviously incorrect Both (1.8.A.1b)

**Fail**

Rear Brakes imbalanced across an axle Axle 2 (3.7.B.5b)

**MOT #17**

2014-07-16 13:34

**MOT test number**

688917594197

**Result**

✓ Passed

**Notice** Offside front brake binding**Advice** Nearside Inner Front Tyre worn close to the legal limit (4.1.E.1)**Notice** Front brake discs worn and corroded**MOT #16**

2014-07-15 14:54

**MOT test number**

989466394181

**Result**

✗ Failed

**Notice** Offside front brake binding**Fail** Offside Front Windscreen wiper does not clear the windscreen effectively (8.2.2)**Fail** Nearside Front Lower Suspension arm rubber bush deteriorated resulting in excessive movement (2.4.G.2)**Advice** Nearside Inner Front Tyre worn close to the legal limit (4.1.E.1)**Fail** Nearside Front Windscreen wiper does not clear the windscreen effectively (8.2.2)**Notice** Front brake discs worn and corroded**Fail** Offside Rear fog lamp not working (1.3.2b)**Fail** Offside Front Tyre has ply or cords exposed (4.1.D.1b)**MOT #15**

2013-07-08 16:21

**MOT test number**

397249583109

**Result**

✓ Passed

**MOT #14**

2012-08-22 14:00

**MOT test number**

688905232201

**Result**

✓ Passed

**MOT #13** 2012-08-22 11:40**MOT test number** 436485532268**Result** ✗ Failed

- Fail** Offside Rear Rear fog lamp not working (1.3.2b)
- Fail** Nearside Front Front suspension has a suspension upper ball joint securing nut not locked (2.5.B.1a)
- Fail** Service brake: efficiency below requirements (3.7.B.7)
- Fail** Horn not working (1.6.2a)
- Fail** Nearside Front Steering locking device missing (2.2.C.1g)

**MOT #12** 2012-08-15 13:49**MOT test number** 925188222209**Result** ✗ Failed

- Fail** Exhaust emissions carbon monoxide content after 2nd fast idle excessive (7.3.D.3)
- Fail** Offside Rear fog lamp not working (1.3.2b)
- Fail** Nearside Front Upper Suspension arm locating pin locking device missing (2.4.G.3b)
- Advice** Parking brake lever has little reserve travel (3.1.6b)
- Fail** Horn not working (1.6.2a)
- Fail** Nearside Front Steering locking device missing (2.2.C.1g)

**MOT #11** 2011-09-05 12:07**MOT test number** 298488041277**Result** ✓ Passed

- Advice** Nearside Rear Road wheel slightly damaged (4.2.A.1a)
- Notice** Nearside front rear view mirror cracked



MOT #102011-08-23 19:00

MOT test number958975931244

Result

Failed

- Advice

Nearside Rear Road wheel slightly damaged (4.2.A.1a)
- Fail

Nearside Front constant velocity joint gaiter split (2.5.C.1a)
- Fail

Nearside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)
- Fail

Offside Front Tyre has a bulge, caused by separation or partial failure of its structure (4.1.D.1b)
- Fail

Nearside Rear Radius arm has excessive play in a pin/bush (2.4.G.2)
- Notice

Nearside front rear view mirror cracked

**MOT #9** 2011-08-09 14:25**MOT test number** 628581421263**Result** ✗ Failed**Fail** Offside Front Tyre has a bulge, caused by separation or partial failure of its structure (4.1.D.1b)**Fail** Offside Rear Direction indicator flashing more than 120 times a minute (1.4.A.2g)**Fail** Nearside Rear Trailing arm rubber bush bonding deteriorated resulting in excessive movement (2.4.G.2)**Fail** Nearside Front Steering system has a road wheel fouling a part of the vehicle (2.2.D.2a)**Advice** Offside Front Tyre worn close to the legal limit (4.1.E.1)**Fail** Offside Rear Rear fog lamp not working (1.3.2b)**Advice** Offside Front Brake pad(s) wearing thin (3.5.1g)**Fail** Nearside Outer Front constant velocity joint gaiter split (2.5.C.1a)**Notice** Offside front tyre splitting on inner sidewall**Fail** Offside Front Direction indicator flashing more than 120 times a minute (1.4.A.2g)**Fail** Nearside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)**Fail** Offside Side repeater flashing more than 120 times a minute (1.4.A.2g)**Fail** Service brake: efficiency below requirements (3.7.B.7)**Fail** Offside Front Steering system has a road wheel fouling a part of the vehicle (2.2.D.2a)**Advice** Nearside Front Brake pad(s) wearing thin (3.5.1g)**Fail** Nearside Rear Stop lamp not working (1.2.1b)**MOT #8** 2010-08-19 15:21**MOT test number** 612081930237**Result** ✓ Passed

**MOT #7** 2010-08-16 09:46**MOT test number** 722178020261**Result** ✗ Failed**Fail** Offside Front constant velocity joint gaiter split (2.5.C.1a)**MOT #6** 2009-08-06 14:30**MOT test number** 820628419228**Result** ✓ Passed**MOT #5** 2009-08-06 14:30**MOT test number** 392738019477**Result** ✗ Failed**Pass with rectification** Offside Trailing arm rubber bush deteriorated resulting in excessive movement (2.4.G.2)**Pass with rectification** Nearside Trailing arm rubber bush deteriorated resulting in excessive movement (2.4.G.2)**MOT #4** 2008-08-07 12:46**MOT test number** 723710028211**Result** ✓ Passed**Advice** Offside Rear Bonded suspension unit deteriorated but can function as intended (2.4.F.3)**Advice** Nearside Rear Bonded suspension unit deteriorated but can function as intended (2.4.F.3)**MOT #3** 2007-08-09 17:34**MOT test number** 572971727267**Result** ✓ Passed**MOT #2** 2006-08-04 13:17**MOT test number** 234856316295**Result** ✓ Passed



MOT #1	2006-08-04 13:17
MOT test number	683906416241
Result	✗ Failed
Pass with rectification	Nearside Front Front position lamp(s) not working (1.1.A.3b)



Tax & MOT check

✓  
**Taxed**  
**Tax due:**  
1 December 2024

✓  
**MOT**  
**Expires:**  
6 February 2025

<b>Tax status</b>	Valid until 1 December
-------------------	------------------------

<b>Days left</b>	217
------------------	-----

<b>MOT expiry date</b>	6 February 2025
------------------------	-----------------

<b>Full MOT history</b>	<a href="#">See MOT history</a>
-------------------------	---------------------------------





Damage history

Check the damage history for this HONDA. See if, where and when this HONDA had damage and the car repair costs. We also check if this HONDA was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	

Damage 2

Date	
Category	
Type	



Extra HONDA salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this HONDA in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	£ 19,999
Auction value	£ 19,999
Average private trade value	£ 19,999

More info >



Owner history

For how long did the current and previous owner(s) have this HONDA? How many owners did this HONDA have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

Owner	From	To
Owner	From	To
Owner	From	To
Owner	From	To
Owner	From	To
Owner	From	To
Owner	From	To

More info >

Plate changes

See in this check if this HONDA had different number plates.

Number of plates	1
Current registration	<b>K278DUR</b>
Plate since	2019-09-29
Current registration	<b>K278DUR</b>
Plate since	2019-09-29

More info >



Finance check

Check if this HONDA is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this HONDA has been settled.

If not, and you buy this HONDA then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this HONDA is financed.

Finance company	XXXXXXXX XX
Date of agreement	XXXXXXXX XX
Agreement type	XXXXXXXX XX
Agreement term	XXXXXXXX XX
Agreement number	XXXXXXXX XX
Contact info	XXXXXXXX XX

More info >



Mileage check

Odometer	In miles
Mileage registrations	31
First mileage registration	2004-09-01
Last registration	2024-02-06
Complete history	<a href="#">See info</a>



Registration #1	2004-09-01	8 mi
Registration #2	2006-08-04	46.148 mi
Registration #3	2007-08-09	47.378 mi
Registration #4	2008-08-07	54.481 mi
Registration #5	2009-08-06	61.114 mi
Registration #6	2010-08-16	66.495 mi
Registration #7	2010-08-19	66.512 mi
Registration #8	2011-08-09	73.880 mi
Registration #9	2011-08-23	73.970 mi
Registration #10	2011-09-05	73.970 mi
Registration #11	2012-08-15	78.645 mi
Registration #12	2012-08-22	78.858 mi
Registration #13	2012-08-22	78.858 mi
Registration #14	2013-07-08	83.961 mi
Registration #15	2014-07-15	94.012 mi
Registration #16	2014-07-16	94.012 mi
Registration #17	2015-05-20	95.377 mi
Registration #18	2015-05-20	95.377 mi
Registration #19	2015-05-20	95.377 mi
Registration #20	2015-05-20	95.377 mi
Registration #21	2015-05-20	95.377 mi
Registration #22	2015-05-20	95.377 mi
Registration #23	2015-05-20	95.377 mi
Registration #24	2015-05-20	95.377 mi
Registration #25	2015-05-20	95.377 mi
Registration #26	2015-05-20	95.377 mi

Registration #27	2025-25-25	25,252,442
Registration #28	2025-25-25	25,252,442
Registration #29	2025-25-25	25,252,442
Registration #30	2025-25-25	25,252,442
Registration #31	2025-25-25	25,252,442

More info >



Safety ratings

NCAP rating



Video

[see crash video](#)



Additional information

Engine number

SC22E2500652