





## General information

Make	HONDA
Model	FR-V I-CTDI EX
Colour	Grey
Year of manufacture	2007
Top speed	103 mph
0 - 60 mph	10.1 seconds
Gearbox	6 speed Manual

## Engine & fuel consumption

Power	138 BHP	
Max. torque	340 Nm at 2.000 rpm	
Engine capacity	2.204 cc	
Cylinders	4 Diesel	
Fuel type		
Consumption city	35.3 mpg	
Consumption extra urban	53.3 mpg	
Consumption combined	44.8 mpg	
CO2 emission	167 g/km	
CO2 label	Н	







# Internet history

Entry 2	
Date	2022-02-17
Pictures	19

Listing price

View report

source: cargurus.co.uk

Entry 1	
Date	2022-02-16
Pictures	2
Listing price	View report





source: autotrader.co.uk



## MOT history

MOT expiry date	2024-04-18
MOT pass rate	67 %
MOT passed	14
Failed MOT tests	7
Total advice items	57
Total items failed	28



YR57YYD report date: 2024-03-28

<b>MOT #21</b> 2024-04-23 08:40
<b>MOT test number</b> 682657573267
Result × Failed
Advice Front Brake pad(s) wearing thin (1.1.13 (a) (ii))
<b>Advice</b> Offside Rear Upper Suspension rod pin or bush worn but not resulting in excessive movement Inner bush (5.3.4 (a) (i))
Fail   Offside Front Tyre has ply or cords damaged 205/50 R17 (5.2.3 (d) (ii))
<b>Fail</b> Offside Rear Vehicle structure corroded to the extent that the rigidity of the assembly is significantly reduced Outer sill (6.1.1 (c) (i))
<b>Fail</b> Offside Headlamp aim projected beam image is obviously incorrect (4.1.2 (c))
Advice Nearside Rear Tyre worn close to legal limit/worn on edge 2.5mm (5.2.3 (e))
Advice Rear Suspension component corroded but not seriously weakened All (5.3.3 (b) (i))
<b>Fail</b> Offside Front Track rod end ball joint has excessive play (2.1.3 (b) (i))
Fail Offside Rear Anti-roll bar linkage ball joint likely to become detached Fully detached (5.3.4 (a) (ii))
Fail   Nearside Rear Upper Suspension rod pin or bush excessively worn Inner bush (5.3.4 (a) (i))
Minor Nearside Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i))
Fail   Offside Front Lower Suspension arm ball joint likely to become detached (5.3.4 (a) (ii))
Advice Front Brake disc worn, but not excessively (1.1.14 (a) (i))
Advice Offside Rear Brake appears to have been previously binding
Advice Rear Brake pad(s) wearing thin (1.1.13 (a) (ii))
Advice Rear Coil spring corroded Both (5.3.1 (b) (i))
Advice Oil leak, but not excessive oil cap and filter (8.4.1 (a) (i))
Fail   Rear Service brake excessively fluctuating (1.2.1 (e))
FailNearside Front Track rod end ball joint worn to the extent there is a serious risk of detachment (2.1.3(b) (ii))
Fail Rear Inner Anti-roll bar pin or bush excessively worn Both (5.3.4 (a) (i))





MOT #20	2023-04-19 09:00
MOT test number	929614044191
Result	✓ Passed
Advice Front Suspension arm ball joint has slight play Both (5.3.4 (a) (i))	
Minor Nearside Registration plate lamp inoperative in the case of multiple lamps or light (b) (i))	ht sources (4.7.1
Advice Offside Rear Outer Suspension component mounting prescribed area is corrod considered excessive Sill (5.3.6 (a) (i))	ed but not
Advice Parking brake has little reserve travel	
Advice Offside Front Tyre worn close to legal limit/worn on edge 4mm and slightly cra (205/50 17) (5.2.3 (e))	cked/perished
Minor Offside Front Lower Suspension arm ball joint dust cover severely deteriorated	(5.3.4 (b) (i))
Advice Rear Suspension component mounting prescribed area is corroded but not con Inner sills both sides (5.3.6 (a) (i))	isidered excessive
Advice Rear Coil spring corroded Both (5.3.1 (b) (i))	
NOT #10	

MOT #19	2023-04-18 14:51
MOT test number	870086603103
Result	🗙 Failed

Minor (b) (i)) Nearside Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1
<b>Advice</b> Rear Suspension component mounting prescribed area is corroded but not considered excessive Inner sills both sides (5.3.6 (a) (i))
Advice Rear Coil spring corroded Both (5.3.1 (b) (i))
Advice Offside Rear Outer Suspension component mounting prescribed area is corroded but not considered excessive Sill (5.3.6 (a) (i))
Advice Parking brake has little reserve travel
Minor Offside Front Lower Suspension arm ball joint dust cover severely deteriorated (5.3.4 (b) (i))
Advice Front Suspension arm ball joint has slight play Both (5.3.4 (a) (i))
Advice Offside Front Tyre worn close to legal limit/worn on edge 4mm and slightly cracked/perished (205/50 17) (5.2.3 (e))
Fail Nearside Windscreen wiper does not clear the windscreen effectively 18" (3.4 (b) (ii))
<b>Fail</b> Nearside Rear Outer Suspension component mounting prescribed area excessively corroded significantly reducing structural strength Sill (5.3.6 (a) (i))





<b>MOT #18</b> 2023-0	3-28 08:20
MOT test number 7583	159718081
Result	🗙 Failed
Advice Rear Suspension component mounting prescribed area is corroded but not considered ex Both inner sills (5.3.6 (a) (i))	cessive
Minor Offside Front Lower Suspension arm ball joint dust cover severely deteriorated Ball joint lo hub (5.3.4 (b) (i))	ocated in
<b>Fail</b> Nearside Rear Tyre has a cut in excess of the requirements deep enough to reach the ply or (5.2.3 (d) (i))	cords
Fail Nearside Rear Anti-roll bar linkage ball joint likely to become detached (5.3.4 (a) (ii))	
<b>Advice</b> Front Brakes imbalanced requirements only just met. It would appear that the braking sy requires adjustment or repair. (1.2.1 (b) (i))	stem
Fail Headlamp aim projected beam image is obviously incorrect Both (4.1.2 (c))	
<b>Fail</b> Offside Rear Tyre has a lump, caused by separation or partial failure of its structure Inner ec tread, total circumference of tyre (5.2.3 (d) (ii))	lge of
Fail Nearside Body component damaged and likely to cause injury Mirror case (6.2.1 (a) (i))	
<b>Fail</b> Nearside Front Lower Suspension arm ball joint dust cover no longer prevents the ingress of joint located in hub (5.3.4 (b) (ii))	dirt Ball
Advice Rear Coil spring corroded Both (5.3.1 (b) (i))	
Advice Offside Front Tyre slightly damaged/cracking or perishing 205/50 R17 (5.2.3 (d) (ii))	
Fail Nearside Side repeater missing (4.4.1 (a) (ii))	

MOT #17	2022-02-08 09:39
MOT test number	997686824986
Result	✓ Passed





MOT #16		2021-08-03 09:37
MOT test	number	688079762117
Result		✓ Passed
Advice	Nearside Rear Coil spring corroded (5.3.1 (b) (i))	
Advice	Nearside Front Headlamp has a product on the lens but not seriously reduc	ing light output (4.1.4
(b))		
Advice	Offside Rear Coil spring corroded (5.3.1 (b) (i))	
Advice	Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Advice	Offside Front Headlamp has a product on the lens but not seriously reducin	ig light output (4.1.4
(b))		

MOT #15	2020-07-30 12:18
MOT test number	607213112089
Result	✓ Passed

MOT #14	2020-07-30 09:30
MOT test number	924038693268
Result	🗙 Failed
Fail Nearside Rear Brake pad(s) less than 1.5 mm thick (1.1.13 (a) (ii))	
Fail Offside Rear Lower Anti-roll bar ball joint excessively worn (5.3.4 (a) (i))	
<b>Fail</b> Nearside Rear Anti-roll bar ball joint excessively worn (5.3.4 (a) (i))	

MOT #13	2019-08-05 11:26
MOT test number	872921420531
Result	✓ Passed

MOT #12	2018-08-03 09:40
MOT test number	913055024236
Result	✓ Passed





MOT #11		2017-07-13 15:20
MOT test	number	353684740444
Result		✓ Passed
MOT #10		2016-07-19 09:34
MOT test	number	391075898987
Result		✓ Passed
Advice	Offside Windscreen has damage to an area less than a 10mm circle wit	hin zone 'A' (8.3.1a)
Advice	Nearside Windscreen has damage to an area less than a 40mm circle o	utside zone 'A' (8.3.1d)

Advice Nearside Rear Inner Road wheel with a slightly distorted bead rim (4.2.A.1a)

MOT #9		2015-08-03 11:56
MOT test	number	426165515294
Result		✓ Passed
Notice	Front wipers spilt	
Notice	Slight bind to n/s/f brake	
Advice	Front Brake pad(s) wearing thin (3.5.1g)	
Notice	Child seat fitted not allowing full inspection of adult belt	
Notice	Rear wiper blade smearing	
Advice	Offside Rear Anti-roll bar linkage worn but not seriously weakened (2.4.G.1)	



MOT #8			2015-08-03 11:56
MOT test	number		718405315206
Result			🗙 Failed
Advice	Front Brake pad	(s) wearing thin (3.5.1g)	
Notice	Child seat fitted not allowing full inspection of adult belt		
Notice	Rear wiper blade smearing		
Pass wit	h rectification	Offside Headlamp aim too high (1.8)	
Advice	Offside Rear Ant	i-roll bar linkage worn but not seriously weakened (2.4.G.1)	
Notice	Front wipers spil	t	
Notice	Slight bind to n/s	/f brake	

MOT #7		2014-08-08 16:06
MOT test	number	187300524282
Result		✓ Passed
Notice	O/s/r anti-roll bar link badly worn	
Notice	Rear anti roll bar D bushes worn	

МОТ #6	2013-08-06 16:06
MOT test number	419518013293
Result	✓ Passed

YR57YYD

report date: 2024-03-28





MOT #5	2013-08-06 16:06
MOT test number	356488313449
Result	× Failed
Pass with rectification	Offside Front Tie bar/rod has excessive play in a ball joint (2.4.G.2)
Pass with rectification	Front Brake pad(s) less than 1.5 mm thick (3.5.1g)
Pass with rectification	Offside Headlamp aim too high (1.8)
Pass with rectification	Nearside Front Tie bar/rod has excessive play in a ball joint (2.4.G.2)

MOT #4	2012-09-07 10:37
MOT test number	219321352222
Result	✓ Passed
<b>Notice</b> Vehicle's internal headlight adjuster altered to recheck	lights

MOT #3		2011-09-26 12:12
MOT test	number	486939561236
Result		Passed
Notice	Child seats fitted to all rear seats unable to fully check seat belts	
Notice	Exhaust corroded on flange joints	
Notice	Both front tyres badly worn on inner and outer edges	

MOT #2	2010-08-31 13:30
MOT test number	990383140214
Result	✓ Passed
MOT #1	2010-08-31 13:30
MOT test number	744883540238
Result	× Failed

**Pass with rectification** Offside Rear Brake pad(s) has restricted free movement (3.5.1k)



Tax & MOT check

✓ Taxed Tax due: 1 December 2024	<b>X</b> <b>MOT</b> Expired: 18 April 2024
Tax status	Valid until 1 December
Days left	217
MOT expiry date	18 April 2024
Full MOT history	See MOT history
Tax calculation	

Vehicle class	49
Band	Н
Single payment (12 months)	£ 290,00,-
Single six month payment	£ 159,50,-
Total payable by 12 monthly instalments	£ 304,50,-





### Damage history

Check the damage history for this HONDA. See if, where and when this HONDA had damage and the car repair costs. We also check if this HONDA was scrapped. Download the premium report <u>here</u> for the results.

Damage 1	
Date	
Category	 Law P
Туре	
Damage 2	AMPLE
Damage 2	E CAT D
Date	 ₩.
Category	 AMPT
Туре	

#### Extra HONDA salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.

More info  $\rightarrow$ 





### Vehicle valuation

What is this car worth? See the vehicle value of this HONDA in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	4 10.000
Auction value	4 10.000
Average private trade value	4 10.200

More info  $\rightarrow$ 





## Owner history

For how long did the current and previous owner(s) have this HONDA? How many owners did this HONDA have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

And a second sec	
************	
********	
******	
***********	
********	
	More info >
Plate changes	
See in this check if this HONDA had different number plates.	
Number of plates	,
Current registration	
Plate since	
Current registration	
Plate since	
	More info >





### Finance check

Check if this HONDA is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this HONDA has been settled.

If not, and you buy this HONDA then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this HONDA is financed.

Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	


More info >





# Mileage check

Odometer	In miles
Mileage registrations	21
First mileage registration	2007-09-28
Last registration	2024-04-23
Complete history	<u>See info</u>



Registration #1	2007-09-28	11 mi
Registration #2	2010-08-31	33.915 mi
Registration #3	2011-09-26	43.956 mi
Registration #4	2012-09-07	52.227 mi
Registration #5	2013-08-06	60.411 mi
Registration #6	2014-08-08	68.258 mi
Registration #7	2015-08-03	75.049 mi
Registration #8	2016-07-19	82.389 mi
Registration #9	2017-07-13	90.607 mi
Registration #10	2018-08-03	97.396 mi
Registration #11	2019-08-05	104.509 mi
Registration #12		11.777 est
Registration #13		11.777 mi
Registration #14		11.777 es
Registration #15		11.777 est
Registration #16		10.000 and
Registration #17		11.777 mi
Registration #17 Registration #18		11.227 est
-		11.227 est 11.227 est 11.227 est
Registration #18		01,000 est 01,000 est 01,000 est 01,000 est

More info >





Safety ratings

NCAP rating

Video

see crash video



Dimensions & weight	
Width	2113 mm
Height	1610 mm
Length	4285 mm
Wheel base	2680 mm
Max. allowed weight	2130 kg
Additional information	
Fuel tank capacity	58 I
Fuel delivery	Direct Injection
Number of doors	5
Number of seats	6
Number of axles	2
Engine number	N22A12502504