





General information

| Make | VOLKSWAGEN |
|---------------------|----------------|
| Model | PASSAT TDI SE |
| Colour | Blue |
| Year of manufacture | 2007 |
| Top speed | 127 mph |
| Gearbox | 6 speed Manual |

Engine & fuel consumption

| Power | 140 BHP |
|-------------------------|---------------------|
| Max. torque | 320 Nm at 1.750 rpm |
| Engine capacity | 1.968 cc |
| Cylinders | 4 |
| Fuel type | Diesel |
| Consumption city | 34.9 mpg |
| Consumption extra urban | 55.4 mpg |
| Consumption combined | 46.3 mpg |
| CO2 emission | 156 g/km |
| CO2 label | G |



MOT history

| MOT expiry date | 2024-12-17 |
|--------------------|------------|
| MOT pass rate | 74 % |
| MOT passed | 14 |
| Failed MOT tests | 5 |
| Total advice items | 62 |
| Total items failed | 12 |

| MOT #19 | 2023-12-12 10:46 |
|--|-----------------------------|
| MOT test number | 986208813632 |
| Result | ✓ Passed |
| Next expiry date | 2024-12-17 |
| Advice Rear Shock absorbers has light misting of oil both sides (5.3.2 (b)) | |
| Advice Rear Sub-frame corroded but not seriously weakened (5.3.3 (b) (i)) | |
| Minor Nearside Rear Position lamp with a multiple light source up to 1/2 not | functioning (4.2.1 (a) (i)) |
| Advice Nearside Front Shock absorbers has light misting of oil (5.3.2 (b)) | |
| Advice Rear Coil spring corroded both sides (5.3.1 (b) (i)) | |
| Advice (a) (i)) Front Suspension arm pin or bush worn but not resulting in excessive | movement both sides (5.3.4 |
| Advice Front Brakes imbalanced requirements only just met. It would appear requires adjustment or repair. (1.2.1 (b) (i)) | that the braking system |
| Minor Front Battery insecure but not likely to fall from carrier (4.13 (a) (i)) | |





| MOT #18 | 2023-12-12 10:46 |
|---|---------------------|
| MOT test number | 576025871733 |
| Result | 🗙 Failed |
| Advice Nearside Front Shock absorbers has light misting of oil (5.3.2 (b)) | |
| Minor Nearside Rear Position lamp with a multiple light source up to 1/2 not functioning | (4.2.1 (a) (i)) |
| Advice Rear Coil spring corroded both sides (5.3.1 (b) (i)) | |
| Advice Front Suspension arm pin or bush worn but not resulting in excessive movement (a) (i)) | t both sides (5.3.4 |
| Advice Front Brakes imbalanced requirements only just met. It would appear that the bir requires adjustment or repair. (1.2.1 (b) (i)) | raking system |
| Pass with rectificationOffside Front Road wheel fixing missing (5.2.1 (a) (i)) | |
| Advice Rear Shock absorbers has light misting of oil both sides (5.3.2 (b)) | |
| Advice Rear Sub-frame corroded but not seriously weakened (5.3.3 (b) (i)) | |
| Minor Front Battery insecure but not likely to fall from carrier (4.13 (a) (i)) | |
| Pass with rectification Engine MIL inoperative or indicates a malfunction (8.2.1.2 (h)) | |





| MOT #17 | | 2022-11-21 16:57 |
|----------------|---|-----------------------|
| MOT test | number | 657851316893 |
| Result | | ✓ Passed |
| Minor | Nearside Rear Position lamp with a multiple light source up to 1/2 not functioning | (4.2.1 (a) (i)) |
| Minor | Nearside Rear Direction indicator with a multiple light source up to 1/2 not function | oning (4.4.1 (a) (i)) |
| Advice | Rear Brake pad(s) wearing thin both sides (1.1.13 (a) (ii)) | |
| Advice | Front Shock absorbers has light misting of oil both sides (5.3.2 (b)) | |
| Advice | Rear Coil spring corroded both sides (5.3.1 (b) (i)) | |
| Minor | Front Windscreen damaged but not adversely affecting driver's view (3.2 (a) (i)) | |
| Minor | Driver's door catch deteriorated so the door cannot be readily opened or closed (6 | 5.2.3 (c) (i)) |
| Advice | Rear Shock absorbers has light misting of oil both sides (5.3.2 (b)) | |
| Advice (i)) | Offside Front Suspension arm pin or bush worn but not resulting in excessive mo | vement (5.3.4 (a) |





| MOT #16 | | 2022-11-21 16:57 |
|----------------|--|--------------------------|
| MOT test | number | 581965442390 |
| Result | | 🗙 Failed |
| Advice (i)) | Offside Front Suspension arm pin or bush worn but not resulting in excessive r | movement (5.3.4 (a) |
| Minor | Front Windscreen damaged but not adversely affecting driver's view (3.2 (a) (i) |) |
| Advice | Front Shock absorbers has light misting of oil both sides (5.3.2 (b)) | |
| Minor | Nearside Rear Position lamp with a multiple light source up to 1/2 not function | ng (4.2.1 (a) (i)) |
| Advice | Rear Coil spring corroded both sides (5.3.1 (b) (i)) | |
| Advice | Rear Brake pad(s) wearing thin both sides (1.1.13 (a) (ii)) | |
| Pass wi | ith rectification Engine MIL inoperative or indicates a malfunction (8.2.1.2 (h |)) |
| Minor | Nearside Rear Direction indicator with a multiple light source up to 1/2 not func | ctioning (4.4.1 (a) (i)) |
| Advice | Rear Shock absorbers has light misting of oil both sides (5.3.2 (b)) | |
| Minor | Driver's door catch deteriorated so the door cannot be readily opened or closed | d (6.2.3 (c) (i)) |

| MOT #15 | 2021-11-27 14:36 |
|----------------|--|
| MOT test | number 273728679638 |
| Result | ✓ Passed |
| Minor | Nearside Rear Position lamp with a multiple light source up to 1/2 not functioning (4.2.1 (a) (i)) |
| Advice | Rear Coil spring corroded both sides (5.3.1 (b) (i)) |
| Minor | Nearside Rear Direction indicator with a multiple light source up to 1/2 not functioning (4.4.1 (a) (i)) |
| Advice (i)) | Offside Rear Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) |





| MOT #14 | | 2021-11-27 14:36 |
|---------------------------------|---------------------------------------|---|
| MOT test number | | 685591953096 |
| Result | | 🗙 Failed |
| Minor Nearside Rear Po | sition lamp with a multiple light so | urce up to 1/2 not functioning (4.2.1 (a) (i)) |
| Advice Offside Rear Sus (i)) | spension arm pin or bush worn but | not resulting in excessive movement (5.3.4 (a) |
| Advice Rear Coil spring | corroded both sides (5.3.1 (b) (i)) | |
| Minor Nearside Rear Di | rection indicator with a multiple lig | ht source up to 1/2 not functioning (4.4.1 (a) (i)) |
| Pass with rectification | Engine MIL inoperative or indicat | es a malfunction (8.2.1.2 (h)) |

| MOT #13 | 2020-12-07 16:48 |
|-----------------|------------------|
| MOT test number | 253603810440 |
| Result | ✓ Passed |

| MOT #12 | 2020-12-07 09:47 |
|---|--------------------|
| MOT test number | 401387770416 |
| Result | 🗙 Failed |
| Advice Offside Rear Tyre slightly damaged/cracking or perishing cracking (5.2.3 (d) (ii)) |) |
| Advice Front Brake pad(s) wearing thin (1.1.13 (a) (ii)) | |
| Advice Nearside Rear Nail in tyre | |
| FailNearside Front Upper Anti-roll bar linkage ball joint dust cover no longer prevents t(5.3.4 (b) (ii)) | he ingress of dirt |
| Advice Nearside Rear Tyre slightly damaged/cracking or perishing cracking (5.2.3 (d) (i | ii)) |
| Fail Rear Brake pad(s) less than 1.5 mm thick (1.1.13 (a) (ii)) | |
| Fail Front Brake disc significantly and obviously worn (1.1.14 (a) (i)) | |
| Advice Rear Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (| ii)) |
| Fail Nearside Front Outer Drive shaft joint constant velocity boot split or insecure, no lo ingress of dirt (6.1.7 (g) (ii)) | nger prevents the |





| MOT #11 | 2019-06-05 | 5 10:29 |
|----------|--|---------|
| MOT test | t number 4140983 | 307086 |
| Result | 🗸 🗸 🗸 🗸 🗸 🗸 🗸 | Passed |
| Advice | Offside Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii)) | |
| Advice | Offside Rear Shock absorbers light misting of oil or has limited damping effect (5.3.2 (b)) | |
| Minor | Nearside Front Anti-roll bar linkage ball joint dust cover severely deteriorated (5.3.4 (b) (i)) | |
| Advice | Nearside Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii)) | |
| Advice | Nearside Rear Shock absorbers light misting of oil or has limited damping effect (5.3.2 (b)) | |

| MOT #10 | | 2018-06-18 09:30 |
|----------|---|-------------------|
| MOT test | number | 234320088479 |
| Result | | ✓ Passed |
| Advice | Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e)) | |
| Advice | Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e)) | |
| Advice | Front Inner Brake disc worn, pitted or scored, but not seriously weakened faces | (1.1.14 (a) (ii)) |

MOT #9 2017-07-24 13:53 **MOT test number** 306035986558 Result Passed Advice Nearside Front Tyre worn close to the legal limit on limit (4.1.E.1) Advice Nearside Rear Rear position lamp(s) has light sources not illuminating, but not more than 50% (1.1.A.3b) Advice Offside Front Tyre worn close to the legal limit on limit (4.1.E.1) Advice Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i) Advice Nearside Rear Rear position lamp(s) slightly affected by the operation of another lamp (1.1.A.3f)





| МОТ #8 | 2016-09-01 15:00 |
|-----------------------------------|------------------|
| MOT test number | 324438835084 |
| Result | ✓ Passed |
| | |
| MOT #7 | 2015-09-11 10:25 |
| MOT test number | 624997661305 |
| Result | ✓ Passed |
| | |
| МОТ #6 | 2014-09-06 09:13 |
| MOT test number | 979709244276 |
| Result | ✓ Passed |
| | |
| MOT #5 | 2013-09-20 11:11 |
| MOT test number | 849063963293 |
| Result | ✓ Passed |
| Notice Nail in nearside rear tyre | |

| Notice | Nail in offside rear tyre | |
|--------|---------------------------|------------------|
| MOT #4 | | 2012-09-15 11:25 |

| | 2012-05-15 11.25 |
|-----------------|------------------|
| MOT test number | 145999552254 |
| Result | Passed |

| 2011-09-03 15:33 |
|------------------|
| 475766041275 |
| ✓ Passed |
| |

| MOT #2 | 2010-09-11 16:02 |
|-----------------|------------------|
| MOT test number | 930384850251 |
| Result | ✓ Passed |





| MOT #3 | l | 2010-09-11 14:01 |
|--------|---|------------------|
| MOT te | st number | 254194450224 |
| Result | | 🗙 Failed |
| Fail | Offside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1) | |
| Fail | Nearside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1) | |
| Fail | Nearside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1) | |
| Fail | Offside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1) | |



WV57LXF report date: 2024-03-28

Tax & MOT check

| X Untaxed Tax expired: 18 April 2024 | ✓ MOT Expires: 17 December 2024 |
|---|--|
| Tax status | Expired at 18 April 2024 |
| Days left | 12 days too late |
| MOT expiry date | 17 December 2024 |
| Full MOT history | See MOT history |
| Tax calculation | |

| Vehicle class | 49 |
|---|------------|
| Band | G |
| Single payment (12 months) | £ 240,00,- |
| Single six month payment | £ 132,00,- |
| Total payable by 12 monthly instalments | £ 252,00,- |





Damage history

Check the damage history for this VOLKSWAGEN. See if, where and when this VOLKSWAGEN had damage and the car repair costs. We also check if this VOLKSWAGEN was scrapped. Download the premium report <u>here</u> for the results.

| Damage 1 | |
|----------|----------|
| Date | |
| Category | Lamp |
| Туре | |
| Damage 2 | AMPLE |
| Damage 2 | E CAT ON |
| Date | * |
| Category | AMP |
| Туре | |

Extra VOLKSWAGEN salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.

More info \rightarrow





Vehicle valuation

What is this car worth? See the vehicle value of this VOLKSWAGEN in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

| Trade retail value | 4 10.700 |
|-----------------------------|----------|
| Auction value | 4 10.000 |
| Average private trade value | 4 10 700 |

More info \rightarrow





Owner history

For how long did the current and previous owner(s) have this VOLKSWAGEN? How many owners did this VOLKSWAGEN have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

| And a second sec | |
|--|-------------|
| ********** | |
| ********* | |
| | |
| | |
| ********** | |
| ******** | |
| | |
| | More info > |
| Plate changes | |
| See in this check if this VOLKSWAGEN had different number plates. | |
| Number of plates | , |
| Current registration | |
| Plate since | |
| Exerned registration | |
| | |
| Plate since | |





Finance check

Check if this VOLKSWAGEN is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this VOLKSWAGEN has been settled.

If not, and you buy this VOLKSWAGEN then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this VOLKSWAGEN is financed.

| Finance company | |
|-------------------|--|
| Date of agreement | |
| Agreement type | |
| Agreement term | |
| Agreement number | |
| Contact info | |


More info \rightarrow





Mileage check

| Odometer | In miles |
|----------------------------|------------|
| Mileage registrations | 20 |
| First mileage registration | 2007-09-22 |
| Last registration | 2023-12-12 |
| Complete history | See info |



| Registration #1 | 2007-09-22 | 23 mi |
|------------------|------------|------------|
| Registration #2 | 2010-09-11 | 43.046 mi |
| Registration #3 | 2010-09-11 | 43.046 mi |
| Registration #4 | 2011-09-03 | 56.654 mi |
| Registration #5 | 2012-09-15 | 70.474 mi |
| Registration #6 | 2013-09-20 | 82.248 mi |
| Registration #7 | 2014-09-06 | 92.272 mi |
| Registration #8 | 2015-09-11 | 101.425 mi |
| Registration #9 | 2016-09-01 | 112.479 mi |
| Registration #10 | 2017-07-24 | 124.183 mi |
| Registration #11 | | 10.200 mi |
| Registration #12 | | 00.000 est |
| Registration #13 | | 10.200 mi |
| Registration #14 | | 00.000 est |
| Registration #15 | | 10.200 mi |
| Registration #16 | | 00.000 est |
| Registration #17 | | 11.227 esi |
| Registration #18 | | 11.227 est |
| Registration #19 | | 11.227 esi |
| Registration #20 | | 10.777 est |







Car features

| S0225 | Air conditioning |
|-------|------------------|
| S0295 | |
| S0482 | |
| S0501 | |
| S0566 | |
| S0567 | |
| S0569 | |

Safety ratings

NCAP rating

CarCheck.co.uk

Video

see crash video



| Dimensions & weight | |
|------------------------|------------------|
| Width | 1820 mm |
| Height | 1517 mm |
| Length | 4774 mm |
| Wheel base | 2709 mm |
| Kerb weight | 1715 kg |
| Max. allowed weight | 2140 kg |
| Additional information | |
| Fuel tank capacity | 70 |
| Fuel delivery | Direct Injection |
| Number of doors | 5 |

| Number of seats | 5 |
|-----------------|------------|
| Number of axles | 2 |
| Engine number | BKP 137175 |