





General information

Make	MERCEDES
Model	B-CLASS B150 SE
Colour	Black
Year of manufacture	2007
Top speed	108 mph
0 - 60 mph	13.2 seconds
Gearbox	5 speed Manual

Engine & fuel consumption

Power	94 BHP	
Max. torque	140 Nm at 4.000 rpm	
Engine capacity	1.498 cc	
Cylinders	4	
Fuel type	Petrol	
Consumption city	34.0 mpg	
Consumption extra urban	50.4 mpg	
Consumption combined	42.8 mpg	
CO2 emission	163 g/km	
CO2 label	G	







Internet history

Date

2021-07-10

Pictures

9

Listing price

View report









source: autotrader.co.uk



MOT history

MOT expiry date	2024-03-07
MOT pass rate	68 %
MOT passed	13
Failed MOT tests	6
Total advice items	43
Total items failed	28

MOT #19	2023-03-04 08:33
MOT test number	368363044407
Result	✓ Passed
Next expiry date	2024-03-07

MOT #18		2022-03-08 12:27
MOT test	number	817742186806
Result		✓ Passed
Advice	Offside Front Outer Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Advice	Nearside Front Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))	
Advice Parking brake efficiency only just met. It would appear that the braking system requires adjustment or repair. (1.4.2 (a) (i))		m requires
Advice	Rear Tyre slightly damaged/cracking or perishing both side. (5.2.3 (d) (ii))	

MOT #17	2021-04-29 10:54
MOT test number	542455067527
Result	✓ Passed
Advice Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))	





MOT #16	2021-03-23 17:33
MOT test number	791790540318
Result	🗙 Failed

MAJOR Offside Front Suspension component mounting prescribed area excessively corroded significantly reducing structural strength under bonnet McPherson strut top mounting point (5.3.6 (a) (i))

Minor Offside Rear Brake pipe inadequately clipped or supported front to rear pipe (1.1.11 (d) (i))

Advice Suspension component mounting prescribed area is corroded but not considered excessive rear inc subframe (5.3.6 (a) (i))

Advice Slight knock from inner c v joints

MAJOR Offside Front Macpherson strut corroded and seriously weakened (5.3.3 (b) (i))

Advice Nearside Tyre slightly damaged/cracking or perishing front and rear (5.2.3 (d) (ii))

MAJOR Offside Front Brake pipe excessively corroded under wheel arch (1.1.11 (c))

MAJOR Nearside Windscreen wiper does not clear the windscreen effectively (3.4 (b) (ii))

Advice Exhaust has a minor leak of exhaust gases (6.1.2 (a))

MAJOR Offside Rear Brake pipe likely to become detached or damaged front to rear brake pipe to flexi joint insecure (1.1.11 (d) (ii))

MAJOR Nearside Headlamp not working on dipped beam (4.1.1 (a) (ii))Minor Nearside Rear Brake pipe inadequately clipped or supported front to rear pipe (1.1.11 (d) (i))

Advice Rear Direction indicator slightly discoloured (4.4.3 (a))

Advice Nearside parking brake cable slightly chaffing rear anti roll bar link

MAJOR Offside Rear Coil spring fractured or broken (5.3.1 (b) (i))

Advice Nearside rear brake slight bind

Advice Brake disc worn, pitted or scored, but not seriously weakened front and rear (1.1.14 (a) (ii))

MAJOR Offside Front Anti-roll bar linkage ball joint dust cover no longer prevents the ingress of dirt (5.3.4 (b) (ii))

MAJOR Brake lever has insufficient reserve travel (1.1.2 (a))

Advice Brake pipe corroded, covered in grease or other material including nearside rear under cover (1.1.11 (c))

Advice Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))

MAJOR Nearside Rear Brake pipe likely to become detached or damaged front to rear brake pipe to flexi joint insecure (1.1.11 (d) (ii))

MAJOR Offside Windscreen washer provides insufficient washer liquid (3.5 (a))

MAJOR Parking brake efficiency below requirements (1.4.2 (a) (i))

MAJOR Offside Front Drive shaft joint constant velocity boot split or insecure, no longer prevents the ingress of dirt (6.1.7 (g) (ii))





MOT #15	2020-03-16 11:55
MOT test number	730311601372
Result	✓ Passed
Advice Nearside Front Brake pipe corroded, covered in grease or other material to greased (1.1.11 (c))	rear behind plastics
Advice Nearside Rear Service brake binding but not excessively (1.2.1 (f))	
Advice Rear Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))	
MOT #14	2019-01-03 11:38
MOT test number	774625469637
Result	✓ Passed
MOT #13	2018-01-12 10:12
MOT test number	196487566701
Result	✓ Passed
MOT #12	2017-01-13 09:36
MOT test number	684172986719

Result

✓ Passed





MOT #11 20	17-01-11 15:46
MOT test number	391162639123
Result	🗙 Failed
Advice Nearside Front Road wheel with a slightly distorted bead rim (4.2.A.1a)	
Fail Offside front brake excessively fluctuating (3.7.B.3)	
Fail Nearside Headlamp aim too high (1.8)	
FailParking brake: efficiency below requirements (3.7.B.7)	
Advice Offside Rear Brake pipe slightly corroded (3.6.B.2c)	
Fail Offside Windscreen washer provides insufficient washer liquid (8.2.3)	
Advice Nearside Rear Direction indicator slightly discoloured (1.4.A.2f)	
Fail Offside Front Track rod end loose (2.2.B.1d)	
Advice Offside Front Brake pipe slightly corroded (3.6.B.2c)	
Fail Nearside front brake excessively fluctuating (3.7.B.3)	
Advice Offside Front Road wheel with a slightly distorted bead rim (4.2.A.1a)	
Fail Nearside Brake pipe excessively corroded front to rear at rear (3.6.B.2c)	
Fail Offside Headlamp aim too high (1.8)	
FailParking brake lever has no reserve travel (3.1.6b)	
Fail Steering system has excessive free play detected at the steering wheel (steering rack fi (2.2.A.1b)	tted)
Advice Offside Rear Direction indicator slightly discoloured (1.4.A.2f)	
Fail Offside Front constant velocity joint gaiter damaged to the extent that it no longer previous ingress of dirt etc (2.5.C.1a)	ents the

MOT #10	2016-01-11 17:01
MOT test number	681384282673
Result	✓ Passed





MOT #		2016-01-09 10:35
MOT te	st number	180556379617
Result		🗙 Failed
Fail	Offside Front front brake binding (3.7.B.1)	
Fail	Anti-lock braking system warning lamp indicates an ABS fault (3.4.1c)	
Fail	Nearside Front Headlamp aim too low (1.8)	
Fail	Offside Front Headlamp not working on main beam (1.7.5a)	
Fail	Offside Front Suspension arm has excessive play in a ball joint (2.4.G.2)	
Fail	Parking brake: efficiency below requirements (3.7.B.7)	
Fail	Offside Front front brake excessively fluctuating (3.7.B.3)	
Fail	Tyre pressure monitoring system warning lamp indicates a fault (4.1.D.4)	
Fail	Offside Front Headlamp not working on dipped beam (1.7.5a)	
Fail	Rear coil spring broken both (2.4.C.1a)	

МОТ #8	2015-03-17 09:55	
MOT test number	219146975039	
Result	🗙 Failed	
Fail Nearside Brake pipe excessively corroded (3.6.B.2c)		
Fail Anti-lock braking system warning lamp indicates an ABS fault (3.4.1c)		
Fail Offside Front constant velocity joint gaiter damaged to the extent that it no longer prevents the ingress of dirt etc (2.5.C.1a)		
Fail Nearside Headlamp aim beam image obviously incorrect (1.8.A.1b)		

MOT #7	2014-03-20 08:43
MOT test number	388679274033
Result	✓ Passed
Advice Nearside Rear Tyre worn close to the legal limit (4.1.E.1)	





MOT #6	2014-03-19 13:48
MOT test number	859058274015
Result	🗙 Failed
Fail Nearside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)	
Advice Nearside Rear Tyre worn close to the legal limit (4.1.E.1)	
Fail Offside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)	

MOT #5	2013-03-20 14:11
MOT test number	116629773488
Result	✓ Passed
Advice Offside Rear Direction indicator slightly discoloured (1.4.A.2f)	

MOT #4		2013-03-20 14:11
MOT test number		885719273062
Result		🗙 Failed
Advice Offside Rear Direc	ction indicator slightly discoloured (1.4.A.2f)	
Pass with rectification	Nearside Headlamp not working on dipped beam (1.7.5a)	

MOT #3	2012-03-15 13:21
MOT test number	698545672088
Result	✓ Passed

MOT #2	2011-03-16 15:54
MOT test number	565505671031
Result	✓ Passed

MOT #1	2010-03-16 11:46
MOT test number	722345570098
Result	✓ Passed



Tax & MOT check

✓ Taxed	Expired:	Х MOT
1 July 2024	7 March 2024	
Tax status Days left		Valid until 1 July 62
MOT expiry date		7 March 2024
Full MOT history		See MOT history

Tax calculation

Vehicle class	48
Band	G
Single payment (12 months)	£ 240,00,-
Single six month payment	£ 132,00,-
Total payable by 12 monthly instalments	£ 252,00,-





Damage history

Check the damage history for this MERCEDES. See if, where and when this MERCEDES had damage and the car repair costs. We also check if this MERCEDES was scrapped. Download the premium report <u>here</u> for the results.

Damage 1	
Date	
Category	AAMP
Туре	
Damage 2	AMPL
Date	4
Category	ANDEL
Туре	

Extra MERCEDES salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.

More info >





Vehicle valuation

What is this car worth? See the vehicle value of this MERCEDES in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	4.00.000
Auction value	4 10.000
Average private trade value	4 10.200

More info \rightarrow





Owner history

For how long did the current and previous owner(s) have this MERCEDES? How many owners did this MERCEDES have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

AND	

And a second s	
	More info >
Plate changes	
See in this check if this MERCEDES had different number plates.	
Number of plates	
Carrent registration	
Plate since	
Current registration	
Plate since	
	More info >





Finance check

Check if this MERCEDES is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this MERCEDES has been settled.

If not, and you buy this MERCEDES then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this MERCEDES is financed.

Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	

More info \rightarrow





Mileage check

Odometer	In miles
Mileage registrations	19
First mileage registration	2007-03-20
Last registration	2023-03-04
Complete history	<u>See info</u>



Registration #1	2007-03-20	10 mi
Registration #2	2010-03-16	15.697 mi
Registration #3	2011-03-16	20.877 mi
Registration #4	2012-03-15	25.610 mi
Registration #5	2013-03-20	29.505 mi
Registration #6	2014-03-19	32.830 mi
Registration #7	2014-03-20	32.830 mi
Registration #8	2016-01-09	42.278 mi
Registration #9	2016-01-11	42.278 mi
Registration #10	2017-01-11	51.184 mi
Registration #11		11.777 mi
Registration #12		11.777 esi
Registration #13		11.777 mi
Registration #14		11.777 esi
Registration #15		11.777 mi
Registration #16		11.777 esi
Registration #17		11.777 mi
Registration #18		
Registration #10		11,717,468

More info \rightarrow





Safety ratings

NCAP rating

Video

see crash video



Dimensions & weight	
Width	1777 mm
Height	1603 mm
Length	4270 mm
Wheel base	2778 mm
Kerb weight	1300 kg
Additional information	
Additional information Fuel tank capacity	54 I
	54 l Multi-Point Injection
Fuel tank capacity	
Fuel tank capacity Fuel delivery	Multi-Point Injection
Fuel tank capacity Fuel delivery Number of doors	Multi-Point Injection 5