



**R24BLU**

report date: 2024-03-28

General information

Make	LAND ROVER
Model	DEFENDER TDI 95
Colour	Blue
Year of manufacture	1997
Top speed	91 mph
0 - 60 mph	17.2 seconds
Gearbox	5 speed Manual

Engine & fuel consumption

Power	111 BHP
Max. torque	265 Nm at 1.800 rpm
Engine capacity	2.495 cc
Cylinders	4
Fuel type	Diesel
Consumption city	24.9 mpg
Consumption extra urban	37.5 mpg
Consumption combined	31.6 mpg





Internet history

Entry 1

Date	2021-09-06
Pictures	0
Listing price	<a href="#">View report</a>

source: [autotrader.co.uk](#)



MOT history

MOT expiry date	2024-10-31
MOT pass rate	57 %
MOT passed	12
Failed MOT tests	9
Total advice items	60
Total items failed	75

MOT #21	2023-11-01 09:03
MOT test number	281914251058
Result	✓ Passed
Next expiry date	2024-10-31
Advice	Rear Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))
Advice	Main bean dose not remain on when switch released
Advice	Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))

**MOT #20**

2023-10-25 14:41

**MOT test number**

487565467321

**Result**

✗ Failed

- Fail** Nearside Rear Stop lamp(s) not working (4.3.1 (a) (ii))
- Fail** Nearside Front Vehicle structure corroded to the extent that the rigidity of the assembly is significantly reduced (6.1.1 (c) (i))
- Fail** Nearside Front Windscreen wiper does not clear the windscreen effectively (3.4 (b) (ii))
- Fail** Offside Front Suspension arm attachment bracket/mounting fractured axle mount bracket (5.3.3 (b) (ii))
- Fail** Nearside Rear Position lamp adversely affected by the operation of another lamp (4.2.3 (c))
- Fail** Central Rear Suspension arm ball joint dust cover no longer prevents the ingress of dirt (5.3.4 (b) (ii))
- Advice** Main beam dose not remain on when switch released
- Advice** Rear Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))
- Minor** Nearside Front Position lamp with a multiple light source up to 1/2 not functioning (4.2.1 (a) (i))
- Fail** Offside Front Upper Seat belt anchorage loose (7.1.1 (b))
- Fail** Offside Front Drag link end ball joint has excessive play (2.1.3 (b) (i))
- Fail** Offside Front Windscreen wiper does not clear the windscreen effectively (3.4 (b) (ii))
- Advice** Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))
- Fail** Service brake efficiency below requirements (1.2.2 (a) (i))

**MOT #19**

2021-01-15 15:28

**MOT test number**

973738508835

**Result**

✓ Passed

- Advice** Oil leak, but not excessive (8.4.1 (a) (i))
- Advice** General underbody corrosion

**MOT #18**

2019-08-16 09:37

**MOT test number**

430085858326

**Result**

✓ Passed

**Advice** Oil leak, but not excessive (8.4.1 (a) (i))**Advice** Coil springs slightly corroded**MOT #17**

2019-08-12 13:10

**MOT test number**

523671110691

**Result**

✗ Failed

**Fail** Offside Rear Vehicle structure corroded to the extent that the rigidity of the assembly is significantly reduced (6.1.1 (c) (i))**Advice** Oil leak, but not excessive (8.4.1 (a) (i))**Advice** Coil springs slightly corroded**Fail** Nearside Rear Vehicle structure corroded to the extent that the rigidity of the assembly is significantly reduced (6.1.1 (c) (i))**Fail** Nearside Rear Floor excessively deteriorated (6.2.4 (a) (i))**MOT #16**

2018-07-03 17:11

**MOT test number**

877938823689

**Result**

✓ Passed

**Advice** Hydraulic brake cylinder corroded but not seriously weakened (1.1.16 (d) (i))**Advice** Nearside Cab or chassis corroded within 30cm of a mounting, but not seriously affecting overall security (6.2.2 (d) (i))**Advice** Rear Bumper mountings corroded but not likely to become detached x2 (6.1.4 (a) (i))**Advice** Front Coil spring corroded x2 (5.3.1 (b) (i))**Advice** Offside Cab or chassis corroded within 30cm of a mounting, but not seriously affecting overall security (6.2.2 (d) (i))

**MOT #15** 2018-07-03 17:11**MOT test number** 815321080806**Result** ✗ Failed

- Advice** Hydraulic brake cylinder corroded but not seriously weakened (1.1.16 (d) (i))
- Advice** Nearside Cab or chassis corroded within 30cm of a mounting, but not seriously affecting overall security (6.2.2 (d) (i))
- Advice** Rear Bumper mountings corroded but not likely to become detached x2 (6.1.4 (a) (i))
- Pass with rectification** Nearside Headlamp not working on main beam (4.1.1 (a) (ii))
- Advice** Front Coil spring corroded x2 (5.3.1 (b) (i))
- Pass with rectification** Stop lamp(s) all not working (4.3.1 (a) (iii))
- Advice** Offside Cab or chassis corroded within 30cm of a mounting, but not seriously affecting overall security (6.2.2 (d) (i))
- Pass with rectification** Nearside Headlamp not working on dipped beam (4.1.1 (a) (ii))

**MOT #14** 2015-12-17 14:16**MOT test number** 709389785567**Result** ✓ Passed**MOT #13** 2013-01-08 16:26**MOT test number** 615598103000**Result** ✓ Passed

- Advice** Offside Seat belt damaged but webbing not significantly weakened (5.2.2a)
- Advice** Offside Front Torque/reaction arm has a slightly deteriorated rubber bush (2.4.G.2)
- Advice** Nearside Seat belt damaged but webbing not significantly weakened (5.2.2a)
- Advice** Nearside Front Torque/reaction arm has a slightly deteriorated rubber bush (2.4.G.2)

**MOT #12**

2012-12-19 10:46

**MOT test number**

685534252343

**Result****✗ Failed**

- Fail** Offside Rear Upper Shock absorber has an excessively worn bush (2.7.4)
- Fail** Nearside Headlamp aim too high (1.8)
- Fail** Ball joint has excessive play (2.2.B.1f)
- Fail** Rear fog lamp tell tale not working (1.3.1b)
- Advice** Offside Seat belt damaged but webbing not significantly weakened (5.2.2a)
- Fail** Nearside Front Torque/reaction arm has a deteriorated rubber bush resulting in excessive movement (2.4.G.2)
- Advice** Offside Front wheel bearing has slight play (2.5.A.3c)
- Fail** Nearside Rear Upper Shock absorber has an excessively worn bush (2.7.4)
- Advice** Offside Front Torque/reaction arm has a slightly deteriorated rubber bush (2.4.G.2)
- Fail** Front registration plate character(s) likely to be misread (6.3.4b)
- Fail** Offside Headlamp aim too high (1.8)
- Advice** Nearside Seat belt damaged but webbing not significantly weakened (5.2.2a)
- Fail** Rear fog lamp not working (1.3.2b)
- Advice** Nearside Front wheel bearing has slight play (2.5.A.3c)
- Fail** Offside Front Torque/reaction arm has a deteriorated rubber bush resulting in excessive movement (2.4.G.2)
- Advice** Nearside Front Torque/reaction arm has a slightly deteriorated rubber bush (2.4.G.2)

**MOT #11**

2011-10-28 09:21

**MOT test number**

916201501388

**Result**

✓ Passed

- Advice** Nearside Front wheel bearing has slight play (2.5.A.3c)
- Advice** Seat belt damaged but webbing not significantly weakened (5.2.2a)
- Advice** Nearside Rear wheel bearing has slight play (2.6.2)

**MOT #10**

2011-10-20 11:14

**MOT test number**

849643091235

**Result**

✗ Failed

- Fail** Offside Rear Trailing arm rubber bush deteriorated resulting in excessive movement (2.4.G.2)
- Advice** Seat belt damaged but webbing not significantly weakened (5.2.2a)
- Fail** Front Exhaust has a major leak of exhaust gases (7.1.2)
- Fail** Windscreen wiper does not clear the windscreen effectively (8.2.2)
- Fail** Offside Stop lamp not working (1.2.1b)
- Fail** Offside Headlamp aim too high and too far to the left. (1.8)
- Fail** Nearside Rear Trailing arm rubber bush deteriorated resulting in excessive movement (2.4.G.2)
- Advice** Nearside Rear wheel bearing has slight play (2.6.2)
- Fail** Offside Front Lower Axle swivel joint has excessive play in a swivel pin (2.5.A.3b)
- Advice** Offside Front Front position lamp(s) damaged, but still visible from a reasonable distance (1.1.A.3d)
- Fail** Rear Exhaust system not adequately supported (7.1.1)
- Fail** Nearside Stop lamp not working (1.2.1b)
- Fail** Nearside Vehicle structure excessively corroded within 30cm of towbar mounting (6.6.6)
- Fail** Offside Track rod end ball joint has excessive play (2.2.B.1f)
- Advice** Nearside Front wheel bearing has slight play (2.5.A.3c)





MOT #92010-10-22 13:24

MOT test number804465090273

Result

✓ Passed

Advice

Nearside Seat belt damaged but webbing not significantly weakened (5.2.2a)

Advice

Nearside Front Tyre worn close to the legal limit (4.1.E.1)

Advice

Offside Seat belt damaged but webbing not significantly weakened (5.2.2a)

**MOT #8**

2010-10-19 11:49

**MOT test number**

302212190284

**Result****✗ Failed**

- Fail** Nearside Front Direction indicators not working (1.4.A.2c)
- Advice** Nearside Seat belt damaged but webbing not significantly weakened (5.2.2a)
- Fail** Offside Rear Vehicle structure excessively corroded within 30cm of towbar mounting (6.6.6)
- Fail** Registration plate lamp not fitted (1.1.C.1b)
- Fail** Nearside Front Tie bar/rod rubber bush deteriorated resulting in excessive movement (2.4.G.2)
- Fail** Offside Headlamp aim too low (1.8)
- Fail** Offside Windscreen washer provides insufficient washer liquid (8.2.3)
- Fail** Offside Drag link end ball joint has excessive play (2.2.B.1f)
- Fail** Nearside Front position lamp(s) not working (1.1.A.3b)
- Fail** Offside Obligatory mirror seriously damaged, affecting the rear view (8.1.2a)
- Fail** Nearside Rear Vehicle structure excessively corroded within 30cm of towbar mounting (6.6.6)
- Advice** Nearside Front Tyre worn close to the legal limit (4.1.E.1)
- Fail** Nearside Rear Direction indicators not working (1.4.A.2c)
- Advice** Offside Seat belt damaged but webbing not significantly weakened (5.2.2a)
- Fail** Offside Rear Suspension component mounting prescribed area is excessively corroded (2.4.A.3)
- Fail** Nearside Headlamp aim too low (1.8)
- Fail** Offside Front Tie bar/rod rubber bush deteriorated resulting in excessive movement (2.4.G.2)
- Fail** Offside Track rod end ball joint has excessive play (2.2.B.1f)
- Fail** Nearside Rear position lamp(s) not working (1.1.A.3b)
- Fail** Parking brake lever has no reserve travel (3.1.6b)
- Fail** Offside Front Brake hose bulging under pressure (3.6.B.3)

**MOT #7**

2009-10-22 15:07

**MOT test number**

662205699287

**Result**

✓ Passed

**Advice** Front Direction indicators slightly discoloured (1.4.A.2f)**Advice** Rear wheel bearing has slight play (2.6.2)**Advice** Front wheel bearing has slight play (2.5.A.3c)**MOT #6**

2009-10-19 17:03

**MOT test number**

593592599204

**Result**

✗ Failed

**Advice** Rear wheel bearing has slight play (2.6.2)**Fail** Nearside Stop lamp not working (1.2.1b)**Fail** Nearside Rear Direction indicator incomplete (1.5.A1b)**Fail** Offside Track rod end ball joint has excessive play (2.2.B.1f)**Fail** Nearside Front position lamp(s) not working (1.1.A.3b)**Advice** Front wheel bearing has slight play (2.5.A.3c)**Fail** Nearside Front position lamp(s) excessively damaged so that it is not visible from a reasonable distance (1.1.A.3d)**Fail** Nearside Rear Direction indicator incorrect colour (1.4.A.2f)**Fail** Vehicle structure excessively corroded within 30cm of towbar mounting (6.6.6)**Fail** Front registration plate deteriorated (6.3.1d)**Advice** Front Direction indicators slightly discoloured (1.4.A.2f)**Fail** Offside Front position lamp(s) not working (1.1.A.3b)



<b>MOT #5</b>	2008-09-24 11:21
<b>MOT test number</b>	281378968215
<b>Result</b>	✓ Passed
<b>Advice</b>	Centre Seat belt damaged but not affecting the operation of the belt (5.2.2a)

<b>MOT #4</b>	2008-09-23 10:09
<b>MOT test number</b>	684277668262
<b>Result</b>	✗ Failed
<b>Notice</b>	Rear exhaust hanger secure but wired up.
<b>Advice</b>	Nearside Front wheel bearing has slight play (2.5.A.3c)
<b>Fail</b>	Parking brake lever has no reserve travel (3.1.6b)
<b>Fail</b>	Offside Rear position lamp(s) incorrect colour (1.1.A.3e)
<b>Fail</b>	Offside Stop lamp not working (1.2.1b)
<b>Advice</b>	Centre Seat belt damaged but not affecting the operation of the belt (5.2.2a)
<b>Fail</b>	Nearside Front position lamp(s) excessively damaged so that it is not visible from a reasonable distance (1.1.A.3d)
<b>Fail</b>	Registration plate lamp not working (1.1.5c)
<b>Fail</b>	Nearside Track rod end ball joint has excessive play (2.2.B.1f)

<b>MOT #3</b>	2007-10-19 14:16
<b>MOT test number</b>	343932597478
<b>Result</b>	✓ Passed
<b>Advice</b>	Offside Front wheel bearing has slight play (2.5.A.3c)
<b>Advice</b>	Nearside Front wheel bearing has slight play (2.5.A.3c)



MOT #22007-10-17 13:37

MOT test number384210497406

Result

✗ Failed

Fail

Nearside Stop lamp not working (1.2.1b)

Advice

Offside Front wheel bearing has slight play (2.5.A.3c)

Fail

Nearside Front Brake pipe fouled by moving parts (3.6.B.2a)

Fail

Offside Front Brake hose has insufficient room to move, resulting in fouling on any part (3.6.B.4a)

Advice

Nearside Front wheel bearing has slight play (2.5.A.3c)

Fail

Offside Front coil spring fractured (2.4.C.1a)

Fail

Offside Front Brake pipe fouled by moving parts (3.6.B.2a)

MOT #12006-10-20 12:32

MOT test number470163796258

Result

✓ Passed



Tax & MOT check

✗  
Untaxed

Tax expired:  
11 August 2022

✓  
MOT

Expires:  
31 October 2024

Tax status	Expired at 11 August 2022
Days left	628 days too late
MOT expiry date	31 October 2024
Full MOT history	<a href="#">See MOT history</a>



Damage history


Check the damage history for this LAND ROVER. See if, where and when this LAND ROVER had damage and the car repair costs. We also check if this LAND ROVER was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	

Damage 2

Date	
Category	
Type	



Extra LAND ROVER salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this LAND ROVER in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	£ 19,999
Auction value	£ 19,999
Average private trade value	£ 19,999

More info >





Owner history

For how long did the current and previous owner(s) have this LAND ROVER? How many owners did this LAND ROVER have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration

More info >

Plate changes

See in this check if this LAND ROVER had different number plates.

Number of plates	1
Current registration	R24BLU
Plate since	2024-03-28
Current registration	R24BLU
Plate since	2024-03-28

More info >



Finance check

Check if this LAND ROVER is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this LAND ROVER has been settled.

If not, and you buy this LAND ROVER then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this LAND ROVER is financed.

Finance company	XXXXXXXXXX	XXXX
Date of agreement	XXXXXXXXXX	XXXX
Agreement type	XXXXXXXXXX	XXXX
Agreement term	XXXXXXXXXX	XXXX
Agreement number	XXXXXXXXXX	XXXX
Contact info	XXXXXXXXXX	XXXX

More info >



Mileage check

Odometer	In miles
Mileage registrations	23
First mileage registration	1997-08-01
Last registration	2023-11-01
Complete history	<a href="#">See info</a>



Registration #1	1997-08-01	7 mi
Registration #2	2006-10-20	93.171 mi
Registration #3	2007-10-17	107.222 mi
Registration #4	2007-10-19	107.299 mi
Registration #5	2008-09-23	119.276 mi
Registration #6	2008-09-24	119.279 mi
Registration #7	2009-10-19	134.350 mi
Registration #8	2009-10-22	134.355 mi
Registration #9	2010-10-19	148.279 mi
Registration #10	2010-10-22	142.783 mi
Registration #11	2011-10-20	162.142 mi
Registration #12	2011-10-28	162.346 mi
Registration #13	2012-10-20	176.346 mi
Registration #14	2012-10-20	176.346 mi
Registration #15	2012-10-20	176.346 mi
Registration #16	2012-10-20	176.346 mi
Registration #17	2012-10-20	176.346 mi
Registration #18	2012-10-20	176.346 mi
Registration #19	2012-10-20	176.346 mi
Registration #20	2012-10-20	176.346 mi
Registration #21	2012-10-20	176.346 mi
Registration #22	2012-10-20	176.346 mi
Registration #23	2012-10-20	176.346 mi

More info >



Safety ratings

NCAP rating	★★★★★
Adult	85%
Children	85%
Pedestrian	71%
Safety systems	79%
Overall rating	81%
Video	<a href="#">see crash video</a>



Dimensions & weight

Width	1793 mm
Length	4484 mm
Wheel base	2540 mm

Additional information

Fuel tank capacity	89 l
Fuel delivery	Direct Injection
Number of doors	5
Number of axles	2
Engine number	21L88491A