



**PX56WWA**

report date: 2024-03-29

General information

Make	JAGUAR
Model	X-TYPE SPORT
Colour	Red
Year of manufacture	2006
Top speed	134 mph
0 - 60 mph	8.9 seconds
Gearbox	6 speed Manual

Engine & fuel consumption

Power	152 BHP
Max. torque	366 Nm at 1.800 rpm
Engine capacity	2.198 cc
Cylinders	4
Fuel type	Diesel
Consumption city	33.6 mpg
Consumption extra urban	57.7 mpg
Consumption combined	45.6 mpg
CO2 emission	164 g/km
CO2 label	G






Internet history

Entry 2


Date	2021-07-24
Pictures	12
Listing price	<a href="#">View report</a>



source: [autotrader.co.uk](#)

Entry 1

Date	2021-07-09
Pictures	12
Listing price	<a href="#">View report</a>



source: [autotrader.co.uk](#)



MOT history

MOT expiry date	2024-04-20
MOT pass rate	64 %
MOT passed	16
Failed MOT tests	9
Total advice items	94
Total items failed	49

MOT #252023-04-03 11:24

MOT test number434691567542

Result✓ Passed

Next expiry date2024-04-20

Advice	Nearside Front Road wheel slightly distorted (5.2.2 (c) (i))
Minor	Nearside Rear Upper Anti-roll bar linkage ball joint dust cover severely deteriorated (5.3.4 (b) (i))
Advice	Nearside Front Brake hose has slight corrosion to ferrule (1.1.12 (f) (i))
Advice	Offside Rear Child Seat fitted not allowing full inspection of adult belt
Advice	Offside Front Direction indicator slightly discoloured (4.4.3 (a))
Minor	Offside Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i))
Advice	Rear Tyre slightly damaged both stepped on inner edge (5.2.3 (d) (ii))
Advice	Nearside Rear Road wheel slightly distorted (5.2.2 (c) (i))
Advice	Nearside Front Direction indicator slightly discoloured (4.4.3 (a))

**MOT #24**

2023-04-01 10:44

**MOT test number**

566718121858

**Result****✗ Failed**

- Fail** Nearside Rear Wheel bearing rough when rotated (5.1.3 (b) (i))
- Advice** Nearside Front Direction indicator slightly discoloured (4.4.3 (a))
- Advice** Nearside Front Road wheel slightly distorted (5.2.2 (c) (i))
- Fail** Nearside Stop lamp(s) not working (4.3.1 (a) (ii))
- Minor** Offside Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i))
- Fail** Nearside Rear Inner Brake pad(s) less than 1.5 mm thick (1.1.13 (a) (ii))
- Fail** Offside Rear Anti-roll bar pin or bush excessively worn d bush (5.3.4 (a) (i))
- Advice** Nearside Front Brake hose has slight corrosion to ferrule (1.1.12 (f) (i))
- Fail** Brake lever has insufficient reserve travel (1.1.2 (a))
- Advice** Offside Front Direction indicator slightly discoloured (4.4.3 (a))
- Fail** Nearside Rear Position lamp not working (4.2.1 (a) (ii))
- Advice** Nearside Rear Road wheel slightly distorted (5.2.2 (c) (i))
- Fail** Offside Rear Upper Anti-roll bar linkage ball joint dust cover no longer prevents the ingress of dirt (5.3.4 (b) (ii))
- Advice** Offside Rear Child Seat fitted not allowing full inspection of adult belt
- Minor** Nearside Rear Upper Anti-roll bar linkage ball joint dust cover severely deteriorated (5.3.4 (b) (i))
- Advice** Rear Tyre slightly damaged both stepped on inner edge (5.2.3 (d) (ii))
- Fail** Nearside Rear Brake pipe excessively corroded above frame (1.1.11 (c))



MOT #232022-04-21 12:24

MOT test number755593153663

Result		✓ Passed
Advice	Nearside Front Brake hose has slight corrosion to ferrule (1.1.12 (f) (i))	
Advice	Offside Front Service brake fluctuating, but not excessively (1.2.1 (e))	
Advice	Nearside Front Road wheel slightly distorted (5.2.2 (c) (i))	
Advice	Nearside Rear Brake hose has slight corrosion to ferrule (1.1.12 (f) (i))	
Minor	Central Stop lamp(s) with a multiple light source up to 1/2 not functioning (4.3.1 (a) (i))	
Advice	Nearside Rear Brake pipe corroded, covered in grease or other material rusty (1.1.11 (c))	

**MOT #22**

2022-04-14 12:53

**MOT test number**

684411085720

**Result****✗ Failed**

- Advice** Nearside Front Road wheel slightly distorted (5.2.2 (c) (i))
- Minor** Nearside Front Position lamp light intensity obviously reduced (4.2.3 (a) (i))
- Advice** Nearside Front Brake hose has slight corrosion to ferrule (1.1.12 (f) (i))
- Minor** Central Stop lamp(s) with a multiple light source up to 1/2 not functioning (4.3.1 (a) (i))
- Fail** Nearside Rear Position lamp not working (4.2.1 (a) (ii))
- Advice** Offside Front Service brake fluctuating, but not excessively (1.2.1 (e))
- Advice** Nearside Rear Brake pipe corroded, covered in grease or other material rusty (1.1.11 (c))
- Fail** Offside Rear Suspension arm pin or bush excessively worn trailing arm front bush (5.3.4 (a) (i))
- Fail** Offside Front Brake hose ferrule excessively corroded (1.1.12 (f) (i))
- Minor** Offside Front Position lamp light intensity obviously reduced (4.2.3 (a) (i))
- Advice** Nearside Rear Brake hose has slight corrosion to ferrule (1.1.12 (f) (i))
- Fail** Nearside Stop lamp(s) not working (4.3.1 (a) (ii))
- Fail** Nearside Rear Suspension arm pin or bush excessively worn trailing arm front bush (5.3.4 (a) (i))

**MOT #21**

2021-07-08 16:40

**MOT test number**

860981554411

**Result****✓ Passed**

- Minor** Nearside Front Position lamp light intensity obviously reduced (4.2.3 (a) (i))
- Minor** Offside Front Position lamp light intensity obviously reduced (4.2.3 (a) (i))
- Advice** Nearside Rear Brake pipe corroded, covered in grease or other material rusty (1.1.11 (c))

**MOT #20**

2021-07-06 09:32

**MOT test number**

812362354404

**Result****✗ Failed****Advice** Nearside Rear Brake pipe corroded, covered in grease or other material rusty (1.1.11 (c))**Fail** Nearside Front Tyre tread depth below requirements of 1.6mm (5.2.3 (e))**Minor** Nearside Front Position lamp light intensity obviously reduced (4.2.3 (a) (i))**Minor** Nearside Windscreen wiper blade defective (3.4 (b) (i))**Fail** Rear Sub-frame corroded and seriously weakened (5.3.3 (b) (i))**Fail** Offside Front Tyre tread depth below requirements of 1.6mm (5.2.3 (e))**Minor** Offside Front Position lamp light intensity obviously reduced (4.2.3 (a) (i))**MOT #19**

2020-07-27 15:21

**MOT test number**

347462560694

**Result****✓ Passed****Advice** Suspension arm corroded but not seriously weakened Both rear upper arms (5.3.3 (b) (i))**Advice** Front Exhaust has a minor leak of exhaust gases (6.1.2 (a))**Minor** Nearside Front Inner Drive shaft joint constant velocity boot severely deteriorated gease around boot (6.1.7 (g) (i))**Advice** Oil leak, but not excessive (8.4.1 (a) (i))

**MOT #18**

2020-07-27 08:31

**MOT test number**

936773579466

**Result**

✗ Failed

**Fail** Offside Front Tyre has ply or cords exposed 205 55 16 (5.2.3 (d) (ii))**Advice** Nearside Rear Direction indicator slightly discoloured (4.4.3 (a))**Advice** Nearside Rear Tyre worn close to legal limit/worn on edge bold inner edge (5.2.3 (e))**Advice** Oil leak, but not excessive (8.4.1 (a) (i))**Minor** Nearside Front Inner Drive shaft joint constant velocity boot severely deteriorated gease around boot (6.1.7 (g) (i))**Advice** Suspension arm corroded but not seriously weakened Both rear upper arms (5.3.3 (b) (i))**Fail** Offside Rear Direction indicator incorrect colour (4.4.3 (a))**Advice** Nearside Front Tyre worn close to legal limit/worn on edge on 2mm (5.2.3 (e))**Fail** Nearside Front Suspension arm ball joint dust cover no longer prevents the ingress of dirt (5.3.4 (b) (ii))**Advice** Offside Rear Tyre worn close to legal limit/worn on edge on 2mm (5.2.3 (e))**Advice** Front Exhaust has a minor leak of exhaust gases (6.1.2 (a))**MOT #17**

2019-04-12 14:32

**MOT test number**

539716240810

**Result**

✓ Passed

**Advice** Offside Rear Anti-roll bar linkage ball joint has slight play (5.3.4 (a) (i))



MOT #162018-06-22 14:48

MOT test number895458942880

Result		✓ Passed
Advice	Oil leak, but not excessive (8.4.1 (a) (i))	
Advice	Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))	
Advice	Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))	
Advice	Nearside Rear Suspension arm mounting modified but not seriously weakened Incorrect bolt used (5.3.3 (c) (i))	
Advice	Suspension component mounting prescribed area is corroded but not considered excessive Rear chassis (5.3.6 (a) (i))	
Advice	Nearside Rear Suspension component pin or bush slightly worn Trail bush (5.3.4 (a) (i))	
Advice	Nearside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))	
Advice	Play in steering rack inner joint(s)	

**MOT #15**

2018-06-19 08:54

**MOT test number**

442401398441

**Result****✗ Failed****Fail** Offside Front Tyre tread depth below requirements of 1.6mm 225 40 18 (5.2.3 (e))**Advice** Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))**Fail** Rear Brake disc significantly and obviously worn (1.1.14 (a) (i))**Fail** Offside Rear Suspension component pin or bush excessively worn Trail bush (5.3.4 (a) (i))**Fail** Offside Rear Suspension component mounting prescribed area excessively corroded significantly reducing structural strength (5.3.6 (a) (i))**Fail** Offside Rear Wheel bearing rough when rotated (5.1.3 (b) (i))**Advice** Play in steering rack inner joint(s)**Fail** Nearside Front Anti-roll bar linkage ball joint dust cover no longer prevents the ingress of dirt (5.3.4 (b) (ii))**Fail** Offside Front Suspension component mounting prescribed area excessively corroded significantly reducing structural strength (5.3.6 (a) (i))**Fail** Nearside Front Tyre tread depth below requirements of 1.6mm 225 40 18 (5.2.3 (e))**Fail** Offside Rear Brake hose excessively damaged (1.1.12 (b) (ii))**Advice** Suspension component mounting prescribed area is corroded but not considered excessive Rear chassis (5.3.6 (a) (i))**Advice** Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))**Advice** Nearside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))**Advice** Oil leak, but not excessive (8.4.1 (a) (i))**Fail** Parking brake lever has excessive movement indicating incorrect adjustment (1.1.6 (c))**Advice** Nearside Rear Suspension component pin or bush slightly worn Trail bush (5.3.4 (a) (i))**Fail** Nearside Rear Suspension component mounting prescribed area excessively corroded significantly reducing structural strength (5.3.6 (a) (i))**Advice** Nearside Rear Suspension arm mounting modified but not seriously weakened Incorrect bolt used (5.3.3 (c) (i))**Fail** Offside Front Anti-roll bar linkage ball joint dust cover no longer prevents the ingress of dirt (5.3.4 (b) (ii))**Fail** Nearside Front Suspension component mounting prescribed area excessively corroded significantly reducing structural strength (5.3.6 (a) (i))



**MOT #14**

2017-06-21 16:18

**MOT test number**

900597558787

**Result**

✓ Passed

**Advice** Nearside Rear Suspension component mounting prescribed area is corroded but not considered excessive Sill (2.4.A.3)

**Advice** Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)

**Advice** Offside Rear Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)

**Advice** Offside Rear Suspension component mounting prescribed area is corroded but not considered excessive Sill (2.4.A.3)

**Advice** Offside Rear Brake hose has slight corrosion to ferrules (3.6.B.4e)

**Advice** Nearside Rear Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)

**MOT #13**

2017-06-20 11:28

**MOT test number**

122883833097

**Result**

✗ Failed

**Fail** Nearside Front Inner Front constant velocity joint gaiter damaged to the extent that it no longer prevents the ingress of dirt etc (2.5.C.1a)

**Fail** Offside Front Front wheel bearing has excessive play (2.5.A.3c)

**Advice** Offside Rear Suspension component mounting prescribed area is corroded but not considered excessive Sill (2.4.A.3)

**Fail** Nearside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1)

**Advice** Offside Rear Brake hose has slight corrosion to ferrules (3.6.B.4e)

**Advice** Offside Rear Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)

**Advice** Offside Rear Tyre worn close to the legal limit Worn inner edge. (4.1.E.1)

**Advice** Nearside Rear Suspension component mounting prescribed area is corroded but not considered excessive Sill (2.4.A.3)

**Fail** Offside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)

**Advice** Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)

**Advice** Nearside Rear Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)



<b>MOT #12</b>	2016-06-27 08:41
<b>MOT test number</b>	339672215482
<b>Result</b>	✓ Passed
<b>Advice</b>	Clutch/dual mass flywheel noisy,suspect engine miss fire.

<b>MOT #11</b>	2016-06-21 13:00
<b>MOT test number</b>	491823963384
<b>Result</b>	✗ Failed
<b>Fail</b>	Offside Rear Sub-frame corroded and seriously weakened (2.4.G.1)
<b>Fail</b>	Nearside Front Passenger's airbag obviously defective (5.4.1)
<b>Fail</b>	Nearside rear parking brake recording little or no effort (3.7.B.6a)
<b>Fail</b>	Offside Rear Anti-roll bar fractured broken in half. (2.4.G.1)
<b>Advice</b>	Clutch/dual mass flywheel noisy,suspect engine miss fire.
<b>Fail</b>	Offside Rear Brake pipe excessively corroded (3.6.B.2c)

<b>MOT #10</b>	2015-06-26 10:48
<b>MOT test number</b>	395367675133
<b>Result</b>	✓ Passed
<b>Advice</b>	Offside Front Brake hose slightly chafed (3.6.B.4d)
<b>Advice</b>	Nearside Rear Brake pad(s) wearing thin (3.5.1g)
<b>Advice</b>	Nearside Rear Tyre worn close to the legal limit (4.1.E.1)

<b>MOT #9</b>	2014-06-17 11:28
<b>MOT test number</b>	927708564107
<b>Result</b>	✓ Passed
<b>Advice</b>	Offside Front Tyre worn close to the legal limit (4.1.E.1)

**MOT #8** 2014-06-17 09:17**MOT test number** 926088564130**Result** ✗ Failed**Fail** Supplementary Restraint System warning lamp indicates a fault (5.4.2)**Advice** Offside Front Tyre worn close to the legal limit (4.1.E.1)**MOT #7** 2013-06-24 14:59**MOT test number** 917125173183**Result** ✓ Passed**MOT #6** 2013-02-12 12:17**MOT test number** 965993343063**Result** ✓ Passed**Advice** Rear Direction indicator slightly discoloured (1.4.A.2f)**Advice** Offside Windscreen has damage to an area less than a 10mm circle within zone 'A' (8.3.1a)**Notice** Nearside rear handbrake reading low**Advice** Offside Rear Tyre worn close to the legal limit (4.1.E.1)**MOT #5** 2012-02-07 15:10**MOT test number** 947048032090**Result** ✓ Passed**MOT #4** 2011-04-08 14:33**MOT test number** 117908491431**Result** ✓ Passed**Advice** Nearside Rear Tyre worn close to the legal limit (4.1.E.1)

**MOT #3** 2011-04-05 16:14**MOT test number** 165745391092**Result** ✗ Failed

- Fail** Road wheel bead rim badly distorted (4.2.A.1a)
- Fail** Rear rear brake binding (3.7.B.1)
- Fail** Nearside Windscreen wiper does not clear the windscreen effectively (8.2.2)
- Fail** Front brake disc in such a condition that it is seriously weakened (3.5.1i)
- Fail** Front front brake binding (3.7.B.1)
- Advice** Nearside Rear Tyre worn close to the legal limit (4.1.E.1)
- Fail** Headlamp switch faulty (1.7.1)
- Fail** Offside Windscreen wiper does not clear the windscreen effectively (8.2.2)

**MOT #2** 2010-09-14 12:27**MOT test number** 313457950296**Result** ✓ Passed**MOT #1** 2009-09-17 14:49**MOT test number** 301070669497**Result** ✓ Passed



Damage history


Check the damage history for this JAGUAR. See if, where and when this JAGUAR had damage and the car repair costs. We also check if this JAGUAR was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	

Damage 2

Date	
Category	
Type	



Extra JAGUAR salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this JAGUAR in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	£ 19,299
Auction value	£ 19,299
Average private trade value	£ 19,299

More info >



Owner history

For how long did the current and previous owner(s) have this JAGUAR? How many owners did this JAGUAR have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

XXXXXX	XXXXXX
XXXXXXXXXX	XXXXXX
XXXXXXXXXX	XXXXXX
XXXXXX	XXXXXX
XXXXXXXXXX	XXXXXX
XXXXXXXXXX	XXXXXX

More info >

Plate changes

See in this check if this JAGUAR had different number plates.

Number of plates	1
Current registration	XXXXX
Plate since	2024-03-29
Current registration	XXXXX
Plate since	2024-03-29

More info >



Finance check

Check if this JAGUAR is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this JAGUAR has been settled.

If not, and you buy this JAGUAR then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this JAGUAR is financed.


Finance company	XXXXXXXX	XXXX
Date of agreement	XXXXXXXX	XXXX
Agreement type	XXXXXXXX	XXXX
Agreement term	XXXXXXXX	XXXX
Agreement number	XXXXXXXX	XXXX
Contact info	XXXXXXXX	XXXX

More info >



Mileage check

Odometer	In miles
Mileage registrations	28
First mileage registration	2006-09-11
Last registration	2023-04-03
Complete history	<a href="#">See info</a>



Registration #1	2006-09-11	23 mi
Registration #2	2009-09-17	29.265 mi
Registration #3	2010-09-14	38.386 mi
Registration #4	2011-04-05	43.324 mi
Registration #5	2011-04-08	43.324 mi
Registration #6	2012-02-07	62.210 mi
Registration #7	2013-02-12	75.404 mi
Registration #8	2013-06-24	80.513 mi
Registration #9	2014-06-17	89.287 mi
Registration #10	2014-06-17	89.287 mi
Registration #11	2015-06-26	98.466 mi
Registration #12	2016-06-21	106.853 mi
Registration #13	2016-06-27	106.855 mi
Registration #14	2017-06-20	115.648 mi
Registration #15	2018-06-20	124.442 mi
Registration #16	2018-06-20	124.442 mi
Registration #17	2018-06-20	124.442 mi
Registration #18	2018-06-20	124.442 mi
Registration #19	2018-06-20	124.442 mi
Registration #20	2018-06-20	124.442 mi
Registration #21	2018-06-20	124.442 mi
Registration #22	2018-06-20	124.442 mi
Registration #23	2018-06-20	124.442 mi
Registration #24	2018-06-20	124.442 mi
Registration #25	2018-06-20	124.442 mi
Registration #26	2018-06-20	124.442 mi

Registration #27	2023-05-20	20,000,000
Registration #28	2023-05-20	20,000,000

More info >



Safety ratings

NCAP rating



Video

[see crash video](#)



Dimensions & weight

Width	2003 mm
Height	1483 mm
Length	4716 mm
Wheel base	2710 mm
Kerb weight	1575 kg
Max. allowed weight	2090 kg

Additional information

Fuel tank capacity	61 l
Fuel delivery	Direct Injection
Number of doors	5
Number of seats	5
Number of axles	2
Engine number	060628114505BG