





## General information

Make	CITROEN
Model	C2 HDI VTR
Colour	Black
Year of manufacture	-
Top speed	103 mph
Gearbox	5 speed Manual

# Engine & fuel consumption

Power	67 BHP	0 < 101 A
Max. torque	160 Nm at 2.000 rpm	101 - 120 <sup>B</sup> <sub>C</sub>
Cylinders	4	121 - 140 E
Fuel type	Diesel	141 - 165
Consumption city	53.3 mpg	166 - 185
Consumption extra urban	76.4 mpg	186 - 225
Consumption combined	65.7 mpg	225+





# Internet history

Entry 1

Date

2022-02-13

6

Pictures

Listing price

View report



source: autotrader.co.uk



## MOT history

MOT #22	2023-02-06 11:40
MOT test number	599599758121
Result	✓ Passed
Next expiry date	2024-02-11
Advice Offside Front Wheel bearing has slight play (5.1.3 (a) (i))	
Advice Registration plate deteriorated but not likely to be misrea	ad (0.1 (b))
Advice Nearside Rear Nail in tyre	
Advice Exhaust has a minor leak of exhaust gases Mounting also	o defective (6.1.2 (a))
<b>Advice</b> Offside Front Suspension arm ball joint has slight play (5.	3.4 (a) (i))
Advice Nearside Front Tyre worn close to legal limit/worn on edg	ge (5.2.3 (e))
Advice Front Bumper slightly damaged	
Advice Front Inner Brake disc worn, but not excessively (1.1.14 (	(a) (i))

### MOT #21 2023-02-06 11:40 **MOT test number** 497883664252 Result × Failed Advice Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e)) Advice Front Inner Brake disc worn, but not excessively (1.1.14 (a) (i)) Advice Offside Front Wheel bearing has slight play (5.1.3 (a) (i)) Advice Front Bumper slightly damaged Advice Registration plate deteriorated but not likely to be misread (0.1 (b)) Pass with rectification Engine MIL inoperative or indicates a malfunction (8.2.2.2 (g)) Advice Exhaust has a minor leak of exhaust gases Mounting also defective (6.1.2 (a)) Advice Offside Front Suspension arm ball joint has slight play (5.3.4 (a) (i)) Advice Nearside Rear Nail in tyre Pass with rectification Offside Rear Stop lamp(s) not working (4.3.1 (a) (ii))



D	U	0	9	R	T	Χ
r	epo	rt d	ate	202	4-0	)3-29

MOT #20		2022-02-09 10:07
MOT test	number	257999742073
Result		✓ Passed
Advice	Lowering road springs have been fitted all round	
Advice	Nearside Front Anti-roll bar ball joint has slight play (5.3.4 (a) (i))	

MOT #19	2022-02-09 10:07
MOT test number	364893630185
Result	🗙 Failed
Advice Lowering road springs have been fitted all round	
Advice Nearside Front Anti-roll bar ball joint has slight play (5.3.4 (a) (i))	
<b>Pass with rectification</b> Offside Front Headlamp insecure (4.1.1 (c))	

MOT #18	2021-02-12 11:08
MOT test number	592428050872
Result	✓ Passed
AdviceNearside Rear Suspension component mounting prescribed areaexcessive outer sill (5.3.6 (a) (i))AdviceSill covers fitted	is corroded but not considered



MOT #17	2021-02-03 13:06
MOT test number	129378553672
Result	🗙 Failed
<b>Fail</b> Offside Rear Suspension component mounting prescribed area excessively corrored reducing structural strength outer sill (5.3.6 (a) (i))	oded significantly
Fail         Nearside Front Upper Shock absorbers has an excessively worn bush mount (5.3)	3.2 (c))
Fail Nearside Front Tyre has a lump, caused by separation or partial failure of its stru	ucture (5.2.3 (d) (ii))
<b>Advice</b> Nearside Rear Suspension component mounting prescribed area is corroded excessive outer sill (5.3.6 (a) (i))	but not considered
<b>Fail</b> Offside Front Outer Drive shaft joint constant velocity boot split or insecure, no l ingress of dirt (6.1.7 (g) (ii))	onger prevents the
Fail Offside Front Tyre has a lump, caused by separation or partial failure of its struc	ture (5.2.3 (d) (ii))

MOT #16	2020-01-29 14:16
MOT test	<b>number</b> 978160811920
Result	✓ Passed
Minor	Offside Front Outer Drive shaft joint constant velocity boot severely deteriorated (6.1.7 (g) (i))
Advice	Offside Front Lower Suspension component ball joint has slight play (5.3.4 (a) (i))

MOT #15	2020-01-22 14:50
MOT test number	597079152065
Result	🗙 Failed
<b>Fail</b> Central Exhaust has a major leak of exhaust gases (6.1.2 (a))	
Minor Offside Front Outer Drive shaft joint constant velocity boot severely deteriora	ated (6.1.7 (g) (i))
Advice Offside Front Lower Suspension component ball joint has slight play (5.3.4 (a	a) (i))

MOT #14	2019-01-23 11:42
MOT test number	857681660371
Result	✓ Passed
Minor Windscreen damaged but not adversely affecting driver's view (3.2 (a) (i))	



DU09RTX
report date: 2024-03-29

MOT #13		2018-02-03 15:26
MOT test	number	568661099358
Result		✓ Passed
Advice	Offside Front Tyre worn close to the legal limit (4.1.E.1)	
Advice	Nearside Rear Shock absorber has a light misting of oil (2.7.3)	
Advice	Nearside Front Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)	

MOT #12		2018-02-03 15:26	
MOT test number		738295285944	
Result		🗙 Failed	
Advice Nearside Front Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)			
Pass with rectification	Offside Outer Front constant velocity joint gaiter in	secure to the extent that it no	
longer prevents the ingress of dirt etc (2.5.C.1a)			
Advice Nearside Rear Shock absorber has a light misting of oil (2.7.3)			
Advice Offside Front Tyre worn close to the legal limit (4.1.E.1)			

MOT #11		2017-01-09 16:09
MOT test	number	795604613326
Result		✓ Passed
Advice	Offside Front Tyre worn close to the legal limit (4.1.E.1)	
Advice	Parking brake lever has little reserve travel (3.1.6b)	
Advice	Nearside Rear Tyre worn close to the legal limit (4.1.E.1)	



<b>DU09RTX</b>
report date: 2024-03-29

MOT #10	2017-01-09 12:07
MOT test number	604173750979
Result	🗙 Failed
Advice Nearside Rear Tyre worn close to the legal limit (4.1.E.1)	
FailRear Exhaust has a major leak of exhaust gases (7.1.2)	
Advice Offside Front Tyre worn close to the legal limit (4.1.E.1)	
Advice Parking brake lever has little reserve travel (3.1.6b)	
Fail         Rear Exhaust system not adequately supported (7.1.1)	

МОТ #9	2016-02-01 11:29
MOT test number	851932990848
Result	✓ Passed

MOT #8	2015-06-29 10:05
MOT test number	288610385140
Result	✓ Passed

MOT #7	2015-06-26 10:41
MOT test number	638317075132
Result	🗙 Failed
Fail         Nearside Front position lamp(s) not working (1.1.A.3b)	
<b>Fail</b> Offside Outer Front constant velocity joint gaiter insecure to the extent that ingress of dirt etc (2.5.C.1a)	it no longer prevents the



MOT #6

MOT test	number	109915604249
Result		✓ Passed
Notice	Unable to visually check brake pads	
Notice	N/s wiper blade splitting	
Notice	Unable to visually check outer sills (plastic covers)	
MOT #5	number.	2014-07-19 10:01
MOT test	number	947520904262
Result		🗙 Failed
	earside Outer Front constant velocity joint gaiter insecure to the extent that i is of dirt etc (2.5.C.1a)	it no longer prevents
Notice	Unable to visually check brake pads	
Notice	Unable to visually check outer sills (plastic covers)	
<b>Fail</b> O	ffside Headlamp aim too low (1.8)	
<b>Fail</b> 0	ffside Windscreen wiper does not clear the windscreen effectively (8.2.2)	
Notice	N/s wiper blade splitting	
	offside Outer Front constant velocity joint gaiter insecure to the extent that it is dirt etc (2.5.C.1a)	no longer prevents the
<b>Fail</b> 0	ffside Registration plate lamp not working (1.1.C.1d)	

MOT #4		2013-07-12 16:56
MOT test	number	766963693180
Result		✓ Passed
Notice	Nearside rear tyre worn close to limit and as nail in tread	
Notice	Brake pads not visualy checked	
Notice	Sills not checked due to sill covers	



2014-07-24 12:17





MOT #3	2012-04-26 16:57
MOT test number	508507312195
Result	✓ Passed
MOT #2	2012-04-02 14:29
MOT test number	725993092015
Result	✓ Passed
MOT #1	2012-04-02 14:29
MOT test number	469903292004
Result	× Failed
Pass with rectification	Nearside Windscreen washer provides insufficient washer liquid (8.2.3)
Pass with rectification	Front Headlamp aim too high (1.8)





### Damage history

Check the damage history for this CITROEN. See if, where and when this CITROEN had damage and the car repair costs. We also check if this CITROEN was scrapped. Download the premium report <u>here</u> for the results.

Damage 1	
Date	FERRE
Category	Lamp
Туре	
Damage 2	AMPLE
Damage 2	e et al
Date	*
Category	AMP
Туре	

#### Extra CITROEN salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.





### Vehicle valuation

What is this car worth? See the vehicle value of this CITROEN in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	4 10.000
Auction value	4 10.000
Average private trade value	4 10.200





## Owner history

For how long did the current and previous owner(s) have this CITROEN? How many owners did this CITROEN have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

and the second	
***********	
********	
*******	
**********	
********	
	More info >
Plate changes	
See in this check if this CITROEN had different number plates.	
Number of plates	,
Carrent registration	
Plate since	
Current registration	
Plata since	





### Finance check

Check if this CITROEN is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this CITROEN has been settled.

If not, and you buy this CITROEN then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this CITROEN is financed.


Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	



DU09RTX report date: 2024-03-29

# Mileage check

Odometer	In miles
Mileage registrations	23
First mileage registration	2009-04-14
Last registration	2023-02-06
Complete history	See info



Registration #1	2009-04-14	9 mi
Registration #2	2012-04-02	64.209 mi
Registration #3	2012-04-26	65.085 mi
Registration #4	2013-07-12	72.183 mi
Registration #5	2014-07-19	79.663 mi
Registration #6	2014-07-24	79.706 mi
Registration #7	2015-06-26	86.276 mi
Registration #8	2015-06-29	86.276 mi
Registration #9	2016-02-01	86.340 mi
Registration #10	2017-01-09	92.979 mi
Registration #11	2017-01-09	92.979 mi
Registration #12	2018-02-03	96.546 mi
Registration #13		11.777 mi
Registration #14		11.117 est
Registration #15		11.117 mi
Registration #16		11.177 esi
Registration #17		11.777 mi
Registration #18		11.777 esi
Registration #19		11.777 mi
Registration #20		11.777 est
Registration #21		11.777 mi
Registration #22		11.117 esi
Registration #23		
Registration #25		

More info >



DU09RTX report date: 2024-03-29

Safety ratings

NCAP rating

Video

see crash video

Dimensions & weight	
Width	1659 mm
Height	1461 mm
Length	3666 mm
Wheel base	2315 mm
Kerb weight	996 kg
Max. allowed weight	1391 kg
Additional information	
Additional information Fuel tank capacity	41 I
	41 l Direct Injection
Fuel tank capacity	
Fuel tank capacity Fuel delivery	Direct Injection
Fuel tank capacity Fuel delivery Number of doors	Direct Injection 3