



report date: 2024-03-29

General information

Make	CITROEN
Model	C2 L
Colour	Silver
Year of manufacture	2005
Top speed	98 mph
Gearbox	5 speed Manual

Engine & fuel consumption

Power	59 BHP
Max. torque	94 Nm at 3.200 rpm
Engine capacity	1.124 cc
Cylinders	4
Fuel type	Petrol
Consumption city	36.7 mpg
Consumption extra urban	58.9 mpg
Consumption combined	48.7 mpg
CO2 emission	138 g/km
CO2 label	E





Internet history

Entry 1

Date	2021-09-19
Pictures	6
Listing price	View report



source: autotrader.co.uk



MOT history

MOT expiry date	2024-08-07
MOT pass rate	57 %
MOT passed	13
Failed MOT tests	10
Total advice items	77
Total items failed	22

MOT #23	2023-08-08 15:17
MOT test number	330505151191
Result	✓ Passed
Next expiry date	2024-08-07
Advice	Nearside Rear Position lamp slightly affected by the operation of another lamp (4.2.3 (c))
Advice	Offside Front Suspension arm pin or bush worn but not resulting in excessive movement lower arm front bush (5.3.4 (a) (i))
Minor	Battery insecure but not likely to fall from carrier (4.13 (a) (i))
Advice	Exhaust system corroded
Advice	Offside Inner Integral body structure is corroded but structural rigidity is not significantly reduced sill (6.1.1 (c) (i))
Advice	Coil spring corroded both rear (5.3.1 (b) (i))

**MOT #22**

2023-08-03 15:03

MOT test number

913137441722

Result**✗ Failed****MAJOR** Tyre fouling a part of the vehicle both rear catch inner wheel arch liners (5.2.3 (f))**MAJOR** Nearside Rear Parking brake inoperative on one side little effort (1.4.1 (a))**Advice** Exhaust system corroded**MAJOR** Parking brake efficiency below requirements (1.4.2 (a) (i))**MAJOR** Brake lever has insufficient reserve travel (1.1.2 (a))**Advice** Nearside Rear Position lamp slightly affected by the operation of another lamp (4.2.3 (c))**Advice** Offside Front Suspension arm pin or bush worn but not resulting in excessive movement lower arm front bush (5.3.4 (a) (i))**DANGEROUS** Offside Front Tyre tread depth below requirements of 1.6mm (5.2.3 (e))**MAJOR** Front Windscreen washer provides insufficient washer liquid (3.5 (a))**MAJOR** Offside Rear Parking brake inoperative on one side little effort (1.4.1 (a))**Advice** Offside Inner Integral body structure is corroded but structural rigidity is not significantly reduced sill (6.1.1 (c) (i))**Advice** Coil spring corroded both rear (5.3.1 (b) (i))**DANGEROUS** Nearside Front Tyre tread depth below requirements of 1.6mm (5.2.3 (e))**Minor** Battery insecure but not likely to fall from carrier (4.13 (a) (i))**MOT #21**

2022-06-07 16:49

MOT test number

167395874327

Result**✓ Passed****Advice** Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))**Advice** Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))

**MOT #20**

2021-06-05 08:46

MOT test number

851612121777

Result

✓ Passed

Advice Offside Front Suspension arm pin or bush worn but not resulting in excessive movement frnt inner (5.3.4 (a) (i))

Advice Play in steering rack inner joint(s)

Advice Nearside Front Inner Tyre worn close to legal limit/worn on edge (5.2.3 (e))

Advice Front Sub-frame is corroded but structural rigidity is not significantly reduced (6.1.1 (c) (i))

Advice Offside Front Suspension arm ball joint has slight play (5.3.4 (a) (i))

Advice Gearbox mounting defective

MOT #19

2020-04-11 09:23

MOT test number

479016538618

Result

✓ Passed

Advice Parking brake slight reserve travel

Advice Nearside Front Suspension arm pin or bush worn but not resulting in excessive movement frnt inner + bck inner (5.3.4 (a) (i))

Advice Sport suspension fitted

Advice Offside Front Suspension arm ball joint has slight play (5.3.4 (a) (i))

Advice Front Sub-frame is corroded but structural rigidity is not significantly reduced (6.1.1 (c) (i))



MOT #18

2020-04-11 09:23

MOT test number

185493463227

Result

✗ Failed

Advice Parking brake slight reserve travel**Advice** Nearside Front Suspension arm pin or bush worn but not resulting in excessive movement frnt inner + bck inner (5.3.4 (a) (i))**Pass with rectification** Nearside Front Headlamp aim too low (4.1.2 (a))**Advice** Sport suspension fitted**Advice** Offside Front Suspension arm ball joint has slight play (5.3.4 (a) (i))**Advice** Front Sub-frame is corroded but structural rigidity is not significantly reduced (6.1.1 (c) (i))

MOT #17

2018-11-12 09:45

MOT test number

379741547386

Result

✗ Failed

MAJOR Offside Front Suspension arm insecurely attached (5.3.3 (a) (i))**DANGEROUS** Offside Front Suspension arm likely to become detached (5.3.3 (a) (ii))**MAJOR** Offside Front Driver's door cannot be opened from outside the vehicle (6.2.3 (a))**DANGEROUS** Offside Rear Tyre has a lump, caused by separation or partial failure of its structure (5.2.3 (d) (ii))**Advice** Nearside Rear tyre as nail in tread**MAJOR** Offside Front Supplementary restraint system warning lamp indicates a fault (7.1.6 (a))

MOT #16

2017-07-06 14:35

MOT test number

214320746999

Result

✓ Passed

Advice Exhaust noisy (7.1.4)



MOT #15	2017-07-06 08:28
MOT test number	238932696868
Result	✗ Failed
Fail	Horn not working (1.6.2a)
Fail	Nearside Front Battery insecure (1.9.1)
Advice	Exhaust noisy (7.1.4)

MOT #14	2015-05-27 10:27
MOT test number	147297645126
Result	✓ Passed
Notice	Oil leak
Advice	Offside Rear Tyre worn close to the legal limit (4.1.E.1)
Notice	Exhaust blowing
Advice	Offside Macpherson strut has slight movement at the upper attachment (2.5.A.1c)
Advice	Nearside Rear Tyre worn close to the legal limit (4.1.E.1)
Notice	Rear bump stops missing
Advice	Nearside Macpherson strut has slight movement at the upper attachment (2.5.A.1c)



MOT #13	2015-05-27 10:27
MOT test number	447347745197
Result	✗ Failed
Advice	Offside Rear Tyre worn close to the legal limit (4.1.E.1)
Notice	Rear bump stops missing
Advice	Offside Macpherson strut has slight movement at the upper attachment (2.5.A.1c)
Pass with rectification	Nearside Front Tyre not fitted in accordance with side wall instructions (4.1.D.1f)
Pass with rectification	Nearside Rear Tyre not fitted in accordance with side wall instructions (4.1.D.1f)
Advice	Nearside Rear Tyre worn close to the legal limit (4.1.E.1)
Notice	Oil leak
Advice	Nearside Macpherson strut has slight movement at the upper attachment (2.5.A.1c)
Notice	Exhaust blowing
Pass with rectification	Offside Front Tyre not fitted in accordance with side wall instructions (4.1.D.1f)
Pass with rectification	Offside Rear Tyre not fitted in accordance with side wall instructions (4.1.D.1f)

MOT #12	2013-09-11 10:32
MOT test number	357084453256
Result	✓ Passed

MOT #11	2013-09-10 11:44
MOT test number	467583753206
Result	✗ Failed
Fail	Nearside Track rod end ball joint has excessive play (2.2.B.1f)
Notice	Anti roll links worn
Fail	Offside Track rod end ball joint has excessive play (2.2.B.1f)



MOT #102012-12-17 10:52

MOT test number685352052349

Result

✓ Passed

- Advice

Nearside Front Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)
- Notice

UNABLE TO CHECK REAR SEATBELTS DUE TO FULL OF ITEMS
- Advice

Exhaust noisy (7.1.4)
- Notice

UNABLE TO CHECK SPARE TYRE DUE TO MUSIC SYSTEM IN BOOT
- Notice

SRS LIGHT ON

**MOT #9** 2012-12-15 10:47**MOT test number** 205500252348**Result** ✗ Failed**Fail** Nearside Front Macpherson strut has excessive movement at the upper attachment (2.5.A.1c)**Fail** Nearside Rear Tyre fouling a part of the vehicle (4.1.D.2)**Fail** Offside Front Tyre fouling a part of the vehicle (4.1.D.2)**Notice** UNABLE TO CHECK SPARE TYRE DUE TO MUSIC SYSTEM IN BOOT**Fail** Offside Front Headlamp aim too high (1.8)**Notice** BATTERY INSECURE**Advice** Exhaust noisy (7.1.4)**Fail** Rear Exhaust system not adequately supported (7.1.1)**Fail** Offside Front Macpherson strut has excessive movement at the upper attachment (2.5.A.1c)**Fail** Nearside Front Tyre fouling a part of the vehicle (4.1.D.2)**Notice** UNABLE TO CHECK REAR SEATBELTS DUE TO FULL OF ITEMS**Fail** Nearside Side repeater not working (1.4.A.2c)**Notice** SRS LIGHT ON**Advice** Nearside Front Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)**Fail** Fuel cap/sealing device sealing washer missing (7.2.4c)**MOT #8** 2011-12-17 10:05**MOT test number** 235261551390**Result** ✓ Passed

**MOT #7** 2011-12-10 12:10**MOT test number** 249094341343**Result** ✗ Failed**Fail** Nearside Front Headlamp aim too high and too far to the right. (1.8)**Notice** Offside front indicator bulbs discoloured**Fail** Nearside Rear rear brake binding (3.7.B.1)**MOT #6** 2010-12-16 09:51**MOT test number** 502670750389**Result** ✗ Failed**Advice** Nearside Front Tyre worn close to the legal limit (4.1.E.1)**Pass with rectification** Nearside Headlamp aim too high (1.8)**MOT #5** 2010-12-16 09:51**MOT test number** 243660250396**Result** ✓ Passed**Advice** Nearside Front Tyre worn close to the legal limit (4.1.E.1)**MOT #4** 2009-12-21 11:14**MOT test number** 791785159381**Result** ✓ Passed**MOT #3** 2009-12-18 13:16**MOT test number** 801672959397**Result** ✗ Failed**Fail** Nearside Headlamp insecure (1.7.3)



MOT #2	2009-03-17 15:40
MOT test number	363926479018
Result	✓ Passed

MOT #1	2008-04-07 10:57
MOT test number	223278198024
Result	✓ Passed

Advice Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)

Notice Nail in nearside rear tyre



Tax & MOT check

✓
Taxed
Tax due:
1 October 2024

✓
MOT
Expires:
7 August 2024

Tax status	Valid until 1 October
Days left	155
MOT expiry date	7 August 2024
Full MOT history	See MOT history

Tax calculation

Vehicle class	48
Band	E
Single payment (12 months)	£ 180,00,-
Single six month payment	£ 99,00,-
Total payable by 12 monthly instalments	£ 189,00,-



Damage history

Check the damage history for this CITROEN. See if, where and when this CITROEN had damage and the car repair costs. We also check if this CITROEN was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	

Damage 2

Date	
Category	
Type	



Extra CITROEN salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this CITROEN in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	£ 15,200
Auction value	£ 15,200
Average private trade value	£ 15,200

More info >



Owner history

For how long did the current and previous owner(s) have this CITROEN? How many owners did this CITROEN have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since

More info >

Plate changes

See in this check if this CITROEN had different number plates.

Number of plates	1
Current registration	
Plate since	2019-03-29
Current registration	
Plate since	2019-03-29

More info >



Finance check

Check if this CITROEN is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this CITROEN has been settled.

If not, and you buy this CITROEN then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this CITROEN is financed.

Finance company	XXXXXXXX XX
Date of agreement	XXXXXXXX XX
Agreement type	XXXXXXXX XX
Agreement term	XXXXXXXX XX
Agreement number	XXXXXXXX XX
Contact info	XXXXXXXX XX

More info >



Mileage check

Odometer	In miles
Mileage registrations	23
First mileage registration	2005-04-29
Last registration	2023-08-08
Complete history	See info



Registration #1	2005-04-29	9 mi
Registration #2	2008-04-07	16.365 mi
Registration #3	2009-03-17	27.402 mi
Registration #4	2009-12-18	35.175 mi
Registration #5	2009-12-21	35.175 mi
Registration #6	2010-12-16	42.674 mi
Registration #7	2011-12-10	51.839 mi
Registration #8	2011-12-17	51.839 mi
Registration #9	2012-12-15	60.427 mi
Registration #10	2012-12-17	60.456 mi
Registration #11	2013-09-10	68.881 mi
Registration #12	2013-09-11	68.886 mi
Registration #13	2013-09-11	68.886 mi
Registration #14	2013-09-11	68.886 mi
Registration #15	2013-09-11	68.886 mi
Registration #16	2013-09-11	68.886 mi
Registration #17	2013-09-11	68.886 mi
Registration #18	2013-09-11	68.886 mi
Registration #19	2013-09-11	68.886 mi
Registration #20	2013-09-11	68.886 mi
Registration #21	2013-09-11	68.886 mi
Registration #22	2013-09-11	68.886 mi
Registration #23	2013-09-11	68.886 mi

More info >



Safety ratings

NCAP rating	★★★★☆
Video	see crash video



Dimensions & weight

Width	1654 mm
Height	1461 mm
Length	3666 mm
Wheel base	2315 mm
Kerb weight	932 kg
Max. allowed weight	1340 kg

Additional information

Fuel tank capacity	41 l
Fuel delivery	Multi-Point Injection
Number of doors	3
Number of seats	4
Number of axles	2
Engine number	FP7P4713787