





General information

Make	BMW	
Model	730 530I SE	
Colour	White	
Year of manufacture	1988	
Top speed	139 mph	
Gearbox	4 speed automatic	

Engine & fuel consumption

Power	188 BHP
Max. torque	135 Nm at 4.000 rpm
Engine capacity	2.986 cc
Cylinders	6
Fuel type	Petrol





MOT history

MOT expiry date	2021-02-05	
MOT pass rate	79 %	
MOT passed	15	
Failed MOT tests	4	
Total advice items	118	
Total items failed	10	

MOT #19	2020-01-15 10:48
MOT test number	153317093864
Result	✓ Passed
Next expiry date	2021-02-05
Advice Fuel pipes showing signs of corrosion	
Advice (5.2.3 (e)) Front Tyre worn close to legal limit/worn on edge Both sides showing sig	gns of outer edge ware
Advice Rear Brake pipe corroded, covered in grease or other material (1.1.11 (d	z))
Advice Oil leak, but not excessive (8.4.1 (a) (i))	

мот	#18
-----	-----

MOT	test	number	
-----	------	--------	--

Result		✓ Passed
Advice	Oil leak	
Advice	Both brake pipes corroded and fuel lines	
Advice	Both front tyres worn on outer edges	

2019-01-08 11:08 787873896113



E	444WAW
	report date: 2024-03-29

MOT #17		2018-01-09 09:50
MOT test	number	876466586486
Result		✓ Passed
Advice	Front Body has slight corrosion Both front jacking points (6.1.B.2)	
Advice	Both front tyres showing signs of outer edge ware	
Advice	Oil leak Slight engine	
Advice	Rear Sub-frame rubber bush deteriorated but not resulting in excessive move	ement (2.4.G.2)
Advice	Body general corrosion	

MOT #16		2017-01-12 14:07
MOT test I	number	970756699857
Result		✓ Passed
Advice covered (6	Front Body has slight corrosion Jacking points deterated unable to see more o .1.B.2)	due to body trim
Advice	Oil leak Eng	
Advice	Front Brake pipe slightly corroded Both sides (greased) (3.6.B.2c)	
Advice	Rear Sub-frame rubber bush deteriorated but not resulting in excessive move	ement (2.4.G.2)

MOT #15	2017-01-09 11:03
MOT test number	702582073709
Result	🗙 Failed
Advice Oil leak Eng	
FailOffside Front Shock absorber has a serious fluid leak (2.7.3)	
Advice Front Brake pipe slightly corroded Both sides (greased) (3.6.B.2c)	
Fail Nearside Front Shock absorber has a serious fluid leak (2.7.3)	
Advice Rear Sub-frame rubber bush deteriorated but not resulting in excessive m	ovement (2.4.G.2)
Advice Front Body has slight corrosion Jacking points deterated unable to see mo covered (6.1.B.2)	re due to body trim





MOT #14		2016-01-12 10:45
MOT test	number	680573034390
Result		✓ Passed
Advice	Front Body has slight corrosion Jacking points (6.1.B.2)	
Advice	Oil leak	
Advice	Rear Brake pipe slightly corroded (3.6.B.2c)	

MOT #13		2015-01-08 09:58
MOT test	number	609418905024
Result		✓ Passed
Advice	Offside Rear Brake pipe slightly corroded (3.6.B.2c)	
Advice	Nearside Rear Brake pipe slightly corroded (3.6.B.2c)	
Notice	Oil leak	

MOT #12		2014-01-17 10:26
MOT test	number	199507314016
Result		✓ Passed
Notice	Leak evident engine area	
Advice	Nearside Rear Vehicle structure has slight corrosion (6.1.A.1)	
Advice	Offside Front Vehicle structure has slight corrosion (6.1.A.1)	
Advice	Offside Front Shock absorber has a light misting of oil (2.7.3)	
Notice	O/s/f outer door handle partly detached but still able to open from out side	
Advice	Nearside Front Vehicle structure has slight corrosion (6.1.A.1)	
Advice	Nearside Rear Brake pipe slightly corroded (3.6.B.2c)	



E444WAW report date: 2024-03-29

MOT #11		2014-01-13 11:58
MOT test	number	469483414034
Result		🗙 Failed
Fail N	earside Front Brake hose bulging under pressure (3.6.B.3)	
Advice	Offside Front Shock absorber has a light misting of oil (2.7.3)	
Advice	Nearside Front Vehicle structure has slight corrosion (6.1.A.1)	
Notice	Leak evident engine area	
Advice	Nearside Rear Brake pipe slightly corroded (3.6.B.2c)	
Fail O	ffside Front Front position lamp(s) not working (1.1.A.3b)	
Advice	Offside Front Brake hose slightly deteriorated (3.6.B.4d)	
Advice	Nearside Rear Vehicle structure has slight corrosion (6.1.A.1)	
Advice	Offside Front Vehicle structure has slight corrosion (6.1.A.1)	
Notice	O/s/f outer door handle partly detached but still able to open from out side	



E444WAW report date: 2024-03-29

MOT #10	2013-02-06 13:01
MOT test	number 368447033019
Result	✓ Passed
Advice	Steering column top bearing slightly worn (2.1.2c)
Advice	Nearside Rear Brake pipe slightly corroded (3.6.B.2c)
Notice	Oil leak
Advice	Offside Front Shock absorber has a light misting of oil (2.7.3)
Advice (2.4.G.2)	Nearside Rear Sub-frame rubber bush deteriorated but not resulting in excessive movement
Advice	Offside Rear Shock absorber has slight corrosion to the casing (2.7.2a)
Advice (2.4.G.2)	Offside Front Suspension arm rubber bush deteriorated but not resulting in excessive movement
Advice	Offside Rear Tyre worn close to the legal limit (4.1.E.1)
Notice	Fuel pipe/s corroded
Advice	Steering box has a slight oil leak (2.2.D.2e)
Advice	Offside Rear Brake pipe slightly corroded (3.6.B.2c)
Advice	Nearside Rear Shock absorber has a light misting of oil (2.7.3)
Advice (2.4.G.2)	Offside Rear Sub-frame rubber bush deteriorated but not resulting in excessive movement
Advice (2.4.G.2)	Nearside Front Suspension arm rubber bush deteriorated but not resulting in excessive movement
Advice	Nearside Rear Tyre worn close to the legal limit (4.1.E.1)





40T #9 2013-01-2	1 13:45
MOT test number 199551	
Result	🗙 Failed
Fail Offside Front Suspension arm ball joint dust cover excessively deteriorated so that it no longer prevents the ingress of dirt (2.4.G.2)	
Advice Nearside Rear Sub-frame rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)	E
Advice Steering box has a slight oil leak (2.2.D.2e)	
Advice Nearside Rear Brake pipe slightly corroded (3.6.B.2c)	
Notice Fuel pipe/s corroded	
Advice Offside Front Shock absorber has a light misting of oil (2.7.3)	
Fail Nearside Front Headlamp not working on main beam (1.7.5a)	
Advice Nearside Rear Tyre worn close to the legal limit (4.1.E.1)	
Advice Offside Rear Shock absorber has slight corrosion to the casing (2.7.2a)	
Fail Nearside Front Suspension arm ball joint dust cover excessively deteriorated so that it no longe prevents the ingress of dirt (2.4.G.2)	٢
Advice Offside Front Suspension arm rubber bush deteriorated but not resulting in excessive mover (2.4.G.2)	ment
Fail Offside Front Headlamp aim too high (1.8)	
Advice Offside Rear Sub-frame rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)	
Notice Oil leak	
Advice Steering column top bearing slightly worn (2.1.2c)	
Advice Offside Rear Brake pipe slightly corroded (3.6.B.2c)	
Advice Nearside Rear Shock absorber has a light misting of oil (2.7.3)	
Fail Offside Front Headlamp not working on main beam (1.7.5a)	
Advice Offside Rear Tyre worn close to the legal limit (4.1.E.1)	
Advice Nearside Front Suspension arm rubber bush deteriorated but not resulting in excessive mov (2.4.G.2)	ement





MOT #8	2012-01-21 10:29
MOT test number	168241922483
Result	✓ Passed
Advice Nearside Front Suspension arm ball joint dust cover deterioration dirt (2.4.G.2)	ted, but preventing the ingress of
Advice Nearside Rear Sub-frame rubber bush deteriorated but not re (2.4.G.2)	sulting in excessive movement
Advice Rear Sub-frame ball joint dust cover deteriorated, but prevent	ting the ingress of dirt (2.4.G.2)
Advice Nearside Front Brake hose slightly deteriorated (3.6.B.4d)	
Advice Offside Front Suspension arm ball joint dust cover deteriorate (2.4.G.2)	ed, but preventing the ingress of dirt
Advice Offside Rear Sub-frame rubber bush deteriorated but not result (2.4.G.2)	ulting in excessive movement
Notice Rear fuel pipes correded	

MOT #7		2012-01-12 13:41
MOT test	number	579122812098
Result		🗙 Failed
Advice (2.4.G.2)	Nearside Rear Sub-frame rubber bush deteriorated but not resulting in excessiv	e movement
Advice	Rear Sub-frame ball joint dust cover deteriorated, but preventing the ingress of	dirt (2.4.G.2)
Notice	Rear fuel pipes correded	
Advice	Nearside Front Brake hose slightly deteriorated (3.6.B.4d)	
Advice (2.4.G.2)	Offside Front Suspension arm ball joint dust cover deteriorated, but preventing	the ingress of dirt
Advice (2.4.G.2)	Offside Rear Sub-frame rubber bush deteriorated but not resulting in excessive	movement
Fail Of	ffside Front Headlamp insecure (1.7.3)	
Advice dirt (2.4.G.	Nearside Front Suspension arm ball joint dust cover deteriorated, but preventine .2)	g the ingress of



E	444WAW
	report date: 2024-03-29

MOT #6	2011-01-10) 11:35
MOT test	number 5492306	511050
Result		Passed
Advice	Offside Rear Brake pipe slightly corroded (3.6.B.2c)	
Advice	Nearside Rear Body has slight corrosion (6.1.B.2)	
Advice	Offside Front Lower Front suspension has slight play in a lower suspension ball joint (2.5.B.1a	a)
Notice	Oil leak	
Advice	Nearside Rear Brake pipe slightly corroded (3.6.B.2c)	
Advice	Nearside Front Lower Front suspension has slight play in a lower suspension ball joint (2.5.B.	1a)
Notice	Front to rear fuel pipes corroded	

MOT #5 2010-01-14 10:49 **MOT test number** 652544810009 Result Passed Advice Offside Front Windscreen has damage to an area less than a 10mm circle within zone 'A' (8.3.1a) Advice Offside Rear Sub-frame rubber bush deteriorated but not resulting in excessive movement (2.4.G.2) Notice Fuel pipe/s corroded Advice Front Power steering pump has slight seepage from a component (2.3.3b) Notice Suspension joint nearside upper dust cover split/missing Advice Nearside Rear Sub-frame rubber bush deteriorated but not resulting in excessive movement (2.4.G.2) Notice Advise front bump stops deteriorated Notice Oil leak Advice Offside Front Shock absorber has a light misting of oil (2.7.3) Advice Centre Rear Exhaust has part of the system slightly deteriorated (7.1.1a) Notice Suspension joint offside upper dust cover split/missing



E	444WAW
	report date: 2024-03-29

MOT #4		2009-01-14 14:44
MOT test	number	332284119058
Result		✓ Passed
Advice	Offside Rear Tyre worn close to the legal limit (4.1.E.1)	
Advice	Offside Front Track rod end ball joint has slight play (2.2.B.1f)	
Advice	Nearside Rear Tyre worn close to the legal limit (4.1.E.1)	
Advice	Steering column top bearing slightly worn (2.1.2c)	
Notice	Fuel pipe/s corroded	

MOT #3		2008-01-15 13:18
MOT test	number	874325718061
Result		✓ Passed
Advice movement	Nearside Rear Anti-roll bar linkage rubber bush deteriorated but not resulting it (2.4.G.2)	in excessive
Advice	Nearside Steering pivot point has slight play (2.2.B.1g)	
Advice	Power steering pump has slight seepage from a component (2.3.3b)	
Notice	Front anti roll bar linkage rubber gater split but not resulting in excessive mov	ement
Advice	Offside Rear Tyre worn close to the legal limit (4.1.E.1)	
Notice	Exhaust clamp broken	
Advice movement	Offside Rear Anti-roll bar linkage rubber bush deteriorated but not resulting in t (2.4.G.2)	excessive
Advice	Offside Rear Brake pipe slightly corroded (3.6.B.2c)	
Advice	Nearside Rear Tyre worn close to the legal limit (4.1.E.1)	
Notice	Front shock absorbers bump stops deterated and gaters split	

MOT #2	2007-01-16 12:22
MOT test number	141826717094
Result	✓ Passed





MOT #1	2006-01-17 12:13
MOT test number	851517716034
Result	✓ Passed





Damage history

Check the damage history for this BMW. See if, where and when this BMW had damage and the car repair costs. We also check if this BMW was scrapped. Download the premium report <u>here</u> for the results.

Damage 1	
Date	
Category	Lamp
Туре	
Damage 2	AMPLE
Damage 2	E CAT D
Date	*
Category	AMP
Туре	

Extra BMW salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.

More info \rightarrow





Vehicle valuation

What is this car worth? See the vehicle value of this BMW in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	4 10.000
Auction value	4 10.000
Average private trade value	4 10.200

More info \rightarrow





Owner history

For how long did the current and previous owner(s) have this BMW? How many owners did this BMW have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

And the second sec	

	More info >
Plate changes	
See in this check if this BMW had different number plates	5.
Number of plates	,
Current registration	
Plate since	
Current registration	
Plate since	
	More info >





Finance check

Check if this BMW is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this BMW has been settled.

If not, and you buy this BMW then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this BMW is financed.

Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	


More info \rightarrow





Mileage check

Odometer	In miles
Mileage registrations	20
First mileage registration	1988-01-01
Last registration	2020-01-15
Complete history	<u>See info</u>



Registration #1	1988-01-01	27 mi
Registration #2	2006-01-17	132.805 mi
Registration #3	2007-01-16	134.827 mi
Registration #4	2008-01-15	136.505 mi
Registration #5	2009-01-14	138.227 mi
Registration #6	2010-01-14	139.701 mi
Registration #7	2011-01-10	141.034 mi
Registration #8	2012-01-12	142.429 mi
Registration #9	2012-01-21	142.429 mi
Registration #10	2013-01-21	143.838 mi
Registration #11		11.777 esi
Registration #12		11.117 esi
Registration #13		11.117 mi
Registration #14		11.777 est
Registration #15		11.777 mi
Registration #16		11.777 est
Registration #17		11.777 esi
Registration #18		10.207 est
Registration #19		11.777 mi
Registration #20		11.117 est







Car features

S0225	Air conditioning
S0295	
50482	
\$0501	
50566	
\$0567	
S0569	

Dimensions & weight	
Width	1751 mm
Height	1412 mm
Length	4720 mm
Additional information	
Fuel delivery	Multi-Point Injection
Number of doors	4
Engine number	43714345