





report date: 2024-03-29

General information

| Make | VAUXHALL |
|---------------------|--------------------|
| Model | VECTRA SRI NAV 16V |
| Colour | Red |
| Year of manufacture | 2006 |
| Top speed | 127 mph |
| 0 - 60 mph | 10.5 seconds |
| Gearbox | 5 speed Manual |

Engine & fuel consumption

| Power | 138 BHP |
|-------------------------|---------------------|
| Max. torque | 167 Nm at 3.800 rpm |
| Engine capacity | 1.796 cc |
| Cylinders | 4 |
| Fuel type | Petrol |
| Consumption city | 27.7 mpg |
| Consumption extra urban | 50.4 mpg |
| Consumption combined | 38.7 mpg |
| CO2 emission | 173 g/km |
| CO2 label | Н |



CarCheck.co.uk page 1/15



report date: 2024-03-29

Internet history

Entry 1

Date 2021-02-05

Pictures 10

Listing price <u>View report</u>









source: autoonline.co.uk

CarCheck.co.uk page 2/15



WP06LSZ report date: 2024-03-29

MOT history

| MOT expiry date | 2025-03-12 |
|--------------------|------------|
| MOT pass rate | 77 % |
| MOT passed | 17 |
| Failed MOT tests | 5 |
| Total advice items | 43 |
| Total items failed | 12 |

| MOT #22 | | 2024-03-04 15:21 | |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------|------------------|--|
| MOT test | number | 472577024121 | |
| Result | | ✓ Passed | |
| Next expi | ry date | 2025-03-12 | |
| Advice | Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.3 | 14 (a) (ii)) | |
| Advice | Nearside Front Anti-roll bar linkage ball joint has slight play (5.3.4 (a) (i)) | | |
| Advice axle bush | Advice Offside Rear Lower Suspension arm pin or bush worn but not resulting in excessive movement axle bush (5.3.4 (a) (i)) | | |
| Advice | Central Exhaust mounting defective (6.1.2 (a)) | | |
| Advice | Offside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e)) | | |
| Advice | Advice Front Oil leak, but not excessive (8.4.1 (a) (i)) | | |
| Advice | Advice Rear Brake pad(s) wearing thin (1.1.13 (a) (ii)) | | |
| Advice axle bush | Advice Nearside Rear Lower Suspension arm pin or bush worn but not resulting in excessive movement axle bush (5.3.4 (a) (i)) | | |
| Advice | Rear Exhaust has a minor leak of exhaust gases silencer (6.1.2 (a)) | | |
| Advice | Nearside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e)) | | |

CarCheck.co.uk page 3/15



report date: 2024-03-29

MOT #21 2023-03-13 12:46

MOT test number 802971738304

Result
✓ Passed

Advice Offside Rear Suspension arm pin or bush worn but not resulting in excessive movement trailing arm bush (5.3.4 (a) (i))

Advice Oil leak, but not excessive (8.4.1 (a) (i))

Advice Nearside Front Macpherson strut corroded but not seriously weakened (5.3.3 (b) (i))

Advice Offside Rear Tyre worn close to legal limit/worn on edge 2mm 215/55/16 (5.2.3 (e))

Advice Nearside Rear Suspension arm pin or bush worn but not resulting in excessive movement trailing arm bush (5.3.4 (a) (i))

Advice Rear Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))

Advice Nearside Front Tyre has a cut but not deep enough to reach the ply or cords (5.2.3 (d) (i))

Advice Offside Front Macpherson strut corroded but not seriously weakened (5.3.3 (b) (i))

MOT #20 2023-03-10 12:42

MOT test number 425908664956

Result × Failed

Advice Offside Rear Suspension arm pin or bush worn but not resulting in excessive movement trailing arm bush (5.3.4 (a) (i))

Fail Nearside Front Coil spring fractured or broken spring displaced from cup (5.3.1 (b) (i))

Advice Oil leak, but not excessive (8.4.1 (a) (i))

Advice Nearside Front Macpherson strut corroded but not seriously weakened (5.3.3 (b) (i))

Advice Nearside Rear Suspension arm pin or bush worn but not resulting in excessive movement trailing arm bush (5.3.4 (a) (i))

Fail Rear Registration plate lamp inoperative in the case of a single lamp or all lamps (4.7.1 (b) (ii))

Advice Rear Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))

Advice Offside Rear Tyre worn close to legal limit/worn on edge 2mm 215/55/16 (5.2.3 (e))

Advice Nearside Front Tyre has a cut but not deep enough to reach the ply or cords (5.2.3 (d) (i))

Advice Offside Front Macpherson strut corroded but not seriously weakened (5.3.3 (b) (i))

CarCheck.co.uk page 4/15



report date: 2024-03-29

MOT #19 2022-03-02 10:31

MOT test number 162060359570

Result \(\sqrt{Passed} \)

MOT #18 2021-03-11 12:18

MOT test number 257683170502

Result

Passed

Advice Offside Rear Suspension arm pin or bush worn but not resulting in excessive movement (TRAILING

ARM) (5.3.4 (a) (i))

Advice Nearside Rear Suspension arm pin or bush worn but not resulting in excessive movement

Rear Brake pad(s) wearing thin (1.1.13 (a) (ii))

(TRAILING ARM) (5.3.4 (a) (i))

Advice

Minor Nearside Front Anti-roll bar linkage ball joint dust cover severely deteriorated (5.3.4 (b) (i))

MOT #17 2020-07-21 14:05

MOT test number 592320502905

Result ✓ Passed

MOT #16 2020-07-17 15:27

MOT test number 259993582970

Result X Failed

Fail Rear Exhaust emissions likely to be affected by an exhaust leak silencer (8.2.1.1 (b))

Fail Exhaust Lambda reading after 2nd fast idle outside specified limits (8.2.1.2 (c))

CarCheck.co.uk page 5/15



report date: 2024-03-29

 MOT #15
 2019-07-17 14:21

 MOT test number
 716649167010

 Result
 ✓ Passed

Advice Nearside Front Tyre worn close to legal limit/worn on edge both edges (5.2.3 (e))

Advice Front Exhaust has a minor leak of exhaust gases (6.1.2 (a))

Advice Offside Front Tyre worn close to legal limit/worn on edge inner edge (5.2.3 (e))

Advice Exhaust noisy (8.1.1 (a))

MOT #14 2018-07-10 10:22

MOT test number 469387428100

Result \square Passed

Advice Nearside Rear Tyre worn close to legal limit/worn on edge inner edge (5.2.3 (e))

Advice Offside Rear Tyre worn close to legal limit/worn on edge inner edge (5.2.3 (e))

MOT #13 2017-07-13 10:49

MOT test number 923011189110

MOT #12 2017-07-12 09:05

MOT test number 470914367575

Result X Failed

Fail Offside Front coil spring broken (2.4.C.1a)

Fail Offside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)

Fail Offside Front Lower Anti-roll bar linkage ball joint dust cover excessively damaged so that it no longer prevents the ingress of dirt (2.4.G.2)

Fail Nearside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)

CarCheck.co.uk page 6/15



report date: 2024-03-29

| MOT #11 | 2016-07-08 16:00 |
|-------------------------------------------------|------------------|
| MOT test number | 802871021971 |
| Result | ✓ Passed |
| Advice Front Brake pad(s) wearing thin (3.5.1g) | |

| MOT #10 | 2015-07-30 14:12 |
|------------------------------------------------|------------------|
| MOT test number | 158081515273 |
| Result | ✓ Passed |
| | |
| MOT #9 | 2015-06-30 14:59 |
| MOT test number | 405741885149 |
| Result | ✓ Passed |
| | |
| MOT #8 | 2014-07-08 09:17 |
| MOT test number | 357199084156 |
| Result | ✓ Passed |
| Advice Brake pipe slightly corroded (3.6.B.2c) | |

| MOT #7 | 2014-07-07 11:18 |
|----------------------------------------------------------------------------------------------------------|------------------|
| MOT test number | 768588084152 |
| Result | X Failed |
| Fail Front front brake application uneven (3.7.B.2) | |
| Fail Offside Front Brake hose has insufficient room to move, resulting in fouling on any part (3.6.B.4a) | |
| Fail Front Brakes imbalanced across an axle (3.7.B.5b) | |
| Advice Brake pipe slightly corroded (3.6.B.2c) | |

CarCheck.co.uk page 7/15



report date: 2024-03-29

| MOT #6 | | 2013-07-12 11:58 |
|----------|-------------------------------------------------------------|------------------|
| MOT test | number | 666303493105 |
| Result | | ✓ Passed |
| Advice | Nearside Front Tyre worn close to the legal limit (4.1.E.1) | |
| Advice | Offside Front Tyre worn close to the legal limit (4.1.E.1) | |

| MOT #5 | | 2013-07-12 11:58 |
|--------------------------------------------------------------------|-------------------------------------------------------|------------------|
| MOT test number | | 576413393159 |
| Result | | X Failed |
| Pass with rectification | Nearside Rear position lamp(s) not working (1.1.A.3b) | |
| Advice Offside Front Tyre worn close to the legal limit (4.1.E.1) | | |
| Advice Nearside Front Tyre worn close to the legal limit (4.1.E.1) | | |

| Advice Nearside Front Tyre worn close to the legal limit (4.1.E.1) | |
|--------------------------------------------------------------------|------------------|
| | |
| MOT #4 | 2012-07-17 11:44 |
| MOT test number | 126929992122 |
| Result | ✓ Passed |
| | |
| MOT #3 | 2011-07-27 08:43 |
| MOT test number | 206078601206 |
| Result | ✓ Passed |
| | |
| MOT #2 | 2010-07-27 08:55 |
| MOT test number | 650598200263 |
| Result | ✓ Passed |
| | |
| MOT #1 | 2009-07-07 13:33 |
| MOT test number | 244098789434 |
| Result | ✓ Passed |

CarCheck.co.uk page 8/15



report date: 2024-03-29

Tax & MOT check



| Tax status | Valid until 1 September |
|------------------|-------------------------|
| Days left | 125 |
| MOT expiry date | 12 March 2025 |
| Full MOT history | See MOT history |

Tax calculation

| Vehicle class | 48 |
|-----------------------------------------|------------|
| Band | Н |
| Single payment (12 months) | £ 290,00,- |
| Single six month payment | £ 159,50,- |
| Total payable by 12 monthly instalments | £ 304,50,- |

CarCheck.co.uk page 9/15



report date: 2024-03-29

Damage history

Check the damage history for this VAUXHALL. See if, where and when this VAUXHALL had damage and the car repair costs. We also check if this VAUXHALL was scrapped. Download the premium report <u>here</u> for the results.

Damage 1

Date
Category
Type

Damage 2

Date

Category

Type



Extra VAUXHALL salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.

More info >

CarCheck.co.uk page 10/15



report date: 2024-03-29

Vehicle valuation

What is this car worth? See the vehicle value of this VAUXHALL in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value

Auction value

Average private trade value

More info >

CarCheck.co.uk page 11/15



report date: 2024-03-29

More info >

Owner history

| For how long did the current and previous owner(s) have this VAUXHALL? How many own VAUXHALL have? Check it in the premium report and see all owner registrations. Downloner. | | rt |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|----|
| ********* | | |
| | | |
| *************************************** | | |
| ******** | | |
| | | |
| ************ | | |
| | More info | > |
| Plate changes | | |
| See in this check if this VAUXHALL had different number plates. | | |
| Number of plates | | , |
| Current registration | UK UK | |
| Plate since | | |
| Current registration | UK UK | |
| Plate since | | |
| | | |

CarCheck.co.uk page 12/15



WP06LSZ report date: 2024-03-29

Finance check

Check if this VAUXHALL is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this VAUXHALL has been settled.

If not, and you buy this VAUXHALL then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this VAUXHALL is financed.

| Finance company | |
|-------------------|--|
| Date of agreement | |
| Agreement type | |
| Agreement term | |
| Agreement number | |
| 0.1.116 | |

Contact info

More info >

CarCheck.co.uk page 13/15



report date: 2024-03-29

Mileage check

| Odometer | In miles |
|----------------------------|------------|
| Mileage registrations | 23 |
| First mileage registration | 2006-07-28 |
| Last registration | 2024-03-04 |
| Complete history | See info |



| Registration #1 | 2006-07-28 | 13 mi |
|------------------|------------|-----------|
| Registration #2 | 2009-07-07 | 29.744 mi |
| Registration #3 | 2010-07-27 | 42.772 mi |
| Registration #4 | 2011-07-27 | 51.819 mi |
| Registration #5 | 2012-07-17 | 56.388 mi |
| Registration #6 | 2013-07-12 | 64.095 mi |
| Registration #7 | 2014-07-07 | 71.854 mi |
| Registration #8 | 2014-07-08 | 71.854 mi |
| Registration #9 | 2015-06-30 | 80.053 mi |
| Registration #10 | 2015-07-30 | 80.397 mi |
| Registration #11 | 2016-07-08 | 85.609 mi |
| Registration #12 | 2017-07-12 | 90.558 mi |
| Registration #13 | | 11.777 es |
| Registration #14 | | 11.177 ea |
| Registration #15 | | 11.777 es |
| Registration #16 | | 11.117 es |
| Registration #17 | | 11.177 mi |
| Registration #18 | | 11.117 es |
| Registration #19 | | 11.177 mi |
| Registration #20 | | 11.777 es |
| Registration #21 | | 11.777 es |
| Registration #22 | | 11.117 es |
| Registration #23 | | 10.777 au |

More info >

CarCheck.co.uk page 14/15



report date: 2024-03-29

Safety ratings

| NCAP rating | **** |
|-------------|-----------------|
| Video | see crash video |



Dimensions & weight

| Width | 2036 mm |
|---------------------|---------|
| Height | 1460 mm |
| Length | 4611 mm |
| Wheel base | 2700 mm |
| Kerb weight | 1346 kg |
| Max. allowed weight | 1885 kg |

Additional information

| Fuel tank capacity | 61 |
|--------------------|-----------------------|
| Fuel delivery | Multi-Point Injection |
| Number of doors | 5 |
| Number of seats | 5 |
| Engine number | 20GT0161 |

CarCheck.co.uk page 15/15