



report date: 2024-03-28

General information

Make	FORD
Model	MONDEO GHIA TDCI
Colour	Blue
Year of manufacture	-
Top speed	133 mph
0 - 60 mph	9.2 seconds
Gearbox	6 speed Manual

Engine & fuel consumption

Power	153 BHP
Max. torque	360 Nm at 1.800 rpm
Cylinders	4
Fuel type	Diesel
Consumption city	33.6 mpg
Consumption extra urban	55.4 mpg
Consumption combined	44.8 mpg



LABEL UNKNOWN



MOT history

MOT #23	2022-10-11 13:04
MOT test number	503226054748
Result	✓ Passed
Next expiry date	2023-10-10

MOT #22	2022-10-04 15:15
MOT test number	534837496966
Result	✗ Failed

Fail Nearside Rear Cab or chassis has excessive corrosion, seriously affecting its strength within 30cm of a cab mounting (6.2.2 (d) (i))

Fail Nearside Rear Anti-roll bar pin or bush excessively worn (5.3.4 (a) (i))

**MOT #21**

2022-09-16 13:05

MOT test number

945990454713

Result**✗ Failed****Advice** Oil leak, but not excessive (8.4.1 (a) (i))**Fail** Nearside Rear Stop lamp(s) remains on when the brakes are released when position lamps are on, the stop lamp remains on, on this side (4.3.2 (a) (iii))**Advice** Front Sub-frame corroded but not seriously weakened subframe and osf arm are corroded (5.3.3 (b) (i))**Advice** Front strut top mounts/bearings are a bit sticky/noisy**Fail** Nearside Front Headlamp levelling device inoperative bracket for level sensor is inoperative, the bracket has been tied up (4.1.5 (a))**Advice** Offside Front Lower Suspension arm pin or bush worn but not resulting in excessive movement control arm rear bush worn (5.3.4 (a) (i))**Advice** Rear Integral body structure is corroded but structural rigidity is not significantly reduced undersides of both rear strut towers are corroded (6.1.1 (c) (i))**Fail** Offside Rear Direction indicator incorrect colour indicator bulb shows white light (4.4.3 (a))**Minor** Windscreen damaged but not adversely affecting driver's view chip in screen (3.2 (a) (i))**Advice** Nearside Rear Coil spring corroded spring is heavily corroded (5.3.1 (b) (i))**Advice** Rear Brake pad(s) wearing thin inner pads low (1.1.13 (a) (ii))**Fail** Nearside Rear Anti-roll bar linkage ball joint excessively worn (5.3.4 (a) (i))**Advice** Dmf and crankshaft pulley are noisy**Fail** Nearside Rear Stop lamp(s) not working when position lamps ore off on this side, the stop lamp doesn't work (4.3.1 (a) (ii))**Advice** Offside Front Brake hose slightly deteriorated hose has been chaffed (1.1.12 (b) (ii))**Advice** Offside Front slight leak from steering rack**Fail** Parking brake efficiency below requirements (1.4.2 (a) (i))**Fail** Nearside Rear Integral body structure or chassis has excessive corrosion, seriously affecting its strength within 30cm of a body mounting a patch on the nearside rear sill has rotted through (6.2.2 (d) (i))**Fail** Offside Rear Position lamp not working (4.2.1 (a) (ii))**Fail** Rear Brake disc significantly and obviously worn both rear discs, inner faces are very corroded, in a condition which shows that the pad clearly isnt working on the disc properly (1.1.14 (a) (i))**Fail** Offside Rear Rear fog lamp not working (4.5.1 (a) (ii))

**MOT #20**

2021-08-23 15:10

MOT test number

683893523922

Result

✓ Passed

Advice Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))**Advice** Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))**MOT #19**

2020-08-22 09:16

MOT test number

474963595875

Result

✓ Passed

MOT #18

2019-09-24 13:21

MOT test number

714135751624

Result

✓ Passed

Advice Offside Rear Brake hose slightly deteriorated (1.1.12 (b) (ii))**Advice** Nearside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))**Advice** Nearside Rear Direction indicator slightly discoloured (4.4.3 (a))**Advice** Fuel Pipe/s corroded**Minor** Nearside Front Lower Suspension arm ball joint dust cover severely deteriorated (5.3.4 (b) (i))**Advice** Nearside Rear Anti-roll bar linkage ball joint has slight play (5.3.4 (a) (i))**Advice** Nearside Rear Brake hose slightly deteriorated (1.1.12 (b) (ii))**Advice** Front Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))**Advice** Vehicle structure is corroded but structural rigidity is not significantly reduced (6.1.1 (c) (i))**Advice** Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))**Minor** Offside Front Lower Suspension arm ball joint dust cover severely deteriorated (5.3.4 (b) (i))**Advice** Rear Sub-frame pin or bush worn but not resulting in excessive movement ALL 4 BUSHES (5.3.4 (a) (i))

**MOT #17**

2018-09-27 16:32

MOT test number

378464637235

Result

✓ Passed

- Advice** Nearside Rear Anti-roll bar pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))
- Advice** Offside Rear Brake hose slightly deteriorated (1.1.12 (b) (ii))
- Advice** Nearside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))
- Advice** Fuel Pipe/s corroded
- Advice** Nearside Rear Brake hose slightly deteriorated (1.1.12 (b) (ii))

MOT #16

2018-09-27 08:19

MOT test number

767917255034

Result

✗ Failed

- Advice** Offside Rear Brake hose slightly deteriorated (1.1.12 (b) (ii))
- Advice** Nearside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))
- Fail** Nearside Front Tyre tread depth below requirements of 1.6mm (5.2.3 (e))
- Advice** Nearside Rear Brake hose slightly deteriorated (1.1.12 (b) (ii))
- Fail** Offside Front Brake pipe excessively corroded (1.1.11 (c))
- Fail** Offside Front Steering rack gaiter missing or no longer prevents the ingress of dirt (2.1.3 (g) (ii))
- Advice** Fuel Pipe/s corroded
- Advice** Nearside Rear Anti-roll bar pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))



MOT #152017-09-04 16:16

MOT test number234868035845

Result

✓ Passed

- Advice

Offside Rear Cracked And Perished
- Advice

Rear Sub-frame rubber bush deteriorated but not resulting in excessive movement All Rear Bushes (2.4.G.2)
- Advice

Fuel Pipe/s corroded

**MOT #14**

2017-08-29 11:10

MOT test number

955204573062

Result**✗ Failed****Advice** Both Handbrake Cable Outers Corroded**Fail** Exhaust system not adequately supported (7.1.1)**Fail** Parking brake: efficiency below requirements (3.7.B.7)**Fail** Offside Brake pipe excessively corroded Front To Rear (3.6.B.2c)**Fail** Offside Track rod end ball joint has excessive play (2.2.B.1f)**Fail** Nearside Front position lamp(s) not working (1.1.A.3b)**Fail** Offside Rear Brake lever has restricted free movement (3.5.1k)**Advice** Nearside Rear Handbrake Lever Not Returning To Stop**Fail** Exhaust has a major leak of exhaust gases Whole System - Front, Centre And Rear (7.1.2)**Advice** Rear Sub-frame rubber bush deteriorated but not resulting in excessive movement All Rear Bushes (2.4.G.2)**Advice** Engine Cover Loose**Fail** Nearside Brake pipe excessively corroded Front To Rear (3.6.B.2c)**Fail** Nearside Rear Brake pipe excessively corroded (3.6.B.2c)**Fail** Nearside Rear Coil spring not correctly located Fouling Vehicle Body (2.4.C.2)**Advice** Fuel Pipe/s corroded**Advice** Offside Rear Cracked And Perished**Fail** Offside Front position lamp(s) not working (1.1.A.3b)**Fail** Offside Rear Anti-roll bar linkage has excessive play in a pin/bush (2.4.G.2)

**MOT #13**

2016-08-31 14:00

MOT test number

268035453499

Result

✓ Passed

Advice

Brake pipe slightly corroded both front to rears (3.6.B.2c)

MOT #12

2015-09-02 07:57

MOT test number

468729831396

Result

✓ Passed

Advice

Advise rear brake discs corroding

Advice

Nearside Front Brake pipe slightly corroded to rear (3.6.B.2c)

Advice

Advise slight noise in nearside front wheel bearing

Advice

Advise exhaust tail pipe corroded

Advice

Offside Front Tyre worn close to the legal limit (4.1.E.1)

Advice

Tyre size 225 40 zr18 92w xl

Advice

Offside Front Brake pipe slightly corroded to rear (3.6.B.2c)

Advice

Nearside Rear tyre slight mishape

Advice

Offside Front front brake fluctuating, but not excessively (3.7.B.3)

**MOT #11**

2015-09-01 00:00

MOT test number

996389880156

Result

✗ Failed

Advice Offside Front front brake fluctuating, but not excessively (3.7.B.3)**Fail** Offside Rear Tyre has ply or cords exposed (4.1.D.1b)**Advice** Offside Front Brake pipe slightly corroded to rear (3.6.B.2c)**Advice** Advise rear brake discs corroding**Fail** Offside Rear Rear wheel bearing rough when rotated (2.6.1)**Advice** Advise slight noise in nearside front wheel bearing**Advice** Offside Front Tyre worn close to the legal limit (4.1.E.1)**Advice** Nearside Front Brake pipe slightly corroded to rear (3.6.B.2c)**Fail** Offside Rear Rear wheel bearing has excessive play (2.6.2)**Advice** Tyre size 225 40 zr18 92w xl**MOT #10**

2014-10-06 10:10

MOT test number

295419374248

Result

✓ Passed

Advice Offside Rear wheel bearing has slight play (2.6.2)**Notice** Offside rear tyre wearing on edge**MOT #9**

2013-09-09 14:29

MOT test number

859652853294

Result

✓ Passed

**MOT #8** 2012-10-06 12:51**MOT test number** 557030382265**Result** ✓ Passed**Notice** Steering notchy**Advice** Front Brake pad(s) wearing thin (3.5.1g)**Advice** Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)**MOT #7** 2012-10-05 11:47**MOT test number** 337849472403**Result** ✗ Failed**Fail** Nearside Front position lamp(s) not working (1.1.A.3b)**Fail** Exhaust has a major leak of exhaust gases (7.1.2)**Advice** Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)**Notice** Steering notchy**Fail** Offside Front Brake pipe excessively corroded (3.6.B.2c)**Fail** Nearside Rear coil spring fractured (2.4.C.1a)**Advice** Front Brake pad(s) wearing thin (3.5.1g)**MOT #6** 2011-11-24 15:03**MOT test number** 947228621371**Result** ✓ Passed**Notice** Child seat fitted not allowing full inspection of adult belt**Advice** Rear Sub-frame attachment rubber mounting deteriorated but not resulting in excessive movement (2.4.G.2)**Advice** Offside Front Brake pipe slightly corroded (3.6.B.2c)

**MOT #5** 2011-11-24 11:03**MOT test number** 465308221412**Result** ✗ Failed

Advice Rear Sub-frame attachment rubber mounting deteriorated but not resulting in excessive movement (2.4.G.2)

Fail Nearside Rear Tyre has a cut in excess of the requirements deep enough to reach the ply or cords (4.1.D.1a)

Advice Offside Front Brake pipe slightly corroded (3.6.B.2c)

Notice Child seat fitted not allowing full inspection of adult belt

MOT #4 2010-11-19 16:04**MOT test number** 784333820390**Result** ✓ Passed**MOT #3** 2010-11-19 12:12**MOT test number** 353973820354**Result** ✗ Failed

Fail Nearside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1)

Fail Offside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1)

MOT #2 2009-11-14 09:36**MOT test number** 361668319331**Result** ✓ Passed

Advice Nearside Front Tyre worn close to the legal limit (4.1.E.1)

Advice Offside Front brake disc slightly scored (3.5.1h)

Advice Offside Front Tyre worn close to the legal limit (4.1.E.1)

MOT #1 2008-11-21 13:13**MOT test number** 372576428341**Result** ✓ Passed



Damage history

Check the damage history for this FORD. See if, where and when this FORD had damage and the car repair costs. We also check if this FORD was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	

Damage 2

Date	
Category	
Type	



Extra FORD salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this FORD in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	£ 19,999
Auction value	£ 19,999
Average private trade value	£ 19,999

More info >



Owner history

For how long did the current and previous owner(s) have this FORD? How many owners did this FORD have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

Owner	From	To
Owner	From	To
Owner	From	To
Owner	From	To
Owner	From	To
Owner	From	To
Owner	From	To

More info >

Plate changes

See in this check if this FORD had different number plates.

Number of plates	1
Current registration	LJ55HKK
Plate since	2019-03-28
Current registration	LJ55HKK
Plate since	2019-03-28

More info >



Finance check

Check if this FORD is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this FORD has been settled.

If not, and you buy this FORD then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this FORD is financed.


Finance company	XXXXXXXX	XXXX
Date of agreement	XXXXXXXX	XXXX
Agreement type	XXXXXXXX	XXXX
Agreement term	XXXXXXXX	XXXX
Agreement number	XXXXXXXX	XXXX
Contact info	XXXXXXXX	XXXX

More info >



Mileage check

Odometer	In miles
Mileage registrations	24
First mileage registration	2005-11-25
Last registration	2022-10-11
Complete history	See info



Registration #1	2005-11-25	6 mi
Registration #2	2008-11-21	44.217 mi
Registration #3	2009-11-14	58.178 mi
Registration #4	2010-11-19	70.795 mi
Registration #5	2010-11-19	70.795 mi
Registration #6	2011-11-24	80.724 mi
Registration #7	2011-11-24	80.733 mi
Registration #8	2012-10-05	87.374 mi
Registration #9	2012-10-06	87.374 mi
Registration #10	2013-09-09	91.308 mi
Registration #11	2014-10-06	99.081 mi
Registration #12	2015-09-01	105.065 mi
Registration #13	2016-09-01	111.049 mi
Registration #14	2016-09-01	111.049 mi
Registration #15	2016-09-01	111.049 mi
Registration #16	2016-09-01	111.049 mi
Registration #17	2016-09-01	111.049 mi
Registration #18	2016-09-01	111.049 mi
Registration #19	2016-09-01	111.049 mi
Registration #20	2016-09-01	111.049 mi
Registration #21	2016-09-01	111.049 mi
Registration #22	2016-09-01	111.049 mi
Registration #23	2016-09-01	111.049 mi
Registration #24	2016-09-01	111.049 mi

More info >



Car features

The FORD factory car options list is only available in the premium report.

S0225	Air conditioning
S0295	
S0482	
S0501	
S0566	
S0567	
S0569	

View the complete FORD factory list for this vehicle [here](#).

More info >

Safety ratings

NCAP rating

Video [see crash video](#)



Dimensions & weight

Width	1958 mm
Height	1441 mm
Length	4804 mm
Wheel base	2754 mm
Max. allowed weight	2190 kg

Additional information

Fuel tank capacity	58 l
Fuel delivery	Direct Injection
Number of doors	5
Number of seats	5
Number of axles	2

Engine number

5K75537