



report date: 2024-03-28

General information

Make	HONDA
Model	FR-V VTEC SE
Colour	Grey
Year of manufacture	-
Top speed	112 mph
0 - 60 mph	12.3 seconds
Gearbox	5 speed Manual

Engine & fuel consumption

Power	123 BHP
Max. torque	154 Nm at 4.800 rpm
Cylinders	4
Fuel type	Petrol
Consumption city	30.4 mpg
Consumption extra urban	43.5 mpg
Consumption combined	37.7 mpg



LABEL UNKNOWN



Internet history

Entry 1

Date	2021-12-18
Pictures	17
Listing price	View report



source: autotrader.co.uk

**MOT history****MOT #23**

2023-09-08 14:00

MOT test number

831088223458

Result**✗ Failed****Advice** Central Rear Upper Stop lamp(s) non-obligatory stop lamp not working (4.3.1 (a) (ii))**Fail** Nearside Rear Suspension component mounting prescribed area is corroded to the extent that control of the vehicle is likely to be adversely affected Forward suspension arm mounting point corroded through. (5.3.6 (a) (ii))**Advice** Nearside Front Lower Suspension arm pin or bush worn but not resulting in excessive movement Forward bush splitting. (5.3.4 (a) (i))**Advice** Offside Front Tyre worn close to legal limit/worn on edge Very low on both edges. (5.2.3 (e))**Minor** Nearside Front Lower Suspension arm ball joint dust cover severely deteriorated (5.3.4 (b) (i))**Fail** Nearside Front Position lamp not working (4.2.1 (a) (ii))**Minor** Offside Front Headlamp lens slightly defective (4.1.1 (b) (i))**Fail** Offside Rear Suspension component mounting prescribed area excessively corroded significantly reducing structural strength Inner and outer sill corroded through. (5.3.6 (a) (i))**Advice** Offside Rear Child Seat fitted not allowing full inspection of adult belt**Advice** Parking brake lever defective but can be satisfactorily operated Has sideways movement in lever, but still engages. (1.1.6 (d))**Fail** Nearside Rear Suspension component mounting prescribed area is corroded to the extent that control of the vehicle is likely to be adversely affected Rear subframe rear mounting point corroded through. (5.3.6 (a) (ii))**Advice** Offside Front Lower Suspension arm pin or bush worn but not resulting in excessive movement Forward bush splitting. (5.3.4 (a) (i))**Minor** Nearside Front Headlamp lens slightly defective (4.1.1 (b) (i))**Fail** Nearside Rear Suspension component mounting prescribed area excessively corroded significantly reducing structural strength Inner and outer sill corroded through. (5.3.6 (a) (i))

**MOT #22**

2022-09-12 12:34

MOT test number

649136057292

Result

✓ Passed

Minor Offside Front Headlamp lens slightly defective (4.1.1 (b) (i))**Advice** Parking brake lever defective but can be satisfactorily operated Has sideways movement in lever, but still engages. (1.1.6 (d))**Minor** Nearside Front Headlamp lens slightly defective (4.1.1 (b) (i))**Advice** Offside Front Lower Suspension arm pin or bush worn but not resulting in excessive movement Forward bush. (5.3.4 (a) (i))**Advice** Central Rear Upper Stop lamp(s) non-obligatory stop lamp not working (4.3.1 (a) (ii))**Advice** Nearside Rear Anti-roll bar linkage ball joint has slight play (5.3.4 (a) (i))**MOT #21**

2022-09-08 10:20

MOT test number

135878119630

Result

✗ Failed

Advice Front Brake disc worn, but not excessively Both discs. (1.1.14 (a) (i))**Fail** Nearside Front Anti-roll bar linkage missing (5.3.3 (a) (ii))**Advice** Central Rear Upper Stop lamp(s) non-obligatory stop lamp not working (4.3.1 (a) (ii))**Fail** Nearside Front Service brake excessively binding (1.2.1 (f))**Advice** Parking brake lever defective but can be satisfactorily operated Has sideways movement in lever, but still engages. (1.1.6 (d))**Minor** Offside Front Headlamp lens slightly defective (4.1.1 (b) (i))**Minor** Nearside Front Headlamp lens slightly defective (4.1.1 (b) (i))**Advice** Nearside Rear Anti-roll bar linkage ball joint has slight play (5.3.4 (a) (i))**Advice** Nearside Front Brake pad(s) wearing thin (1.1.13 (a) (ii))**Fail** Offside Front Headlamp aim projected beam image is obviously incorrect (4.1.2 (c))**Advice** Offside Front Lower Suspension arm pin or bush worn but not resulting in excessive movement Forward bush. (5.3.4 (a) (i))

**MOT #20**

2021-09-14 12:38

MOT test number

565709162201

Result

✓ Passed

Advice Exhaust has a minor leak of exhaust gases (6.1.2 (a))**Advice** Offside Rear Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))**MOT #19**

2021-09-13 11:35

MOT test number

237285519651

Result

✗ Failed

Fail Offside Rear Brake pad(s) less than 1.5 mm thick (1.1.13 (a) (ii))**Fail** Exhaust Lambda reading after 2nd fast idle outside specified limits (8.2.1.2 (c))**Advice** Offside Rear Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))**Fail** Offside Front Position lamp not working (4.2.1 (a) (ii))**Advice** Exhaust has a minor leak of exhaust gases (6.1.2 (a))**MOT #18**

2020-09-12 09:43

MOT test number

966199254641

Result

✓ Passed

Advice Offside Front Suspension arm pin or bush worn but not resulting in excessive movement front (5.3.4 (a) (i))**Minor** Rear Windscreen wiper blade defective (3.4 (b) (i))**Advice** Oil level low**Advice** Nearside Rear Coil spring corroded (5.3.1 (b) (i))**Advice** Nearside Front Suspension arm pin or bush worn but not resulting in excessive movement front (5.3.4 (a) (i))**Advice** Offside Front Coil spring corroded (5.3.1 (b) (i))**Advice** Offside Rear Coil spring corroded (5.3.1 (b) (i))

**MOT #17**

2020-09-11 14:46

MOT test number

736597401491

Result**✗ Failed**

- Advice** Offside Rear Coil spring corroded (5.3.1 (b) (i))
- Advice** Offside Front Suspension arm pin or bush worn but not resulting in excessive movement front (5.3.4 (a) (i))
- Fail** Offside Front Position lamp not working (4.2.1 (a) (ii))
- Minor** Rear Windscreen wiper blade defective (3.4 (b) (i))
- Advice** Oil level low
- Advice** Nearside Rear Coil spring corroded (5.3.1 (b) (i))
- Advice** Nearside Front Suspension arm pin or bush worn but not resulting in excessive movement front (5.3.4 (a) (i))
- Fail** Nearside Front Position lamp not working (4.2.1 (a) (ii))
- Fail** Offside Front Brake pad(s) less than 1.5 mm thick (1.1.13 (a) (ii))
- Advice** Offside Front Coil spring corroded (5.3.1 (b) (i))

MOT #16

2019-04-04 10:01

MOT test number

451230646001

Result**✓ Passed**

- Advice** Nearside Front Tyre worn close to legal limit/worn on edge Near the legal limit (5.2.3 (e))
- Advice** Offside Front Service brake binding but not excessively (1.2.1 (f))
- Advice** Offside Rear Tyre worn close to legal limit/worn on edge Near the legal limit (5.2.3 (e))
- Advice** Nearside Rear Tyre worn close to legal limit/worn on edge Near the legal limit (5.2.3 (e))

MOT #15

2018-02-06 10:18

MOT test number

269762539641

Result**✓ Passed**

- Advice** Brake binding slightly

**MOT #14** 2016-12-10 12:52**MOT test number** 569203403761**Result** ✓ Passed**MOT #13** 2016-12-10 09:34**MOT test number** 959350898105**Result** ✗ Failed**Fail** Nearside rear parking brake recording little or no effort (3.7.B.6a)**Fail** Nearside rear brake application uneven (3.7.B.2)**Fail** Nearside rear brake binding (3.7.B.1)**MOT #12** 2015-12-10 13:53**MOT test number** 667078556776**Result** ✓ Passed**MOT #11** 2015-12-10 13:53**MOT test number** 543334747569**Result** ✗ Failed**Pass with rectification** Headlamp aim too high both (1.8)**MOT #10** 2014-11-14 16:46**MOT test number** 779788614371**Result** ✓ Passed**Advice** Offside front brake fluctuating, but not excessively (3.7.B.3)**Notice** Child seat fitted not allowing full inspection of adult belt

**MOT #9** 2014-11-14 16:46**MOT test number** 679148814303**Result** ✗ Failed**Notice** Child seat fitted not allowing full inspection of adult belt**Pass with rectification** Nearside Windscreen wiper does not clear the windscreen effectively (8.2.2)**Advice** Offside front brake fluctuating, but not excessively (3.7.B.3)**Pass with rectification** Centre Rear Statutory seat belt missing (5.1.1)**Pass with rectification** Offside Windscreen wiper does not clear the windscreen effectively (8.2.2)**MOT #8** 2013-10-31 16:08**MOT test number** 577814303330**Result** ✓ Passed**Advice** Front Brake pad(s) wearing thin (3.5.1g)**Advice** Front Tyre worn close to the legal limit (4.1.E.1)**MOT #7** 2013-02-19 10:37**MOT test number** 438940153034**Result** ✓ Passed**Advice** Front Brake pad(s) wearing thin (3.5.1g)**MOT #6** 2012-02-29 17:44**MOT test number** 989850462005**Result** ✓ Passed**Advice** Nearside Rear Tyre worn close to the legal limit (4.1.E.1)**Advice** Offside Rear Tyre worn close to the legal limit (4.1.E.1)

**MOT #5** 2012-02-28 09:48**MOT test number** 958489152027**Result** ✗ Failed**Advice** Nearside Rear Tyre worn close to the legal limit (4.1.E.1)**Fail** Offside Rear Tie bar/rod attachment bracket/mounting insecure (2.4.G.1)**Advice** Offside Rear Tyre worn close to the legal limit (4.1.E.1)**MOT #4** 2011-03-02 09:16**MOT test number** 496321061066**Result** ✓ Passed**Advice** Front Brake pad(s) wearing thin (3.5.1g)**Notice** N/s/r tyre wearing on inner edge**Notice** Both rear brake discs getting worn**MOT #3** 2010-02-26 10:32**MOT test number** 154587250438**Result** ✓ Passed**MOT #2** 2009-03-03 10:11**MOT test number** 130682069438**Result** ✓ Passed**Notice** Offside rear tyre slightly deformed & wearing inner edge**Advice** Offside Front Brake pad(s) wearing thin (3.5.1g)**Notice** Nearside rear tyre starting to deform**Advice** Nearside Front Brake pad(s) wearing thin (3.5.1g)



MOT #1	2008-03-03 15:51
MOT test number	933353768054
Result	✓ Passed
Notice	Advise rear wiper split
Advice	Offside Front Tyre worn close to the legal limit (4.1.E.1)
Advice	Nearside Front Tyre worn close to the legal limit (4.1.E.1)



Damage history

Check the damage history for this HONDA. See if, where and when this HONDA had damage and the car repair costs. We also check if this HONDA was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	

Damage 2

Date	
Category	
Type	



Extra HONDA salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this HONDA in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	£ 19,999
Auction value	£ 19,999
Average private trade value	£ 19,999

More info >



Owner history

For how long did the current and previous owner(s) have this HONDA? How many owners did this HONDA have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

Owner	Period
Owner	Period
Owner	Period
Owner	Period
Owner	Period
Owner	Period
Owner	Period

More info >

Plate changes

See in this check if this HONDA had different number plates.

Number of plates	1
Current registration	DG05EXX
Plate since	2019-03-28
Current registration	DG05EXX
Plate since	2019-03-28

More info >



Finance check

Check if this HONDA is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this HONDA has been settled.

If not, and you buy this HONDA then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this HONDA is financed.

Finance company	XXXXXXXXXX	XXXX
Date of agreement	XXXXXXXXXX	XXXX
Agreement type	XXXXXXXXXX	XXXX
Agreement term	XXXXXXXXXX	XXXX
Agreement number	XXXXXXXXXX	XXXX
Contact info	XXXXXXXXXX	XXXX

More info >



Mileage check

Odometer	In miles
Mileage registrations	24
First mileage registration	2005-03-03
Last registration	2023-09-08
Complete history	See info



Registration #1	2005-03-03	16 mi
Registration #2	2008-03-03	19.177 mi
Registration #3	2009-03-03	24.136 mi
Registration #4	2010-02-26	26.072 mi
Registration #5	2011-03-02	29.843 mi
Registration #6	2012-02-28	33.540 mi
Registration #7	2012-02-29	33.540 mi
Registration #8	2013-02-19	37.575 mi
Registration #9	2013-10-31	40.899 mi
Registration #10	2014-11-14	46.183 mi
Registration #11	2015-12-10	52.073 mi
Registration #12	2015-12-10	52.073 mi
Registration #13	2016-01-01	52.073 mi
Registration #14	2016-01-01	52.073 mi
Registration #15	2016-01-01	52.073 mi
Registration #16	2016-01-01	52.073 mi
Registration #17	2016-01-01	52.073 mi
Registration #18	2016-01-01	52.073 mi
Registration #19	2016-01-01	52.073 mi
Registration #20	2016-01-01	52.073 mi
Registration #21	2016-01-01	52.073 mi
Registration #22	2016-01-01	52.073 mi
Registration #23	2016-01-01	52.073 mi
Registration #24	2016-01-01	52.073 mi

More info >



Safety ratings

NCAP rating	★★★★☆
Video	see crash video



Dimensions & weight

Width	2113 mm
Height	1610 mm
Length	4285 mm
Wheel base	2680 mm
Kerb weight	1397 kg

Additional information

Fuel tank capacity	58 l
Fuel delivery	Multi-Point Injection
Number of doors	5
Number of seats	6
Engine number	D17A24301120