



F872FUA

General information

report date: 2024-03-29

Make	AUSTIN
Model	MINI MAYFAIR
Colour	White
Year of manufacture	1989
Gearbox	4 speed Manual

Engine & fuel consumption

Engine capacity	998 cc
Fuel type	Petrol



LABEL UNKNOWN



Internet history

Entry 1

Date	2021-11-07
Pictures	5
Listing price	View report



source: [autotrader.co.uk](https://www.autotrader.co.uk)



MOT history

MOT expiry date	2015-10-15
MOT pass rate	36 %
MOT passed	4
Failed MOT tests	7
Total advice items	18
Total items failed	111

**MOT #11**

2015-12-08 12:36

MOT test number

279567156679

Result

✗ Failed

- Fail** Rear Rear position lamp(s) not working (1.1.A.3b)
- Fail** Nearside Front Vehicle structure has excessive corrosion, seriously affecting its strength within 30cm of the body mountings inner arch to shock mount and floor (6.1.B.2)
- Fail** Brake fluid warning lamp inoperative low fluid (3.6.G.2)
- Fail** Nearside Front Drag link end socket spring weak (2.2.B.1e)
- Fail** Offside Vehicle structure has an unsatisfactory modification, seriously affecting its strength within 30cm of the body mountings rear sill back at mounting (6.1.B.2)
- Fail** Offside Rear Trailing arm has excessive play in a pin/bearing trunion (2.4.G.2)
- Fail** Offside Rear rear brake recording little or no effort (3.7.B.5a)
- Fail** Nearside Rear Vehicle structure has an unsatisfactory modification, seriously affecting its strength within 30cm of the body mountings arch to seat base (6.1.B.2)
- Fail** Nearside Front Vehicle structure has excessive corrosion, seriously affecting its strength within 30cm of the body mountings floor (6.1.B.2)
- Fail** Rear Rear fog lamp not working (1.3.2b)
- Fail** Offside Front Front suspension has excessive play in a upper suspension ball joint (2.5.B.1a)
- Advice** N/S and o/s front bulkhead repairs of a poor standard
- Fail** Offside Front Vehicle structure is damaged, seriously affecting its strength within 30cm of the body mountings inner arch to shocker (6.1.B.2)
- Fail** Offside Front Track rod end ball pin shank loose (2.2.B.1c)
- Fail** Parking brake: efficiency below requirements (3.7.C.1b)
- Fail** Nearside Front Steering component cracked and unserviceable rack gaiter torn (2.2.C.1d)
- Fail** Nearside Front Vehicle structure has excessive corrosion, seriously affecting its strength within 30cm of the body mountings floor (6.1.B.2)

MOT #10

2014-10-16 16:13

MOT test number

987319184280

Result

✓ Passed

- Notice** ADVISE VARIOUS REPAIRS TO UNDER SIDE UNDERSEALED



MOT #9	2014-10-14 11:49
MOT test number	555177384232
Result	✗ Failed
Fail	Nearside Headlamp aim too high (1.8)
Fail	Nearside Front Direction indicator not working (1.4.A.2c)
Fail	Exhaust emissions carbon monoxide content excessive (7.3.B.1a)
Fail	Hazard warning lamps not flashing in phase, with ignition off (1.4.B.1f)
Fail	Nearside Rear Vehicle structure has excessive corrosion, seriously affecting its strength within 30cm of the body mountings (6.1.B.2)
Fail	Rear fog lamp not working (1.3.2b)
Fail	Front Windscreen wiper does not clear the windscreen effectively (8.2.2)
Fail	Nearside Front Steering rack gaiter split (2.2.D.2d)
Fail	Horn not working (1.6.2a)
Fail	Exhaust emissions hydrocarbon content excessive (7.3.B.1b)
Fail	Hazard warning lamps not flashing in phase, with ignition on (1.4.B.1f)
Notice	ADVISE VARIOUS REPAIRS TO UNDER SIDE UNDERSEALED



MOT #8	2014-07-18 11:46
MOT test number	675179394159
Result	✗ Failed

- Fail** Rear All position lamps not working (1.1.A.3b)
- Fail** Exhaust engine idle speed too high (7.3.A.2a)
- Fail** Rear Direction indicators not working (1.4.A.2c)
- Fail** Nearside Front Steering rack gaiter split (2.2.D.2d)
- Fail** Rear Stop lamp not working (1.2.1b)
- Fail** Nearside Vehicle structure has excessive corrosion, seriously affecting its strength within 30cm of the body mountings (6.1.B.2)
- Fail** Rear Rear fog lamp not working (1.3.2b)
- Fail** Front Hazard warning lamps inoperative (1.4.B.1b)
- Fail** Offside Rear Vehicle structure has excessive corrosion, seriously affecting its strength within 30cm of the body mountings (6.1.B.2)
- Fail** Offside Front Windscreen wiper does not clear the windscreen effectively (8.2.2)
- Fail** Front Headlamp not working on dipped beam (1.7.5a)
- Fail** Offside Rear Vehicle structure has excessive corrosion, seriously affecting its strength within 30cm of the body mountings (6.1.B.2)
- Fail** Exhaust emissions hydrocarbon content excessive (7.3.B.1b)
- Fail** Front Direction indicators not working (1.4.A.2c)
- Fail** Offside Front Seat belt anchorage prescribed area is excessively corroded (5.2.6)
- Notice** Advise extensive corrosion and repair points to vehicle
- Fail** Front All position lamps not working (1.1.A.3b)
- Fail** Offside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1)
- Fail** Rear fog lamp tell tale not working (1.3.1b)
- Fail** Rear Registration plate lamp not working (1.1.C.1d)
- Fail** Offside Vehicle structure has excessive corrosion, seriously affecting its strength within 30cm of the body mountings (6.1.B.2)
- Fail** Nearside Front Windscreen wiper does not clear the windscreen effectively (8.2.2)
- Fail** Rear Hazard warning lamps inoperative (1.4.B.1b)
- Fail** Nearside Rear Vehicle structure has excessive corrosion, seriously affecting its strength within 30cm of the body mountings (6.1.B.2)
- Fail** Exhaust emissions carbon monoxide content excessive (7.3.B.1a)
- Fail** Front Headlamp not working on main beam (1.7.5a)
- Fail** Nearside Rear Seat belt anchorage prescribed area is excessively corroded (5.2.6)

**MOT #7**

2013-07-24 16:23

MOT test number

618705803226

Result**✗ Failed**

- Fail** An item not tested (Manual)
- Fail** Nearside Rear Body or chassis has excessive corrosion, seriously affecting its strength within 30cm of the body mountings (6.1.B.2)
- Fail** Exhaust emissions carbon monoxide content excessive (7.3.B.1a)
- Fail** Headlamp not working on main beam (1.7.5a)
- Fail** Nearside Rear Body or chassis has excessive corrosion, seriously affecting its strength within 30cm of the body mountings (6.1.B.2)
- Fail** Offside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1)
- Fail** Direction indicators not working (1.4.A.2c)
- Fail** Front Windscreen wiper not operating automatically when switched on (8.2.1b)
- Fail** Nearside Front Body or chassis has excessive corrosion, seriously affecting its strength within 30cm of the body mountings (6.1.B.2)
- Fail** Rear fog lamp not working (1.3.2b)
- Fail** Nearside Rear Body or chassis has excessive corrosion, seriously affecting its strength within 30cm of the body mountings (6.1.B.2)
- Fail** Fuel system component leaking (7.2.3)
- Fail** Headlamp not working on dipped beam (1.7.5a)
- Fail** Offside Front Body or chassis has excessive corrosion, seriously affecting its strength within 30cm of the body mountings (6.1.B.2)
- Fail** Exhaust emissions hydrocarbon content excessive (7.3.B.1b)
- Fail** All position lamps not working (1.1.A.3b)
- Fail** Registration plate lamp not working (1.1.C.1d)
- Fail** Rear Brakes imbalanced across an axle (3.7.B.5b)
- Fail** Rear Stop lamp not working (1.2.1b)
- Fail** Hazard warning lamps inoperative (1.4.B.1b)
- Fail** Offside Front Body or chassis has excessive corrosion, seriously affecting its strength within 30cm of the body mountings (6.1.B.2)

**MOT #6** 2012-08-01 09:24**MOT test number** 138144012293**Result** ✓ Passed**Notice** Coolant leak**Notice** Battery insurcure**Notice** Oil leak**MOT #5** 2012-07-31 10:09**MOT test number** 689713812289**Result** ✗ Failed**Fail** Offside Rear fog lamp not working (1.3.2b)**Fail** Front Brake pad(s) less than 1.5 mm thick (3.5.1g)**Notice** Oil leak**Fail** Offside Rear Body or chassis is damaged, seriously affecting its strength within 30cm of the body mountings (6.1.B.2)**Fail** Front Exhaust has a major leak of exhaust gases (7.1.2)**Notice** Coolant leak**Notice** Battery insurcure

**MOT #4**

2012-07-05 13:53

MOT test number

296387682421

Result**✗ Failed**

- Fail** Nearside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)
- Fail** Front Windscreen wiper not operating automatically when switched on (8.2.1b)
- Notice** Engine mountings worn
- Fail** Front Exhaust has a major leak of exhaust gases (7.1.2)
- Fail** Nearside Rear Body has a sharp edge caused by damage (6.1.C.1)
- Fail** Offside Rear Radius arm has excessive play in a pin/bush (2.4.G.2)
- Fail** Nearside Front Vehicle structure has excessive corrosion, seriously affecting its strength within 30cm of the body mountings (6.1.B.2)
- Fail** Nearside Rear Vehicle structure has excessive corrosion, seriously affecting its strength within 30cm of the body mountings (6.1.B.2)
- Fail** Windscreen washer provides insufficient washer liquid (8.2.3)
- Fail** Nearside Front Lower Front suspension has excessive play in a lower suspension ball joint (2.5.B.1a)
- Fail** Dipswitch operation does not deflect all main beam headlamps to make them dipped beams (1.7.4b)
- Fail** Nearside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1)
- Notice** Battery insecure
- Fail** Nearside Rear Radius arm has excessive play in a pin/bush (2.4.G.2)
- Fail** Nearside Front Body has a sharp edge caused by damage (6.1.C.1)
- Fail** Offside Front Front suspension has excessive play in a upper suspension ball joint (2.5.B.1a)
- Fail** Offside Front Vehicle structure has excessive corrosion, seriously affecting its strength within 30cm of the body mountings (6.1.B.2)
- Fail** Brake pedal anti-slip provision missing (3.3.A.1b)
- Fail** Bonnet cannot be secured in the closed position (8.4.1)



MOT #3	2011-07-19 14:54
MOT test number	697920001200
Result	✓ Passed

MOT #2	2009-12-19 10:48
MOT test number	124143659319
Result	✓ Passed

- Advice** Windscreen has damage to an area less than a 10mm circle within zone 'A' (8.3.1a)
- Advice** Nearside Front Tyre worn close to the legal limit (4.1.E.1)
- Advice** Brakes imbalanced requirements only just met. It would appear that the braking system requires adjustment or repair. (3.7.B.5b)

**MOT #1**

2009-12-16 13:21

MOT test number

492890259396

Result**✗ Failed**

- Fail** Offside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)
- Fail** Offside rear parking brake recording little or no effort (3.7.B.6a)
- Fail** Nearside Steering rack gaiter split (2.2.D.2d)
- Fail** Headlamp switch faulty (1.7.1)
- Advice** Nearside Front Tyre worn close to the legal limit (4.1.E.1)
- Fail** Nearside Track rod end ball joint has excessive play (2.2.B.1f)
- Fail** Offside Front Lower Suspension arm has excessive play in a ball joint (2.4.G.2)
- Advice** Windscreen has damage to an area less than a 10mm circle within zone 'A' (8.3.1a)
- Fail** Offside Front Suspension component mounting prescribed area is excessively corroded (2.4.A.3)
- Fail** Nearside Front Suspension arm severely distorted (2.4.G.1)
- Fail** Offside rear brake recording little or no effort (3.7.B.5a)
- Fail** Nearside Inner Rear Suspension component mounting prescribed area is excessively corroded (2.4.A.3)
- Fail** Parking brake: efficiency below requirements (3.7.B.7)
- Fail** Offside Steering rack gaiter split (2.2.D.2d)
- Fail** Nearside Front Lower Suspension arm has excessive play in a ball joint (2.4.G.2)
- Advice** Offside Rear Radius arm has slight play in a pin bearing (2.4.G.2)
- Fail** Offside Track rod end ball joint has excessive play (2.2.B.1f)
- Fail** Front Sub-frame has excessive play in a pin/bush (2.4.G.2)
- Fail** Nearside Rear Radius arm has excessive play in a pin/bearing (2.4.G.2)



Damage history

Check the damage history for this AUSTIN. See if, where and when this AUSTIN had damage and the car repair costs. We also check if this AUSTIN was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	



Damage 2

Date	
Category	
Type	

Extra AUSTIN salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this AUSTIN in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	£ 19,299
Auction value	£ 19,299
Average private trade value	£ 19,299

More info >



Owner history

For how long did the current and previous owner(s) have this AUSTIN? How many owners did this AUSTIN have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

Owner	Period
Owner	Period
Owner	Period
Owner	Period
Owner	Period
Owner	Period
Owner	Period

More info >

Plate changes

See in this check if this AUSTIN had different number plates.

Number of plates	1
Current registration	XXXXXX
Plate since	2020-01-01
Current registration	XXXXXX
Plate since	2020-01-01

More info >



Finance check

Check if this AUSTIN is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this AUSTIN has been settled.

If not, and you buy this AUSTIN then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this AUSTIN is financed.

Finance company	XXXXXXXXXX	XXXX
Date of agreement	XXXXXXXXXX	XXXX
Agreement type	XXXXXXXXXX	XXXX
Agreement term	XXXXXXXXXX	XXXX
Agreement number	XXXXXXXXXX	XXXX
Contact info	XXXXXXXXXX	XXXX

More info >



Mileage check

Odometer	In miles
Mileage registrations	13
First mileage registration	1989-06-30
Last registration	2015-12-08
Complete history	See info



Registration #1	1989-06-30	17 mi
Registration #2	2009-12-16	65.948 mi
Registration #3	2009-12-19	65.955 mi
Registration #4	2011-07-19	68.455 mi
Registration #5	2012-07-05	80.957 mi
Registration #6	2012-07-31	80.963 mi
Registration #7	2012-08-01	80.966 mi
Registration #8	2013-05-20	81.277 mi
Registration #9	2013-05-20	81.277 mi
Registration #10	2013-05-20	81.277 mi
Registration #11	2013-05-20	81.277 mi
Registration #12	2013-05-20	81.277 mi
Registration #13	2013-05-20	81.277 mi

More info >



Additional information

Engine number	99HD800108728
---------------	---------------