





General information

| Make | VAUXHALL |
|---------------------|---------------------|
| Model | VECTRA VVT EXCLUSIV |
| Colour | Silver |
| Year of manufacture | - |
| Top speed | 126 mph |
| 0 - 60 mph | 10.5 seconds |
| Gearbox | 5 speed Manual |

Engine & fuel consumption

| Power | 138 BHP |
|-------------------------|---------------------|
| Max. torque | 167 Nm at 3.800 rpm |
| Cylinders | 4 |
| Fuel type | Petrol |
| Consumption city | 28.0 mpg |
| Consumption extra urban | 51.4 mpg |
| Consumption combined | 39.2 mpg |





Internet history

Entry 1

Date

2021-06-04

7


Pictures

Listing price

View report









source: autotrader.co.uk





MOT history

| MOT #21 | | 2023-01-05 16:25 |
|-----------|---|------------------------------|
| MOT test | number | 957226096752 |
| Result | | ✓ Passed |
| Next expi | ry date | 2024-01-04 |
| Advice | Sub-frame corroded but not seriously weakened (5.3.3 (b) (i)) | |
| Advice | Nearside Front Outer Brake disc worn, pitted or scored, but not seriously | v weakened (1.1.14 (a) (ii)) |

| MOT #20 | | 2023-01-04 16:08 |
|----------|---|----------------------------|
| MOT test | number | 517508840945 |
| Result | | 🗙 Failed |
| MAJOR | Offside Rear Shock absorbers has a serious fluid leak (5.3.2 (b)) | |
| Advice | Sub-frame corroded but not seriously weakened (5.3.3 (b) (i)) | |
| Advice | Nearside Front Outer Brake disc worn, pitted or scored, but not seriously v | veakened (1.1.14 (a) (ii)) |
| MAJOR | Nearside Front Anti-roll bar linkage ball joint excessively worn (5.3.4 (a) (i) |) |
| MAJOR | Offside Rear Coil spring fractured or broken (5.3.1 (b) (i)) | |

| MOT #19 | 9 2021-12-07 | 13:57 |
|----------|--|--------|
| MOT test | t number 8054303 | 49224 |
| Result | | Passed |
| Minor | Nearside Front Upper Anti-roll bar ball joint dust cover severely deteriorated (5.3.4 (b) (i)) | |
| Advice | Offside Rear Suspension component pin or bush slightly worn trailing arm (5.3.4 (a) (i)) | |
| Advice | Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e)) | |
| Advice | Nearside Rear Suspension component pin or bush slightly worn trailing arm (5.3.4 (a) (i)) | |
| Advice | Offside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c)) | |





| MOT #18 | 2020-12-11 16:25 |
|----------|--|
| MOT test | number 661863815624 |
| Result | ✓ Passed |
| Advice | Offside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c)) |
| Advice | Nearside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c)) |

| MOT #17 | | 2020-12-01 12:21 |
|----------|---|------------------|
| MOT test | number | 752795032549 |
| Result | | 🗙 Failed |
| MAJOR | Nearside Headlamp not working on dipped beam (4.1.1 (a) (ii)) | |
| MAJOR | Parking brake efficiency below requirements (1.4.2 (a) (i)) | |
| MAJOR | Offside Rear Parking brake inoperative on one side (1.4.1 (a)) | |
| Advice | Offside Front Brake pipe corroded, covered in grease or other material (1.1.11 (| z)) |
| MAJOR | Exhaust Lambda reading after 2nd fast idle outside specified limits (8.2.1.2 (c)) | |
| Advice | Nearside Front Brake pipe corroded, covered in grease or other material (1.1.11 | (c)) |

| MOT #16 | | 2019-12-03 19:04 |
|----------------|--|--------------------------|
| MOT test | number | 779605924605 |
| Result | | ✓ Passed |
| Advice | Offside Rear Tyre worn close to legal limit/worn on edge On inner edge (5 | .2.3 (e)) |
| Advice (e)) | Nearside Rear Tyre worn close to legal limit/worn on edge On limits on inr | ner & outer edges (5.2.3 |
| Advice | Offside Front Brake pipe corroded, covered in grease or other material (1. | 1.11 (c)) |





| MOT #15 | | 2019-12-02 18:25 |
|-------------------------|--|------------------|
| MOT test | number | 952187496139 |
| Result | | 🗙 Failed |
| Advice | Offside Front Tyre worn close to legal limit/worn on edge On inner edge (5.2.3 (e)) | |
| MAJOR | Offside Front Anti-roll bar linkage ball joint excessively worn (5.3.4 (a) (i)) | |
| MAJOR | Front Brakes imbalanced across an axle 39% (1.2.1 (b) (i)) | |
| MAJOR | Parking brake efficiency below requirements (1.4.2 (a) (i)) | |
| MAJOR | Brake pipe excessively corroded One front to rear (1.1.11 (c)) | |
| Minor (i)) | Nearside Rear Lower Position lamp with a multiple light source up to 1/2 not function | oning (4.2.1 (a) |
| MAJOR | Nearside Front Hydraulic brake calliper leaking (1.1.16 (b) (i)) | |
| Advice (e)) | Nearside Front Tyre worn close to legal limit/worn on edge On limits on inner & ou | ter edges (5.2.3 |
| MAJOR boot (5.3.4 | Nearside Front Anti-roll bar linkage ball joint dust cover no longer prevents the ing 4 (b) (ii)) | ress of dirt Top |
| MAJOR | Nearside Rear Coil spring fractured or broken (5.3.1 (b) (i)) | |
| MAJOR | Nearside Rear Parking brake inoperative on one side (1.4.1 (a)) | |
| Advice | Offside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c)) | |
| MAJOR (5.3.4 (b) | Nearside Front Anti-roll bar ball joint dust cover no longer prevents the ingress of (ii)) | dirt Top boot |

| MOT #14 | 2018-11-13 16:45 |
|-----------------|------------------|
| MOT test number | 162236752116 |
| Result | ✓ Passed |





| MOT #13 | 2018-11-13 11:29 |
|--|------------------|
| MOT test number | 500379586869 |
| Result | 🗙 Failed |
| MAJOR Nearside Front Coil spring fractured or broken (5.3.1 (b) (i)) | |
| DANGEROUS Brake pipe leaking on a hydraulic braking system front to rear (1.1.11 (| (b) (ii)) |
| MAJOR Brake pipe excessively corroded front to rear (1.1.11 (c)) | |
| Advice Nearside Front Anti-roll bar linkage ball joint has slight play (5.3.4 (a) (i)) | |
| DANGEROUS Service brake efficiency less than 50% of the required value (1.2.2 (a) (| (ii)) |

| MOT #12 | | 2017-11-24 16:52 |
|----------|--|------------------|
| MOT test | number | 541704612028 |
| Result | | ✓ Passed |
| Advice | Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i) | |
| Advice | Brake pipe slightly corroded offside middle (3.6.B.2c) | |
| Advice | Nearside Rear Brake hose slightly deteriorated (3.6.B.4d) | |
| Advice | Exhaust has a minor leak of exhaust gases (7.1.2) | |

| MOT #11 | 2017-11-24 15:15 |
|---|------------------|
| MOT test number | 454329036662 |
| Result | 🗙 Failed |
| Advice Exhaust has a minor leak of exhaust gases (7.1.2) | |
| Advice Nearside Rear Brake hose slightly deteriorated (3.6.B.4d) | |
| Advice Nearside Front Tyre worn close to the legal limit (4.1.E.1) | |
| Fail Offside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1) | |
| Advice Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i) | |
| Advice Brake pipe slightly corroded offside middle (3.6.B.2c) | |





| MOT #10 | 2016-11-28 15:37 |
|-----------------|------------------|
| MOT test number | 510945804099 |
| Result | ✓ Passed |
| | |
| МОТ #9 | 2016-11-19 11:26 |
| MOT test number | 779472523846 |
| Result | 🗙 Failed |

Nearside Windscreen has damage to the swept area in excess of a 40mm circle outside zone 'A' Fail (8.3.1d)

| МОТ #8 | 2015-11-26 16:25 |
|--|------------------|
| MOT test number | 638135668015 |
| Result | ✓ Passed |
| Advice Advise both outer sills have covers fitted | |
| Advice Advise engine management light on when tested | |

| MOT #7 | 2015-11-26 10:55 | |
|--|-------------------------|--|
| MOT test number | 824601733428 | |
| Result | 🗙 Failed | |
| Fail Offside Front Upper Anti-roll bar linkage ball joint dust cover excessively damag prevents the ingress of dirt (2.4.G.2) | ed so that it no longer | |
| Advice Advise both outer sills have covers fitted | | |
| Fail Nearside Front Upper Anti-roll bar linkage ball joint dust cover excessively damaged so that it no longer prevents the ingress of dirt (2.4.G.2) | | |
| Fail Exhaust system not adequately supported (7.1.1) | | |
| Advice Advise engine management light on when tested | | |

| МОТ #6 | 2014-11-28 16:56 |
|-----------------|------------------|
| MOT test number | 527362134371 |
| Result | ✓ Passed |





| MOT # | 5 | 2014-11-28 12:37 |
|--------|--|------------------|
| MOT te | st number | 406902934474 |
| Result | | 🗙 Failed |
| Fail | Offside Front coil spring broken (2.4.C.1a) | |
| Fail | Offside Rear Direction indicators incorrect colour (1.4.A.2f) | |
| Fail | Offside Rear coil spring broken (2.4.C.1a) | |
| Fail | Nearside Rear Direction indicators incorrect colour (1.4.A.2f) | |

| MOT #4 | 2013-08-13 16:05 |
|-----------------|------------------|
| MOT test number | 206515523298 |
| Result | ✓ Passed |

| MOT #3 | | 2013-03-18 10:43 |
|----------|---|------------------|
| MOT test | number | 117307873050 |
| Result | | ✓ Passed |
| Advice | Offside Front Tyre worn close to the legal limit (4.1.E.1) | |
| Advice | Nearside Front Tyre worn close to the legal limit (4.1.E.1) | |
| Advice | Bonnet retaining device slightly deteriorated (8.4.2) | |

| MOT #2 | 2012-03-30 15:40 |
|-----------------|------------------|
| MOT test number | 385020392019 |
| Result | ✓ Passed |
| | |

| MOT #1 | 2011-03-31 13:08 |
|-----------------|------------------|
| MOT test number | 366810191096 |
| Result | ✓ Passed |





Damage history

Check the damage history for this VAUXHALL. See if, where and when this VAUXHALL had damage and the car repair costs. We also check if this VAUXHALL was scrapped. Download the premium report <u>here</u> for the results.

| Damage 1 | |
|----------|-------|
| Date | FET A |
| Category | L AMP |
| Туре | |
| Damage 2 | AMPLE |
| Date | 4 |
| Category | AMPL |
| Туре | |

Extra VAUXHALL salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.

More info >





Vehicle valuation

What is this car worth? See the vehicle value of this VAUXHALL in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

| Trade retail value | 4.00.000 |
|-----------------------------|----------|
| Auction value | 4 10.000 |
| Average private trade value | 4 10.200 |

More info \rightarrow





Owner history

For how long did the current and previous owner(s) have this VAUXHALL? How many owners did this VAUXHALL have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

| ********** | |
|---|-------------|
| AND | |
| | |
| | |
| ********** | |
| ******** | |
| | |
| | More info > |
| Plate changes | |
| See in this check if this VAUXHALL had different number plates. | |
| Number of plates | , |
| Current registration | |
| Plate since | |
| Current registration | |
| Plate since | |
| | |





Finance check

Check if this VAUXHALL is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this VAUXHALL has been settled.

If not, and you buy this VAUXHALL then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this VAUXHALL is financed.

| Finance company | |
|-------------------|--|
| Date of agreement | |
| Agreement type | |
| Agreement term | |
| Agreement number | |
| Contact info | |


More info \rightarrow





Mileage check

| Odometer | In miles |
|----------------------------|------------|
| Mileage registrations | 23 |
| First mileage registration | 2008-03-31 |
| Last registration | 2023-01-05 |
| Complete history | See info |



| Registration #1 | 2008-03-31 | 12 mi |
|------------------|------------|------------|
| Registration #2 | 2011-03-31 | 22.900 mi |
| Registration #3 | 2012-03-30 | 30.073 mi |
| Registration #4 | 2013-03-18 | 36.797 mi |
| Registration #5 | 2013-08-13 | 38.491 mi |
| Registration #6 | 2014-11-28 | 42.964 mi |
| Registration #7 | 2014-11-28 | 42.964 mi |
| Registration #8 | 2015-11-26 | 48.422 mi |
| Registration #9 | 2015-11-26 | 48.422 mi |
| Registration #10 | 2016-11-19 | 55.924 mi |
| Registration #11 | 2016-11-28 | 56.026 mi |
| Registration #12 | 2017-11-24 | 61.996 mi |
| Registration #13 | | 11.777 mi |
| Registration #14 | | 11.777 esi |
| Registration #15 | | 11.777 mi |
| Registration #16 | | 11.777 esi |
| Registration #17 | | 11.777 mi |
| Registration #18 | | 11.777 esi |
| Registration #19 | | 11.777 mi |
| Registration #20 | | 11.777 esi |
| Registration #21 | | 11.777 mi |
| Registration #22 | | 11.117 est |
| | | |

More info >





Safety ratings

NCAP rating

Video

see crash video



| Dimensions & weight | |
|--|-------------------------------|
| Width | 2036 mm |
| Height | 1460 mm |
| Length | 4596 mm |
| Wheel base | 2700 mm |
| Kerb weight | 1350 kg |
| Max. allowed weight | 1885 kg |
| | |
| Additional information | |
| Additional information Fuel tank capacity | 61 l |
| | 61 l Multi-Point Injection |
| Fuel tank capacity | |
| Fuel tank capacity Fuel delivery | Multi-Point Injection |
| Fuel tank capacity Fuel delivery Number of doors | Multi-Point Injection 5 |