

Ford



### General information

Make	FORD
Model	FOCUS C-MAX TITANIUM D
Colour	Red
Year of manufacture	-
Top speed	126 mph
0 - 60 mph	9.3 seconds
Gearbox	6 speed Manual

### Engine & fuel consumption

Power	134 BHP
Max. torque	340 Nm at 2.000 rpm
Cylinders	4
Fuel type	Diesel
Consumption city	38.2 mpg
Consumption extra urban	64.2 mpg
Consumption combined	51.4 mpg





# Internet history

Entry 1	
Date	2021-09-23
Pictures	19
Listing price	View report









source: cargurus.co.uk



# MOT history

MOT #22		2021-11-22 12:28
MOT test	number	680973262933
Result		✓ Passed
Next expi	ry date	2022-11-21
Advice	Front Brake pad(s) wearing thin Both side (1.1.13 (a) (ii))	
Advice	Front Brake disc worn, pitted or scored, but not seriously weakened Both sid	de (1.1.14 (a) (ii))
Advice	Oil leak, but not excessive Engine (8.4.1 (a) (i))	
Advice	Offside Rear Shock absorbers has light misting of oil (5.3.2 (b))	
Advice	Nearside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Advice	Front Coil spring corroded Both front (5.3.1 (b) (i))	

MOT #21	2020-10-16 13:40
MOT test number	340099508611
Result	✓ Passed

MOT #20		2020-10-12 10:47
MOT test number		300982928470
Result		🗙 Failed
Fail Offside Front Head	dlamp not working on dipped beam (4.1.1 (a) (ii	))
Fail Engine MIL inopera	ative or indicates a malfunction (8.2.2.2 (g))	





MOT #19		2019-05-08 10:32
MOT test	number	863131645269
Result		✓ Passed
Advice	Nearside Front Tyre worn close to legal limit/worn on edge edges (5.2.3 (e))	
Advice	Offside Front wing corroded	
Advice	Front Brake pad(s) wearing thin (1.1.13 (a) (ii))	
Advice	Offside Front Tyre worn close to legal limit/worn on edge edges (5.2.3 (e))	
Advice	General underbody surface corrosion	

MOT #18	2018-05-08 15:32
MOT test number	514847539981
Result	✓ Passed
Advice Rear Sub-frame corroded but not seriously weakened (2.4.G.1)	
Advice Vehicle structure has slight corrosion (6.1.B.2)	
<b>Advice</b> Offside Rear Suspension component mounting prescribed area is corroc excessive (2.4.A.3)	ded but not considered
Advice Nearside Rear Suspension component mounting prescribed area is corrected excessive (2.4.A.3)	oded but not considered

MOT #17	2018-05-08 09:52
MOT test number	849578719462
Result	🗙 Failed
Advice Vehicle structure has slight corrosion (6.1.B.2)	
<b>Advice</b> Offside Rear Suspension component mounting prescribed area is corrode excessive (2.4.A.3)	d but not considered
Fail Offside Headlamp excessively deteriorated so that the light output is severed	ly reduced (1.7.5a)
<b>Advice</b> Nearside Rear Suspension component mounting prescribed area is corroc excessive (2.4.A.3)	ded but not considered
Fail Nearside Headlamp excessively deteriorated so that the light output is sever	rely reduced (1.7.5a)
Advice Rear Sub-frame corroded but not seriously weakened (2.4.G.1)	



PN05ZTB
report date: 2024-03-28

MOT #16		2017-05-03 11:32
MOT test	number	977091919105
Result		✓ Passed
Advice	Rear Brake pad(s) wearing thin (3.5.1g)	
Advice	Offside Rear Tyre worn close to the legal limit (4.1.E.1)	
Advice	Nearside Rear Tyre worn close to the legal limit (4.1.E.1)	
MOT #15		2016-05-04 08:40
MOT test	number	504921968264
Result		✓ Passed
Advice Nearside Outer Seat belt anchorage prescribed area is corroded but not considered excessive sill (5.2.6)		
Advice Nearside Rear Inner Suspension component mounting prescribed area is corroded but not considered excessive sill (2.4.A.3)		

considered excessive sill (2.4.A.3)	
Advice Nearside Headlamp deteriorated but light output not reduced (1.7.5a)	
MOT #14	2015-05-05 17:06
<b>MOT test number</b> 32975525182	
Result	✓ Passed

Offside Rear Inner Suspension component mounting prescribed area is corroded but not

Offside Outer Seat belt anchorage prescribed area is corroded but not considered excessive sill

Offside Headlamp deteriorated but light output not reduced (1.7.5a)

Advice	Offside Rear Tyre worn close to the legal limit (4.1.E.1)
Advice	Nearside Trailing arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)

Advice

Advice

Advice

(5.2.6)



PN05ZTB report date: 2024-03-28

MOT #13 20	015-05-05 11:17
MOT test number	125315225109
Result	🗙 Failed
Fail Offside Suspension arm rubber bush deteriorated resulting in excessive movement (2.4)	1.G.2)
FailOffside Front coil spring broken (2.4.C.1a)	
FailNearside Rear position lamp(s) not working (1.1.A.3b)	
Advice Rear Brake pad(s) wearing thin (3.5.1g)	
Fail Offside Registration plate lamp not working (1.1.C.1d)	
Advice Nearside Trailing arm rubber bush deteriorated but not resulting in excessive move	ment (2.4.G.2)
Fail Nearside Suspension arm rubber bush deteriorated resulting in excessive movement (2)	2.4.G.2)
FailOffside Rear coil spring broken (2.4.C.1a)	
<b>Advice</b> Brake hydraulic reservoir fluid close to minimum level (3.6.G.1b)	
FailOffside Rear position lamp(s) not working (1.1.A.3b)	
Advice Offside Rear Tyre worn close to the legal limit (4.1.E.1)	
Fail Offside Rear fog lamp not working (1.3.2b)	

MOT #12	2014-05-09 10:11
MOT test number	127479024176
Result	✓ Passed

MOT #11	2014-05-07 16:23
MOT test number	228577924101
Result	× Failed
Fail Offside front brake excessively fluctuating (3.7.B.3)	
Fail Nearside front brake excessively fluctuating (3.7.B.3)	





MOT #10		2013-05-17 10:24
MOT test	number	277627233171
Result		✓ Passed
<b>Advice</b> (2.4.G.2)	Offside Front Suspension arm rubber bush deteriorated but not resulting	in excessive movement
<b>Advice</b> (2.4.G.2)	Nearside Front Suspension arm rubber bush deteriorated but not resulting	g in excessive movement
MOT #0		2012 05 10 11.57
MOT #9		2012-05-19 11:57

MOT test number 905380		905380142143
Result		🗸 Passed
Advice	Nearside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1	.i)
Advice	Front Brake pad(s) wearing thin (3.5.1g)	
Advice	Offside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)	



MOT #8	2012-05-18 16:52
MOT test number	269709232130
Result	🗙 Failed
Advice Nearside Rear Tyre worn close to the legal limit (4.1.E.1)	
FailNearside Rear Tyre has ply or cords exposed (4.1.D.1b)	
Advice Offside Rear Tyre worn close to the legal limit (4.1.E.1)	
Fail Offside Windscreen wiper does not clear the windscreen effectively (8.2.2)	
Advice Nearside Front brake disc worn, pitted or scored, but not seriously weakened (3.5	.1i)
Advice Nearside Front Tyre worn close to the legal limit (4.1.E.1)	
Fail Nearside Registration plate lamp not working (1.1.C.1d)	
Advice Offside Front Tyre worn close to the legal limit (4.1.E.1)	
Fail Nearside Windscreen wiper does not clear the windscreen effectively (8.2.2)	
Advice Front Brake pad(s) wearing thin (3.5.1g)	
Advice Offside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1	i)

MOT #7	2011-05-20 12:56
MOT test number	607390941171
Result	✓ Passed

MOT #6		2010-12-01 10:32
MOT test number		164385230345
Result		✓ Passed
Advice	Rear Brake pad(s) wearing thin (3.5.1g)	
Advice	Offside Rear Tyre worn close to the legal limit (4.1.E.1)	
Advice	Front Brake pad(s) wearing thin (3.5.1g)	
Advice	Nearside Rear Tyre worn close to the legal limit (4.1.E.1)	

**PN05ZTB** 

report date: 2024-03-28





MOT #5		2010-06-05 11:46
MOT test number		921306850150
Result		✓ Passed
Advice Nearside Front R	oad wheel with a slightly distorted bead rim (4.2.A.1a)	
MOT #4		2009-06-16 10:09
MOT test number		864317369120
Result		🗙 Failed
Pass with rectification	Nearside Headlamp aim too low (1.8)	
Notice N/s/r tyre tread cracking		
МОТ #3		2009-06-16 10:09
MOT test number		144567169133
Result		✓ Passed
Notice N/s/r tyre tread c	racking	

MOT #2	2008-06-05 10:56
MOT test number	742367658143
Result	✓ Passed
MOT #1	2008-02-12 11:11

MOT test number	104333048486
Result	✓ Passed





#### Damage history

Check the damage history for this FORD. See if, where and when this FORD had damage and the car repair costs. We also check if this FORD was scrapped. Download the premium report <u>here</u> for the results.

Damage 1	
Date	FERRE
Category	A PANAL
Туре	
Damage 2	AMPL
Date	
Date	OLE
Category	ant
Туре	

#### Extra FORD salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.

More info  $\rightarrow$ 





#### Vehicle valuation

What is this car worth? See the vehicle value of this FORD in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	4 10.000
Auction value	4 10.000
Average private trade value	4 10.200

More info  $\rightarrow$ 





### Owner history

For how long did the current and previous owner(s) have this FORD? How many owners did this FORD have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

And a second sec	
************	
********	
*******	
***********	
********	
	More info >
Plate changes	
See in this check if this FORD had different number plates.	
Number of plates	,
Carrent registration	
Plate since	
Carrent registration	
Plate since	





#### Finance check

Check if this FORD is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this FORD has been settled.

If not, and you buy this FORD then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this FORD is financed.

Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	


More info  $\rightarrow$ 



PN05ZTB report date: 2024-03-28

# Mileage check

Odometer	In miles
Mileage registrations	23
First mileage registration	2005-03-22
Last registration	2021-11-22
Complete history	See info



Registration #1	2005-03-22	29 mi
Registration #2	2008-02-12	25.201 mi
Registration #3	2008-06-05	26.148 mi
Registration #4	2009-06-16	34.563 mi
Registration #5	2010-06-05	43.250 mi
Registration #6	2010-12-01	47.770 mi
Registration #7	2011-05-20	51.227 mi
Registration #8	2012-05-18	58.309 mi
Registration #9	2012-05-19	58.309 mi
Registration #10	2013-05-17	69.103 mi
Registration #11	2014-05-07	78.455 mi
Registration #12	2014-05-09	78.455 mi
Registration #13		11.117 esi
Registration #14		11.117 esi
Registration #15		11.117 esi
Registration #16		11.117 est
Registration #17		11.777 esi
Registration #18		11.117 est
Registration #19		11.117 esi
Registration #20		11.777 est
Registration #21		11.777 mi
Registration #22		11.117 esi
Registration #23		11.777 esi

More info >





#### Car features

S0225	Air conditioning
S0295	
S0482	
S0501	
S0566	
S0567	
S0569	

# Safety ratings

**NCAP** rating

Video

\*\*\*\* see crash video



Dimensions & weight	
Width	1991 mm
Height	1447 mm
Length	4382 mm
Wheel base	2640 mm
Kerb weight	1276 kg
Max. allowed weight	1895 kg
Additional information	
Fuel tank capacity	55 I
Fuel delivery	Direct Injection
Number of doors	4
Number of seats CarCheck.co.uk	5 page 15/15