



report date: 2024-03-28

General information

Make	FORD
Model	TRANSIT 260 LR P/V
Colour	White
Year of manufacture	2010
Gearbox	5 speed Manual

Engine & fuel consumption

Power	85 BHP
Max. torque	250 Nm at 2.200 rpm
Engine capacity	2.198 cc
Cylinders	4
Fuel type	Diesel



LABEL UNKNOWN



## MOT history

MOT expiry date	2025-04-01
MOT pass rate	67 %
MOT passed	12
Failed MOT tests	6
Total advice items	39
Total items failed	32

MOT #18	2024-04-02 14:07
MOT test number	310155347885
Result	✓ Passed
Next expiry date	2025-04-01

MOT #17	2024-03-21 13:54
MOT test number	463575399645
Result	✓ Passed

**Advice** Offside Front Integral body structure is corroded but structural rigidity is not significantly reduced step (6.1.1 (c) (i))

MOT #16	2024-03-13 10:55
MOT test number	690458224862
Result	✗ Failed

**Advice** Offside Front Integral body structure is corroded but structural rigidity is not significantly reduced step (6.1.1 (c) (i))

**Fail** Registration plate lamp inoperative in the case of a single lamp or all lamps (4.7.1 (b) (ii))

**Fail** Nearside Seat belt anchorage prescribed area strength or continuity significantly reduced (7.1.1 (a) (i))

**Fail** Engine MIL inoperative or indicates a malfunction (8.2.2.2 (g))

**Fail** Offside Front Position lamp not working (4.2.1 (a) (ii))

**MOT #15**

2023-04-12 13:52

**MOT test number**

422344354434

**Result**

✓ Passed

**Advice** Offside Front Integral body structure is corroded but structural rigidity is not significantly reduced Drivers step (6.1.1 (c) (i))

**Advice** Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))

**Advice** Nearside Integral body structure is corroded but structural rigidity is not significantly reduced sill (6.1.1 (c) (i))

**Advice** Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))

**MOT #14**

2023-04-04 11:07

**MOT test number**

826112078786

**Result**

✗ Failed

**Fail** Offside Front Anti-roll bar linkage likely to become detached (5.3.3 (a) (ii))

**Advice** Front Anti-roll bar pin or bush worn but not resulting in excessive movement Both sides (5.3.4 (a) (i))

**Advice** Offside Front Integral body structure is corroded but structural rigidity is not significantly reduced Drivers step (6.1.1 (c) (i))

**Advice** Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))

**Fail** Offside Rear Tyre has a lump, caused by separation or partial failure of its structure (5.2.3 (d) (ii))

**Fail** Nearside Rear Stop lamp(s) adversely affected by the operation of another lamp (4.3.3 (b))

**Advice** Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))

**Advice** Nearside Integral body structure is corroded but structural rigidity is not significantly reduced sill (6.1.1 (c) (i))

**Fail** Nearside Rear Tyre has a lump, caused by separation or partial failure of its structure (5.2.3 (d) (ii))

**Fail** Front Position lamp not working Both sides (4.2.1 (a) (ii))

**MOT #13**

2022-04-05 09:38

**MOT test number**

609856057431

**Result**

✓ Passed

**Advice** Rear Leaf spring has slight wear in an anchor pin and/or bush both sides (5.3.4 (a) (i))**Advice** Rear Brake disc worn, pitted or scored, but not seriously weakened both sides (1.1.14 (a) (ii))**Advice** Rear Brake pipe corroded, covered in grease or other material all steel pipes (1.1.11 (c))**MOT #12**

2022-03-29 15:27

**MOT test number**

716431614096

**Result**

✗ Failed

**Fail** Offside Front Brake pipe excessively corroded (1.1.11 (c))**Advice** Rear Leaf spring has slight wear in an anchor pin and/or bush both sides (5.3.4 (a) (i))**Fail** Nearside Headlamp not working on dipped beam (4.1.1 (a) (ii))**Fail** Nearside Front Brake pipe excessively corroded (1.1.11 (c))**Advice** Rear Brake pipe corroded, covered in grease or other material all steel pipes (1.1.11 (c))**Fail** Nearside Front Position lamp not working (4.2.1 (a) (ii))**Advice** Rear Brake disc worn, pitted or scored, but not seriously weakened both sides (1.1.14 (a) (ii))**Fail** Offside Stop lamp(s) not working (4.3.1 (a) (ii))**MOT #11**

2021-03-30 13:04

**MOT test number**

311381156375

**Result**

✓ Passed

**MOT #10**

2020-03-06 11:35

**MOT test number**

119794445710

**Result**

✓ Passed

- Advice** Nearside Front Suspension arm pin or bush worn but not resulting in excessive movement rear bush (5.3.4 (a) (i))
- Advice** Nearside Front Wheel bearing has slight play (5.1.3 (a) (i))
- Advice** Nearside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- Advice** Nearside Front Drag link end ball joint has slight play (2.1.3 (b) (i))
- Advice** Offside Front Suspension arm pin or bush worn but not resulting in excessive movement rear bush (5.3.4 (a) (i))

**MOT #9**

2020-03-05 14:24

**MOT test number**

224435420143

**Result**

✗ Failed

- Advice** Offside Front Suspension arm pin or bush worn but not resulting in excessive movement rear bush (5.3.4 (a) (i))
- Fail** Nearside Rear Stop lamp(s) adversely affected by the operation of another lamp (4.3.3 (b))
- Advice** Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- Fail** Nearside Front Anti-roll bar ball joint excessively worn (5.3.4 (a) (i))
- Fail** Rear Brake pipe excessively corroded across axle (1.1.11 (c))
- Advice** Nearside Front Suspension arm pin or bush worn but not resulting in excessive movement rear bush (5.3.4 (a) (i))
- Fail** Nearside Rear Direction indicator adversely affected by the operation of another lamp (4.4.3 (b))
- Fail** Offside Front Tyre tread depth below requirements of 1.6mm (5.2.3 (e))
- Fail** Offside Rear Stop lamp(s) not working (4.3.1 (a) (ii))
- Fail** Offside Rear Tyre has a tear, caused by separation or partial failure of its structure (5.2.3 (d) (ii))
- Fail** Nearside Front Wheel bearing has excessive play (5.1.3 (a) (i))
- Advice** Nearside Front Drag link end ball joint has slight play (2.1.3 (b) (i))
- Fail** Rear Registration plate lamp inoperative in the case of a single lamp or all lamps (4.7.1 (b) (ii))



<b>MOT #8</b>	2019-03-13 09:01
<b>MOT test number</b>	551719493761
<b>Result</b>	✓ Passed
<b>Advice</b>	Offside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))

<b>MOT #7</b>	2018-02-28 15:15
<b>MOT test number</b>	228931842005
<b>Result</b>	✓ Passed
<b>Advice</b>	Nearside Front Tyre worn close to the legal limit just legal (4.1.E.1)

<b>MOT #6</b>	2018-02-27 11:51
<b>MOT test number</b>	310137200982
<b>Result</b>	✗ Failed
<b>Fail</b>	Nearside Stop lamp not working (1.2.1b)
<b>Fail</b>	Rear Brake pad(s) less than 1.5 mm thick (3.5.1g)
<b>Fail</b>	Offside Registration plate lamp not working (1.1.C.1d)
<b>Advice</b>	Rear Outer walls on both sides tyres cracking
<b>Advice</b>	Nearside Front Tyre worn close to the legal limit just legal (4.1.E.1)
<b>Advice</b>	Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)

<b>MOT #5</b>	2017-02-15 15:07
<b>MOT test number</b>	111680567632
<b>Result</b>	✓ Passed
<b>Advice</b>	Front Brake pad(s) wearing thin (3.5.1g)
<b>Advice</b>	Vehicles internal headlight adjuster altered to recheck lights

**MOT #4**

2017-02-15 10:56

**MOT test number**

772015620044

**Result****✗ Failed**

- Advice** Front Brake pad(s) wearing thin (3.5.1g)
- Fail** Nearside Rear Registration plate lamp not working (1.1.C.1d)
- Fail** Offside Front Headlamp aim too high (1.8)
- Fail** Nearside Front Anti-roll bar linkage ball joint dust cover excessively damaged so that it no longer prevents the ingress of dirt (2.4.G.2)
- Advice** Nearside Front Tyre worn close to the legal limit (4.1.E.1)
- Fail** Offside Rear Direction indicators incorrect colour (1.4.A.2f)
- Fail** Nearside Front Headlamp aim too high (1.8)
- Fail** Front Windscreen washer provides insufficient washer liquid (8.2.3)
- Advice** Vehicles internal headlight adjuster altered to recheck lights

**MOT #3**

2015-10-29 09:17

**MOT test number**

613999882906

**Result****✓ Passed**

- Advice** Nearside Rear Direction indicators slightly discoloured (1.4.A.2f)
- Advice** Offside Rear Direction indicators slightly discoloured (1.4.A.2f)

**MOT #2**

2014-11-19 15:20

**MOT test number**

646553224366

**Result****✓ Passed****MOT #1**

2013-11-21 15:04

**MOT test number**

197695423329

**Result****✓ Passed**

- Advice** Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)



Tax & MOT check

✓  
**Taxed**  
**Tax due:**  
1 January 2025

✓  
**MOT**  
**Expires:**  
1 April 2025

<b>Tax status</b>	Valid until 1 January
-------------------	-----------------------

<b>Days left</b>	247
------------------	-----

<b>MOT expiry date</b>	1 April 2025
------------------------	--------------

<b>Full MOT history</b>	<a href="#">See MOT history</a>
-------------------------	---------------------------------





Damage history

Check the damage history for this FORD. See if, where and when this FORD had damage and the car repair costs. We also check if this FORD was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	

Damage 2

Date	
Category	
Type	



Extra FORD salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this FORD in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	£ 19,999
Auction value	£ 19,999
Average private trade value	£ 19,999

More info >



Owner history

For how long did the current and previous owner(s) have this FORD? How many owners did this FORD have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since

More info >

Plate changes

See in this check if this FORD had different number plates.

Number of plates	1
Current registration	NL60UFK
Plate since	2019-03-28
Current registration	NL60UFK
Plate since	2019-03-28

More info >



Finance check

Check if this FORD is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this FORD has been settled.

If not, and you buy this FORD then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this FORD is financed.

Finance company	XXXXXXXXXX	XXXX
Date of agreement	XXXXXXXXXX	XXXX
Agreement type	XXXXXXXXXX	XXXX
Agreement term	XXXXXXXXXX	XXXX
Agreement number	XXXXXXXXXX	XXXX
Contact info	XXXXXXXXXX	XXXX

More info >



Mileage check

Odometer	In miles
Mileage registrations	19
First mileage registration	2010-10-08
Last registration	2024-04-02
Complete history	<a href="#">See info</a>



Registration #1	2010-10-08	25 mi
Registration #2	2013-11-21	37.723 mi
Registration #3	2014-11-19	39.683 mi
Registration #4	2015-10-29	41.957 mi
Registration #5	2017-02-15	54.927 mi
Registration #6	2017-02-15	54.928 mi
Registration #7	2018-02-27	66.984 mi
Registration #8	2018-02-28	66.990 mi
Registration #9	2019-03-13	82.753 mi
Registration #10	2020-03-05	91.758 mi
Registration #11	2020-03-05	91.758 mi
Registration #12	2020-03-05	91.758 mi
Registration #13	2020-03-05	91.758 mi
Registration #14	2020-03-05	91.758 mi
Registration #15	2020-03-05	91.758 mi
Registration #16	2020-03-05	91.758 mi
Registration #17	2020-03-05	91.758 mi
Registration #18	2020-03-05	91.758 mi
Registration #19	2020-03-05	91.758 mi

More info >



Car features

The FORD factory car options list is only available in the premium report.

S0225	Air conditioning
S0295	
S0482	
S0501	
S0566	
S0567	
S0569	

View the complete FORD factory list for this vehicle [here](#).

More info >

Dimensions & weight

Width	1974 mm
Height	1989 mm
Length	4863 mm
Wheel base	3300 mm
Kerb weight	1699 kg
Max. allowed weight	2600 kg

Additional information

Fuel tank capacity	80 l
Fuel delivery	Direct Injection
Number of seats	3
Number of axles	2
Engine number	AU65513