



report date: 2024-03-29

General information

Make	FORD
Model	C-MAX ZETEC 100
Colour	Blue
Year of manufacture	2008
Top speed	107 mph
0 - 60 mph	12.9 seconds
Gearbox	5 speed Manual

Engine & fuel consumption

Power	100 BHP
Max. torque	145 Nm at 4.000 rpm
Engine capacity	1.596 cc
Cylinders	4
Fuel type	Petrol
Consumption city	31.7 mpg
Consumption extra urban	49.6 mpg
Consumption combined	40.9 mpg
CO2 emission	164 g/km
CO2 label	G








Internet history

Entry 1

Date	2021-06-21
Pictures	26
Listing price	View report



source: autotrader.co.uk



MOT history

MOT expiry date	2024-04-23
MOT pass rate	68 %
MOT passed	13
Failed MOT tests	6
Total advice items	49
Total items failed	14

MOT #192023-04-24 14:53

MOT test number140004463190

Result✓ Passed

Next expiry date2024-04-23

- AdviceFront Brake pad(s) wearing thin (1.1.13 (a) (ii))
- AdviceSuspension component mounting prescribed area is corroded but not considered excessive various underbody front to rear (5.3.6 (a) (i))
- AdviceRear Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))
- AdviceRear Sub-frame corroded but not seriously weakened and suspension components (5.3.3 (b) (i))
- AdviceFront Tyre slightly damaged/cracking or perishing both sides (5.2.3 (d) (ii))
- AdviceNearside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- AdviceRear Coil spring corroded both sides (5.3.1 (b) (i))

**MOT #18**

2023-04-21 09:11

MOT test number

574566613894

Result**✗ Failed**

Fail Lower Engine mounting bracket damaged or deteriorated resulting in excessive movement (6.1.8 (a) (i))

Advice Front Brake pad(s) wearing thin (1.1.13 (a) (ii))

Advice Suspension component mounting prescribed area is corroded but not considered excessive various underbody front to rear (5.3.6 (a) (i))

Advice Rear Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))

Fail Offside Rear Stop lamp(s) not working (4.3.1 (a) (ii))

Fail Offside Front Coil spring fractured or broken (5.3.1 (b) (i))

Fail Offside Rear Tyre tread depth below requirements of 1.6mm (5.2.3 (e))

Fail Offside Rear Anti-roll bar linkage pin or bush excessively worn (5.3.4 (a) (i))

Advice Rear Sub-frame corroded but not seriously weakened and suspension components (5.3.3 (b) (i))

Advice Front Tyre slightly damaged/cracking or perishing both sides (5.2.3 (d) (ii))

Fail Front Position lamp not working both sides (4.2.1 (a) (ii))

Advice Nearside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))

Advice Rear Coil spring corroded both sides (5.3.1 (b) (i))

**MOT #17**

2022-04-22 11:44

MOT test number

441785560705

Result

✓ Passed

- Advice** Front Suspension arm pin or bush worn but not resulting in excessive movement both sides rear wishbone bushes (borderline) (5.3.4 (a) (i))
- Advice** Offside Front Tyre worn close to legal limit/worn on edge very close to legal limit (5.2.3 (e))
- Advice** Rear Coil spring corroded both sides (5.3.1 (b) (i))
- Advice** Suspension component mounting prescribed area is corroded but not considered excessive various underbody front to rear (5.3.6 (a) (i))
- Advice** Nearside Front Coil spring corroded (5.3.1 (b) (i))
- Advice** Offside Front Wheel bearing slightly noisy borderline (5.1.3 (b) (i))
- Advice** Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- Advice** Offside Front Inner Suspension component mounting prescribed area is corroded but not considered excessive wheel arch slight surface corrosion (5.3.6 (a) (i))
- Advice** Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))
- Advice** Rear Exhaust mounting defective (6.1.2 (a))
- Advice** Rear Sub-frame corroded but not seriously weakened and suspension components (5.3.3 (b) (i))
- Advice** Offside Front Coil spring corroded (5.3.1 (b) (i))

MOT #16

2021-04-21 15:58

MOT test number

410623694216

Result

✓ Passed

MOT #15

2021-04-21 15:58

MOT test number

602803043730

Result

✗ Failed

- Pass with rectification** Nearside Front Headlamp aim too high (4.1.2 (a))

**MOT #14** 2020-07-27 13:56**MOT test number** 450832536185**Result** ✓ Passed

Advice Nearside Rear Shock absorbers light misting of oil or has limited damping effect Weeping fluid (5.3.2 (b))

Advice Front Suspension arm pin or bush worn but not resulting in excessive movement Rearmost bushes deteriorating (5.3.4 (a) (i))

MOT #13 2020-07-27 10:05**MOT test number** 513293625604**Result** ✗ Failed

Advice Nearside Rear Shock absorbers light misting of oil or has limited damping effect Weeping fluid (5.3.2 (b))

Advice Front Suspension arm pin or bush worn but not resulting in excessive movement Rearmost bushes deteriorating (5.3.4 (a) (i))

Fail Offside Rear Anti-roll bar linkage insecurely attached broken (5.3.3 (a) (i))

MOT #12 2019-07-30 09:50**MOT test number** 988276308850**Result** ✓ Passed

Advice Front Suspension arm pin or bush worn but not resulting in excessive movement REARMOST BUSHES (5.3.4 (a) (i))

MOT #11 2018-07-30 12:09**MOT test number** 971122256559**Result** ✓ Passed

Advice Sill covers fitted

**MOT #10** 2018-07-30 12:09**MOT test number** 275796194981**Result** ✗ Failed**Advice** Sill covers fitted**Pass with rectification** Nearside Front Direction indicator incorrect colour (4.4.3 (a))**Pass with rectification** Offside Rear Direction indicator incorrect colour (4.4.3 (a))**MOT #9** 2017-07-31 16:07**MOT test number** 590242311135**Result** ✓ Passed**MOT #8** 2017-07-26 11:02**MOT test number** 252235955734**Result** ✗ Failed**Fail** Nearside Front Suspension arm rubber bush bonding deteriorated resulting in excessive movement
REARMOST BUSH (2.4.G.2)**Fail** Windscreen washer provides insufficient washer liquid (8.2.3)**Fail** Offside Front Suspension arm rubber bush bonding deteriorated resulting in excessive movement
REARMOST BUSH (2.4.G.2)

**MOT #7** 2016-07-26 10:27**MOT test number** 357914061158**Result** ✓ Passed

- Advice** Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
- Advice** Offside Front Tyre worn close to the legal limit 205/55/16 2mm (4.1.E.1)
- Advice** Wheel alignment req checking as the offside front tyre as worn on he inner edge
- Advice** Vehicles internal headlight adjuster altered to recheck lights
- Advice** Front Brake pad(s) wearing thin (3.5.1g)
- Advice** Rear Brake pad(s) wearing thin (3.5.1g)
- Advice** Items removed from driver's view prior to test
- Advice** Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)

MOT #6 2015-08-05 10:02**MOT test number** 293892986307**Result** ✓ Passed**MOT #5** 2014-07-28 10:16**MOT test number** 358849204436**Result** ✓ Passed

- Advice** Front Brake pad(s) wearing thin (3.5.1g)
- Notice** Vehicle's internal headlight adjuster altered to recheck lights
- Notice** Under-trays fitted obscuring some underside components
- Advice** Rear Brake pad(s) wearing thin (3.5.1g)

**MOT #4** 2013-08-05 15:41**MOT test number** 416007913249**Result** ✓ Passed**Advice** Offside Front Tyre worn close to the legal limit (4.1.E.1)**Advice** Nearside Rear Shock absorber has a light misting of oil (2.7.3)**MOT #3** 2012-08-03 13:04**MOT test number** 329376312204**Result** ✓ Passed**Notice** Child seat fitted not allowing full inspection of adult belt**MOT #2** 2012-08-03 12:20**MOT test number** 766336812291**Result** ✗ Failed**Notice** Child seat fitted not allowing full inspection of adult belt**Fail** Nearside Front Windscreen wiper does not clear the windscreen effectively (8.2.2)**MOT #1** 2011-08-08 16:47**MOT test number** 518790821212**Result** ✓ Passed



Damage history

Check the damage history for this FORD. See if, where and when this FORD had damage and the car repair costs. We also check if this FORD was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	



Damage 2

Date	
Category	
Type	



Extra FORD salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this FORD in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	£ 19,999
Auction value	£ 19,999
Average private trade value	£ 19,999

More info >



Owner history

For how long did the current and previous owner(s) have this FORD? How many owners did this FORD have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since

More info >

Plate changes

See in this check if this FORD had different number plates.

Number of plates	1
Current registration	FN58JUV
Plate since	2019-03-29
Current registration	FN58JUV
Plate since	2019-03-29

More info >



Finance check

Check if this FORD is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this FORD has been settled.

If not, and you buy this FORD then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this FORD is financed.

Finance company	REDACTED	REDACTED
Date of agreement	REDACTED	REDACTED
Agreement type	REDACTED	REDACTED
Agreement term	REDACTED	REDACTED
Agreement number	REDACTED	REDACTED
Contact info	REDACTED	REDACTED

More info >



Mileage check

Odometer	In miles
Mileage registrations	21
First mileage registration	2008-09-28
Last registration	2023-04-24
Complete history	See info



Registration #1	2008-09-28	20 mi
Registration #2	2011-08-08	22.472 mi
Registration #3	2012-08-03	27.975 mi
Registration #4	2012-08-03	27.975 mi
Registration #5	2013-08-05	33.090 mi
Registration #6	2014-07-28	38.247 mi
Registration #7	2015-08-05	43.374 mi
Registration #8	2016-07-26	47.594 mi
Registration #9	2017-07-26	51.381 mi
Registration #10	2017-07-31	51.455 mi
Registration #11	2018-07-30	57.110 mi
Registration #12	2019-05-29	58.557 mi
Registration #13	2019-05-29	58.557 mi
Registration #14	2019-05-29	58.557 mi
Registration #15	2019-05-29	58.557 mi
Registration #16	2019-05-29	58.557 mi
Registration #17	2019-05-29	58.557 mi
Registration #18	2019-05-29	58.557 mi
Registration #19	2019-05-29	58.557 mi
Registration #20	2019-05-29	58.557 mi
Registration #21	2019-05-29	58.557 mi

More info >



Car features

The FORD factory car options list is only available in the premium report.

S0225	Air conditioning
S0295	
S0482	
S0501	
S0566	
S0567	
S0569	

View the complete FORD factory list for this vehicle [here](#).

More info >

Safety ratings

NCAP rating

Video [see crash video](#)



Dimensions & weight

Width	2022 mm
Height	1595 mm
Length	4333 mm
Wheel base	2640 mm
Kerb weight	1372 kg
Max. allowed weight	1855 kg

Additional information

Fuel tank capacity	53 l
Fuel delivery	Multi-Point Injection
Number of doors	5
Number of seats	5

Number of axles	2
Engine number	8K23159