





General information

Make	MERCEDES
Model	SPRINTER 311 CDI P/V
Colour	White
Year of manufacture	2002
Top speed	93 mph
Gearbox	5 speed Manual

Engine & fuel consumption

Power	109 BHP
Max. torque	270 Nm at 1.400 rpm
Engine capacity	2.151 cc
Cylinders	4
Fuel type	Diesel





MOT history

MOT expiry date	2024-11-07
MOT pass rate	63 %
MOT passed	17
Failed MOT tests	10
Total advice items	76
Total items failed	41

MOT #27	2023-11-08 09:21
MOT test number	784014292645
Result	✓ Passed
Next expiry date	2024-11-07
Advice Nearside Rear Lower Anti-roll bar linkage pin or bush worn but not resulting i movement (5.3.4 (a) (i))	n excessive
Advice Front Registration plate deteriorated but not likely to be misread (0.1 (b))	
Advice Full underside of vehicle, all suspension components and brake pipes all hea undersealer, full inspection not possible	vily coated in
Minor Offside Front Windscreen wiper blade defective (3.4 (b) (i))	
Advice Offside Front Wheel bearing has slight play (5.1.3 (a) (i))	
Advice Power steering pipe/hose slightly corroded (2.1.5 (g) (i))	
Advice Central Rear Prop shaft bearing has slight play (6.1.7 (b) (i))	
Advice Offside Rear Lower Anti-roll bar linkage pin or bush worn but not resulting in (5.3.4 (a) (i))	excessive movement
Minor Nearside Front Windscreen wiper blade defective (3.4 (b) (i))	
Advice Nearside Front Wheel bearing has slight play (5.1.3 (a) (i))	
Advice Offside Front Suspension arm ball joint has slight play (5.3.4 (a) (i))	





MOT #26		2021-03-23 13:42
MOT test	number	433189354185
Result		✓ Passed
Minor	Windscreen damaged but not adversely affecting driver's view (3.2 (a) (i))	
Advice (6.1.1 (a)	Offside Integral body structure is deformed but structural rigidity is not signi (i))	ficantly reduced at sill
Advice	Offside Front Brake disc worn, pitted or scored, but not seriously weakened ((1.1.14 (a) (ii))
Advice (5.3.4 (a)	Nearside Rear Anti-roll bar linkage pin or bush worn but not resulting in exce (i))	essive movement
Advice	Sill repair heavily undersealed not allowing full inspection	
Advice (6.1.1 (a)	Nearside Integral body structure is deformed but structural rigidity is not sig (i))	nificantly reduced
Advice	Nearside Front Brake disc worn, pitted or scored, but not seriously weakened	d (1.1.14 (a) (ii))
Advice	Front Registration plate deteriorated but not likely to be misread $(0.1 (b))$	
Advice (a) (i))	Offside Rear Anti-roll bar linkage pin or bush worn but not resulting in excess	sive movement (5.3.4

MOT #25		2020-03-02 11:39
MOT test	number	827771897606
Result		✓ Passed
Advice (a) (i))	Offside Front Anti-roll bar linkage pin or bush worn but not resulting in excessive	movement (5.3.4
Advice	Driver's seat belt slow return	
Advice	Central Prop shaft bearing has slight play (6.1.7 (b) (i))	
Advice (5.3.4 (a) (Nearside Front Anti-roll bar linkage pin or bush worn but not resulting in excessiv (i))	ve movement
Advice	Nearside Rear Service brake binding but not excessively (1.2.1 (f))	





MOT #24	2020-02-24 09:50
MOT test number	496759676748
Result	🗙 Failed
Advice Nearside Front Anti-roll bar linkage pin or bush worn but not resulting in exc (5.3.4 (a) (i))	essive movement
Advice Nearside Rear Service brake binding but not excessively (1.2.1 (f))	
Advice Driver's seat belt slow return	
Fail Offside Front Track rod end ball joint has excessive play (2.1.3 (b) (i))	
Advice Offside Front Anti-roll bar linkage pin or bush worn but not resulting in exces	sive movement (5.3.4
Advice Central Prop shaft bearing has slight play (6.1.7 (b) (i))	

MOT #23	2019-03-12 08:13
MOT test number	692594186697
Result	✓ Passed
Advice Rear Brakes imbalanced requirements only just met. It would appear that requires adjustment or repair. (1.2.1 (b) (i))	the braking system
Advice Screen cracked at bottom	
Advice Front number plate damaged	
Minor Registration plate lamp inoperative in the case of multiple lamps or light so	urces (4.7.1 (b) (i))
Advice Drivers seat belt poor return	
Advice Headlights deteriorating and poor image	





МОТ #22	2019-03-11 09:51
MOT test number	154688135393
Result	🗙 Failed
Minor Registration plate lamp inoperative in the case of multiple lamps or light s	sources (4.7.1 (b) (i))
Fail Nearside Rear Brake pad(s) less than 1.5 mm thick (1.1.13 (a) (ii))	
Advice Drivers seat belt poor return	
Advice Rear Brakes imbalanced requirements only just met. It would appear that requires adjustment or repair. (1.2.1 (b) (i))	t the braking system
Advice Headlights deteriorating and poor image	
Advice Screen cracked at bottom	
Fail Driver's door cannot be opened from outside the vehicle (6.2.3 (a))	
Advice Front number plate damaged	

MOT #21		2018-03-08 15:05
MOT test i	number	948336402618
Result		✓ Passed
Advice	Nearside Front Tyre worn close to the legal limit Worn on outer edge (4.1.E.1)	
Advice	Nearside Seat belt stitching slightly frayed (5.2.2b)	
Advice	Nearside Front suspension has slight play in a lower suspension ball joint (2.5.B.	1a)





МОТ #20	2018-03-07 09:32
MOT test number	555507579239
Result	🗙 Failed
Advice Nearside Front suspension has slight play in a lower suspension ball joint (2.5.8	3.1a)
Advice Nearside Seat belt stitching slightly frayed (5.2.2b)	
Fail Offside Front Brake hose excessively deteriorated (3.6.B.4d)	
Fail Offside Windscreen wiper does not clear the windscreen effectively (8.2.2)	
Advice Nearside Front Tyre worn close to the legal limit Worn on outer edge (4.1.E.1)	
Fail Nearside Front Brake hose excessively deteriorated (3.6.B.4d)	
Fail Windscreen washer provides insufficient washer liquid Nearside and offside (8.2.3))

MOT #19		2017-03-11 12:16
MOT test	number	111126017745
Result		✓ Passed
Advice	Offside Headlamp deteriorated but light output not reduced (1.7.5a)	
Advice	Steering system slightly rough (2.2.D.1)	
Advice	Nearside Headlamp deteriorated but light output not reduced (1.7.5a)	
Advice	Nearside Front Lower Suspension arm has slight play in a ball joint (2.4.G.2)	
Advice	Nearside/offside outersills corroded outside prescribed areas	





MOT #18	2017-02-22 16:36
MOT test number	584163627327
Result	🗙 Failed
Fail Rear brake application uneven (3.7.B.2)	
Advice Nearside/offside outer sills corroded outside prescribed areas	
Fail Offside Front Subframe mounting prescribed area is excessively corroded (2.4.A.3)	3)
Fail Offside Front Brake pipe excessively corroded (3.6.B.2c)	
Fail Fuel cap/sealing device missing (7.2.4a)	
Fail Offside Rear Brake pipe excessively corroded (3.6.B.2c)	
Advice Steering system slightly rough (2.2.D.1)	
Fail Offside Side repeater not working (1.4.A.2c)	
Advice Offside Headlamp deteriorated but light output not reduced (1.7.5a)	
Fail Nearside Front Brake pipe excessively corroded (3.6.B.2c)	
Advice Nearside Front Lower Suspension arm has slight play in a ball joint (2.4.G.2)	
Fail Nearside Rear Brake pipe excessively corroded (3.6.B.2c)	
Fail Nearside Seat belt locking mechanism does not secure or release (5.2.5a)	
FailBrake pipe excessively corroded both front to rear (3.6.B.2c)	
FailRear Brakes imbalanced across an axle Axle 2 (3.7.B.5b)	
Advice Nearside Headlamp deteriorated but light output not reduced (1.7.5a)	

MOT #17	2016-03-01 09:21
MOT test number	654479942233
Result	✓ Passed



MOT #2	16	2016-02-27 12:53
	st number	315326419213
Result		🗙 Failed
Fail	Offside Rear Direction indicator not working (1.4.A.2c)	
Fail	Offside Rear brake disc in such a condition that it is seriously weakened (3.5.1i)	
Fail	Horn not working (1.6.2a)	
Fail	Front Windscreen washer provides insufficient washer liquid both (8.2.3)	
Fail	Nearside Rear brake disc in such a condition that it is seriously weakened (3.5.1i)	
Fail	Offside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1)	

MOT #15		2015-02-26 15:29
MOT test	number	789187255062
Result		✓ Passed
Advice	Nearside Rear Brake pipe slightly corroded (3.6.B.2c)	
Advice	Nearside Front Lower Suspension arm has slight play in a ball joint (2.4.G.2)	
Advice	Offside Rear Tyre worn close to the legal limit (4.1.E.1)	
Advice	Offside Rear Brake pipe slightly corroded (3.6.B.2c)	
Advice	Offside Front Lower Suspension arm has slight play in a ball joint (2.4.G.2)	

BJO2UZY report date: 2024-03-29



МОТ #14	2015-02-26 11:55
MOT test number	195287055444
Result	🗙 Failed
Fail Brakes imbalanced across an axle (3.7.B.5b)	
Advice Offside Rear Brake pipe slightly corroded (3.6.B.2c)	
Advice Offside Front Lower Suspension arm has slight play in a ball joint (2.4.G.2)	
Fail Battery insecure (1.9.1)	
Advice Nearside Rear Brake pipe slightly corroded (3.6.B.2c)	
Advice Nearside Front Lower Suspension arm has slight play in a ball joint (2.4.G.2)	
Advice Offside Rear Tyre worn close to the legal limit (4.1.E.1)	
Fail Offside Headlamp not working on dipped beam (1.7.5a)	

MOT #13	2014-02-27 14:20
MOT test number	229038254083
Result	✓ Passed
MOT #12	2013-03-05 14:48

MOT test number	559424163063
Result	✓ Passed

BJ02UZY

report date: 2024-03-29



MOT #3	11	2013-02-28 11:44
MOT te	st number	699459053079
Result		🗙 Failed
Fail	Nearside Front position lamp(s) not working (1.1.A.3b)	
Fail	Rear brake application uneven (3.7.B.2)	
Fail	Front brake disc in such a condition that it is seriously weakened (3.5.1i)	
Fail	Offside Registration plate lamp not working (1.1.C.1d)	
Fail	Rear brakes release unevenly (3.7.B.4)	

MOT #10

2012-02-22 17:03 867093252060

🗸 Passed

MOT test number

Result

MOT #9 MOT test number 975672352073 Result × Failed **Advice** Offside Front suspension has slight play in a lower suspension ball joint (2.5.B.1a) Notice Offside rear axle seal leaking Fail Horn not working (1.6.2a) Nearside Rear Brake pipe excessively corroded (3.6.B.2c) Fail Advice Offside Rear Brake pipe slightly corroded (3.6.B.2c) Notice Oil leak on top of engine ? Rear Exhaust has a major leak of exhaust gases (7.1.2) Fail Advice Nearside Front Brake pipe slightly corroded (3.6.B.2c)

BJ02UZY report date: 2024-03-29

2012-02-21 11:46





MOT #8	2011-02-24 14:56
MOT test number	265345751097
Result	✓ Passed
MOT #7	2010-02-25 16:47
MOT test number	893916350017
Result	✓ Passed

MOT #6	2009-03-02 16:50
MOT test number	751321069042
Result	✓ Passed
Advice Rear brake disc slightly pitted (3.5.1h)	

MOT #5	2008-02-27 11:44
MOT test number	470378858011
Result	Passed
Advice Nearside Front Tyre worn close to the legal limit (4.1.E.1)	

MOT #4		2008-02-27 11:44
MOT test number		273538458043
Result		🗙 Failed
Pass with rectification	Rear Brake pad(s) less than 1.5 mm thick (3.5.1g)	
Pass with rectification	Brake lever has restricted free movement (3.5.1k)	
Pass with rectification	Offside Rear fog lamp not working (1.3.2b)	
Advice Nearside Front 1	yre worn close to the legal limit (4.1.E.1)	

MOT #3	2007-02-21 12:10
MOT test number	490632857035
Result	✓ Passed





✓ Passed

MOT #2	2007-02-21 10:34
MOT test number	342252457019
Result	🗙 Failed
Fail Brake hydraulic reservoir fluid level below minimum level (3.6.G.1b)	
Fail Windscreen has a sticker or other obstruction encroaching by more than 10mm within zone 'A' (8.3.1b)	
Fail Nearside Front position lamp(s) not working (1.1.A.3b)	
MOT #1	2006-03-02 16:25
MOT test number	840051466051

Result



Tax & MOT check

✓ Taxed	✓ MOT
Tax due: 1 July 2024	Expires: 7 November 2024
Tax status	Valid until 1 July
Days left	63
MOT expiry date	7 November 2024
Full MOT history	See MOT history





Damage history

Check the damage history for this MERCEDES. See if, where and when this MERCEDES had damage and the car repair costs. We also check if this MERCEDES was scrapped. Download the premium report <u>here</u> for the results.

Damage 1	
Date	
Category	Lamp
Туре	
Damage 2	VAMPLE
Date	
Category	AMP
Туре	

Extra MERCEDES salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.

More info >





Owner history

For how long did the current and previous owner(s) have this MERCEDES? How many owners did this MERCEDES have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

And a second s	

And a second s	
	More info >
Plate changes	
See in this check if this MERCEDES had different number plates.	
Number of plates	
Carrent registration	
Plate since	
Current registration	
Plate since	
	More info >





Finance check

Check if this MERCEDES is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this MERCEDES has been settled.

If not, and you buy this MERCEDES then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this MERCEDES is financed.

Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	


More info \rightarrow





Mileage check

Odometer	In miles
Mileage registrations	27
First mileage registration	2002-05-17
Last registration	2023-11-08
Complete history	<u>See info</u>



Registration #1	2002-05-17	28 mi
Registration #2	2006-03-02	68.022 mi
Registration #3	2007-02-21	71.348 mi
Registration #4	2007-02-21	71.348 mi
Registration #5	2008-02-27	74.174 mi
Registration #6	2009-03-02	77.200 mi
Registration #7	2010-02-25	79.901 mi
Registration #8	2011-02-24	83.172 mi
Registration #9	2012-02-21	86.299 mi
Registration #10	2012-02-22	86.299 mi
Registration #11	2013-02-28	89.339 mi
Registration #12	2013-03-05	89.339 mi
Registration #13	2014-02-27	92.115 mi
Registration #14	2015-02-26	94.613 mi
Registration #15		11.777 esi
Registration #16		11.777 esi
Registration #17		11.117 est
Registration #18		11.777 est
Registration #19		11.777 esi
Registration #20		11.777 esi
Registration #21		11.777 esi
Registration #22		11.777 est
Registration #23		11.777 mi
Registration #24		11.117 est
Registration #25		11.777 esi
Registration #26		11.777 est
CarCheck.co.uk		page 17/18

More info \rightarrow



Additional information	
Fuel tank capacity	75 I
Fuel delivery	Direct Injection
Number of doors	4
Engine number	61198150575299