



PI370ET

report date: 2024-03-28

General information

Make	MAZDA
Model	BONGO
Colour	Silver
Year of manufacture	1996
Gearbox	-

Engine & fuel consumption

Engine capacity	2.490 cc
Fuel type	Diesel



LABEL UNKNOWN



MOT history

MOT expiry date	2024-02-20
MOT pass rate	65 %
MOT passed	17
Failed MOT tests	9
Total advice items	59
Total items failed	69

MOT #26	2023-02-18 10:30
MOT test number	715522368548
Result	✓ Passed
Next expiry date	2024-02-20
Advice	Nearside Front Inner wings
Advice	Underside corroded And has beff Ed n heavily repaired

MOT #25	2022-02-21 16:03
MOT test number	200011022398
Result	✓ Passed
Advice	Offside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))
Advice	Nearside Front Anti-roll bar damaged but not seriously weakened (5.3.3 (b) (i))
Advice	Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))



MOT #24 2020-01-23 14:10

MOT test number 520059406113

Result ✓ Passed

- Advice** Front shock absorbers have limited dampening
- Advice** Offside Rear Anti-roll bar pin or bush worn but not resulting in excessive movement D bush (5.3.4 (a) (i))
- Advice** Nearside Rear Anti-roll bar pin or bush worn but not resulting in excessive movement D bush (5.3.4 (a) (i))
- Advice** Offside Rear Vehicle structure is corroded but structural rigidity is not significantly reduced chassis (6.1.1 (c) (i))

MOT #23 2020-01-20 10:43

MOT test number 541633365521

Result ✗ Failed

**Fail** Power steering component leaking steering rack pinion seal (2.1.5 (a))

**Advice** Nearside Front Brake disc worn, pitted or scored, but not seriously weakened inner face corroded (1.1.14 (a) (ii))

**Fail** Offside Rear Suspension component mounting prescribed area excessively corroded significantly reducing structural strength inner sill (5.3.6 (a) (i))

**Advice** Nearside Rear Anti-roll bar pin or bush worn but not resulting in excessive movement D bush (5.3.4 (a) (i))

**Advice** Offside Rear Vehicle structure is corroded but structural rigidity is not significantly reduced chassis (6.1.1 (c) (i))

**Fail** Offside Windscreen damaged and affecting the driver's view of an obligatory external mirror (3.2 (a) (ii))

**Fail** Nearside Front Subframe mounting prescribed area excessively corroded significantly reducing structural strength previously welded plate breaking away and not welded continuously (5.3.6 (a) (i))

**Advice** Front shock absorbers have limited dampening

**Fail** Offside Front Brake pad(s) less than 1.5 mm thick inner brake pad metal to metal (1.1.13 (a) (ii))

**Fail** Rear Exhaust has a major leak of exhaust gases silencer and flexis (6.1.2 (a))

**Fail** Nearside Rear Suspension component mounting prescribed area excessively corroded significantly reducing structural strength inner sill (5.3.6 (a) (i))

**Advice** Offside Rear Anti-roll bar pin or bush worn but not resulting in excessive movement D bush (5.3.4 (a) (i))

**Fail** Nearside Front Anti-roll bar pin or bush excessively worn D bush (5.3.4 (a) (i))

**Advice** Brake pedal has long travel



MOT #222019-01-09 12:27

MOT test number460133771631

Result

✓ Passed

- Advice

Offside Rear Vehicle structure is corroded but structural rigidity is not significantly reduced chassis (6.1.1 (c) (i))
- Advice

Rear towbar has been removed
- Advice

Front Service brake fluctuating, but not excessively (1.2.1 (e))
- Advice

Offside Oil leak, but not excessive engine (8.4.1 (a) (i))
- Advice

Offside Front Brake disc worn, pitted or scored, but not seriously weakened inner face corroded (1.1.14 (a) (ii))

**MOT #21**

2019-01-07 09:56

**MOT test number**

522498511782

**Result****✗ Failed**

**Fail** Nearside Front Outer Drive shaft joint constant velocity boot split or insecure, no longer prevents the ingress of dirt (6.1.7 (g) (ii))

**Advice** Nearside Rear Towbar slightly corroded within 30cm of towbar mounting crossmember (6.1.6 (i) (i))

**Minor** Nearside Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i))

**Fail** Offside Front Subframe mounting prescribed area excessively corroded significantly reducing structural strength crossmember (5.3.6 (a) (i))

**Advice** Nearside Rear bumper insecure

**Fail** Nearside Front Subframe mounting prescribed area excessively corroded significantly reducing structural strength chassis to inner wing (5.3.6 (a) (i))

**Fail** Nearside Stop lamp(s) not working (4.3.1 (a) (ii))

**Advice** Offside Front Brake disc worn, pitted or scored, but not seriously weakened inner face corroded (1.1.14 (a) (ii))

**Advice** Offside Rear Towbar slightly corroded within 30cm of towbar mounting crossmember (6.1.6 (i) (i))

**Fail** Offside Front Subframe mounting prescribed area excessively corroded significantly reducing structural strength outrigger (5.3.6 (a) (i))

**Advice** Offside Oil leak, but not excessive engine (8.4.1 (a) (i))

**Fail** Nearside Front Subframe mounting prescribed area excessively corroded significantly reducing structural strength crossmember (5.3.6 (a) (i))

**Fail** Nearside Rear Suspension component mounting prescribed area excessively corroded significantly reducing structural strength outer sill (5.3.6 (a) (i))

**Fail** Windscreen washer provides insufficient washer liquid (3.5 (a))

**Advice** Offside Rear wheel arch shield insecure

**Fail** Nearside Rear Towbar excessively corroded within 30cm of towbar mounting chassis (6.1.6 (i) (i))

**Advice** Front Service brake fluctuating, but not excessively (1.2.1 (e))

**Advice** Offside Rear Vehicle structure is corroded but structural rigidity is not significantly reduced chassis (6.1.1 (c) (i))

**MOT #20**

2018-01-08 08:57

**MOT test number**

762547350032

**Result**

✓ Passed

**Advice**

Rear Passenger seat(s) missing at time of test all seats

**MOT #19**

2017-01-31 15:58

**MOT test number**

551013421145

**Result**

✓ Passed

**Advice**

Offside Rear Suspension spring mounting prescribed area is corroded but not considered excessive chassis (2.4.A.3)

**Advice**

Fuel pump area damp

**MOT #18**

2017-01-31 09:51

**MOT test number**

353493915620

**Result**

✗ Failed

**Fail**

Nearside Front Lower Suspension arm ball joint dust cover insecure so that it no longer prevents the ingress of dirt (2.4.G.2)

**Fail**

Nearside Steering rack gaiter insecure (2.2.D.2d)

**Fail**

Offside Front Tyre has a tear, caused by separation or partial failure of its structure tread (4.1.D.1b)

**Fail**

Nearside Windscreen wiper does not clear the windscreen effectively (8.2.2)

**Fail**

Nearside front brake binding (3.7.B.1)

**Fail**

Offside Front position lamp(s) not working (1.1.A.3b)

**Fail**

Offside Front Seat belt anchorage prescribed area is excessively corroded lower wing area (5.2.6)

**Fail**

Offside Front Outer Front constant velocity joint gaiter insecure to the extent that it no longer prevents the ingress of dirt etc (2.5.C.1a)

**Fail**

Offside Steering rack gaiter insecure (2.2.D.2d)

**Fail**

Nearside Rear Suspension component mounting prescribed area is excessively corroded outer sill (2.4.A.3)

**Fail**

Nearside Front position lamp(s) not working (1.1.A.3b)

**Fail**

Nearside Rear Vehicle structure has an unsatisfactory modification, seriously affecting its strength within 30cm of a towbar mounting lower wing area (6.6.6)





**MOT #17**

2016-01-28 10:48

**MOT test number**

630066388497

**Result**

✓ Passed

**Advice** Front Windscreen has damage to an area less than a 10mm circle within zone 'A' (8.3.1a)**Advice** Front Exhaust has a minor leak of exhaust gases manifold (7.1.2)**MOT #16**

2016-01-26 10:17

**MOT test number**

677496198395

**Result**

✗ Failed

**Fail** Nearside Front Suspension component mounting prescribed area is excessively corroded crossmember (2.4.A.3)**Fail** Offside Front Suspension component mounting prescribed area is excessively corroded outrigger (2.4.A.3)**Fail** Offside Front Suspension arm ball joint dust cover excessively deteriorated so that it no longer prevents the ingress of dirt (2.4.G.2)**Advice** Front Exhaust has a minor leak of exhaust gases manifold (7.1.2)**Fail** Offside Rear Body has a sharp edge caused by damage (6.1.C.1)**Fail** Offside Front Suspension component mounting prescribed area is excessively corroded crossmember (2.4.A.3)**Fail** Offside Rear Vehicle structure excessively corroded within 30cm of towbar mounting (6.6.6)**Fail** Offside front brake binding (3.7.B.1)**Fail** Offside Rear fog lamp not working (1.3.2b)**Advice** Front Windscreen has damage to an area less than a 10mm circle within zone 'A' (8.3.1a)**MOT #15**

2015-01-27 13:53

**MOT test number**

476197025052

**Result**

✓ Passed

**Advice** Nearside Front Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)

**MOT #14** 2015-01-26 11:18**MOT test number** 867516925070**Result** ✗ Failed

- Fail** Offside Inner Rear Suspension spring mounting prescribed area is excessively corroded (2.4.A.3)
- Fail** Nearside Headlamp has a product on the lens so that the light output is severely reduced (1.7.5a)
- Advice** Nearside Front Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)
- Fail** Nearside Inner Rear Suspension spring mounting prescribed area is excessively corroded (2.4.A.3)
- Fail** Offside Front Brake hose kinked (3.6.B.4b)
- Fail** Offside Headlamp has a product on the lens so that the light output is severely reduced (1.7.5a)
- Fail** Nearside Inner Front Suspension spring mounting prescribed area is excessively corroded (2.4.A.3)

**MOT #13** 2014-02-05 08:39**MOT test number** 195546534479**Result** ✓ Passed

- Notice** Oil leak
- Advice** Nearside Front Suspension spring mounting prescribed area is corroded but not considered excessive (2.4.A.3)
- Advice** Vehicle structure slightly corroded within 30cm of towbar mounting (6.6.6)
- Advice** Offside Lower Front suspension ball joint dust cover deteriorated, but preventing the ingress of dirt (2.4.G.2)
- Advice** Offside Front Suspension spring mounting prescribed area is corroded but not considered excessive (2.4.A.3)

**MOT #12**

2014-01-29 16:53

**MOT test number**

828979624092

**Result****✗ Failed****Fail** Nearside Inner Front Subframe mounting prescribed area is excessively corroded (2.4.A.3)**Fail** Nearside Headlamp not working on dipped beam (1.7.5a)**Advice** Offside Outer Front constant velocity joint gaiter deteriorated, but preventing the ingress of dirt (2.5.C.1a)**Fail** Nearside Front Suspension component mounting prescribed area is excessively corroded (2.4.A.3)**Notice** Oil leak**Fail** Nearside Headlamp not working on main beam (1.7.5a)**Advice** Offside Lower Front suspension ball joint dust cover deteriorated, but preventing the ingress of dirt (2.4.G.2)**Fail** Offside Rear fog lamp insecure (1.3.2a)**Advice** Nearside Front Suspension spring mounting prescribed area is corroded but not considered excessive (2.4.A.3)**Fail** Nearside Steering rack gaiter split (2.2.D.2d)**Advice** Nearside Outer Front constant velocity joint gaiter deteriorated, but preventing the ingress of dirt (2.5.C.1a)**Fail** Offside Inner Front Subframe mounting prescribed area is excessively corroded (2.4.A.3)**Notice** N/s spot lamp n/w**Fail** Offside Headlamp not working on dipped beam (1.7.5a)**Advice** Vehicle structure slightly corroded within 30cm of towbar mounting (6.6.6)**Fail** Nearside Inner Rear Suspension component mounting prescribed area is excessively corroded (2.4.A.3)**Fail** Offside Headlamp not working on main beam (1.7.5a)**Advice** Offside Steering rack gaiter deteriorated (2.2.D.2d)**Fail** Nearside Lower Front suspension ball joint dust cover excessively damaged so that it no longer prevents the ingress of dirt (2.4.G.2)**Advice** Offside Front Suspension spring mounting prescribed area is corroded but not considered excessive (2.4.A.3)

**MOT #11** 2013-02-05 11:37**MOT test number** 705226533094**Result** ✓ Passed**MOT #10** 2012-10-17 15:04**MOT test number** 317811892446**Result** ✓ Passed**MOT #9** 2012-09-27 09:52**MOT test number** 745751272273**Result** ✗ Failed

- Fail** Offside Front Macpherson strut has excessive movement in the upper support bearing assembly (2.5.B.1b)
- Fail** Nearside Headlamp excessively deteriorated so that the light output is severely reduced (1.7.5a)
- Fail** Rear fog lamp insecure (1.3.2a)
- Fail** Offside Rear Suspension component mounting prescribed area is excessively corroded (2.4.A.3)
- Fail** Offside Front Subframe mounting prescribed area is excessively corroded (2.4.A.3)
- Fail** Front Vehicle structure has excessive corrosion which adversely affects braking or steering (6.1.A.1)

**MOT #8** 2011-09-30 17:08**MOT test number** 325163971283**Result** ✓ Passed

- Notice** Excessive play in wiper linkage

**MOT #7** 2011-09-23 15:52**MOT test number** 959136761201**Result** ✗ Failed**Fail** Offside Headlamp excessively damaged so that the light output is severely reduced (1.7.5a)**Fail** Nearside Front Subframe mounting prescribed area is excessively corroded (2.4.A.3)**Notice** Excessive play in wiper linkage**Fail** Nearside Headlamp excessively damaged so that the light output is severely reduced (1.7.5a)**Fail** Horn not working (1.6.2a)**Fail** Offside Rear Subframe mounting prescribed area is excessively corroded (2.4.A.3)**MOT #6** 2010-09-23 10:48**MOT test number** 634216060200**Result** ✓ Passed**Notice** Oil leak**Advice** Front Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)**Advice** Front Anti-roll bar has slight play in a pin/bush (2.4.G.2)**Advice** Rear Anti-roll bar linkage has slight play in a pin/bush (2.4.G.2)**MOT #5** 2009-10-08 10:03**MOT test number** 300621489247**Result** ✓ Passed**Advice** Nearside Front Anti-roll bar has slight play in a pin/bush (2.4.G.2)**MOT #4** 2008-09-25 09:54**MOT test number** 543569568252**Result** ✓ Passed



MOT #3	2007-10-05 16:57
MOT test number	490258677277
Result	✓ Passed

MOT #2	2007-10-04 09:49
MOT test number	714407277223
Result	✗ Failed
<div><div>Fail</div>Offside Front Anti-roll bar linkage has excessive play in a ball joint (2.4.G.2)</div>	
<div><div>Fail</div>Offside Rear Anti-roll bar rubber bush deteriorated resulting in excessive movement (2.4.G.2)</div>	
<div><div>Fail</div>Nearside Front Anti-roll bar linkage has excessive play in a ball joint (2.4.G.2)</div>	
<div><div>Fail</div>Nearside Rear Anti-roll bar rubber bush deteriorated resulting in excessive movement (2.4.G.2)</div>	

MOT #1	2006-10-02 10:36
MOT test number	363285776221
Result	✓ Passed



Tax & MOT check

✕  
Untaxed

Tax expired:  
27 January 2024

✕  
MOT

Expired:  
20 February 2024

Tax status	Expired at 27 January 2024
Days left	93 days too late
MOT expiry date	20 February 2024
Full MOT history	<a href="#">See MOT history</a>



Damage history

Check the damage history for this MAZDA. See if, where and when this MAZDA had damage and the car repair costs. We also check if this MAZDA was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	



Damage 2

Date	
Category	
Type	

Extra MAZDA salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >





Vehicle valuation

What is this car worth? See the vehicle value of this MAZDA in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	£ 19,999
Auction value	£ 19,999
Average private trade value	£ 19,999

More info >



Owner history

For how long did the current and previous owner(s) have this MAZDA? How many owners did this MAZDA have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

Owner	Start date
Owner	Start date
Owner	Start date
Owner	Start date
Owner	Start date
Owner	Start date
Owner	Start date

More info >

Plate changes

See in this check if this MAZDA had different number plates.

Number of plates	1
Current registration	
Plate since	2024-03-28
Current registration	
Plate since	2024-03-28

More info >



Finance check

Check if this MAZDA is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this MAZDA has been settled.

If not, and you buy this MAZDA then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this MAZDA is financed.

Finance company	XXXXXXXXXX	XXXX
Date of agreement	XXXXXXXXXX	XXXX
Agreement type	XXXXXXXXXX	XXXX
Agreement term	XXXXXXXXXX	XXXX
Agreement number	XXXXXXXXXX	XXXX
Contact info	XXXXXXXXXX	XXXX

More info >



Mileage check

Odometer	In miles
Mileage registrations	27
First mileage registration	1996-12-31
Last registration	2023-02-18
Complete history	<a href="#">See info</a>



Registration #1	1996-12-31	7 mi
Registration #2	2006-10-02	74.541 mi
Registration #3	2007-10-04	86.750 mi
Registration #4	2007-10-05	86.750 mi
Registration #5	2008-09-25	99.174 mi
Registration #6	2009-10-08	109.889 mi
Registration #7	2010-09-23	121.333 mi
Registration #8	2011-09-23	130.329 mi
Registration #9	2011-09-30	130.131 mi
Registration #10	2012-09-27	39.729 mi
Registration #11	2012-10-17	139.873 mi
Registration #12	2013-02-05	87.784 mi
Registration #13	2014-01-29	91.410 mi
Registration #14	2014-02-05	147.153 mi
Registration #15	2015-05-20	25.277 mi
Registration #16	2015-05-20	25.277 mi
Registration #17	2015-05-20	25.277 mi
Registration #18	2015-05-20	25.277 mi
Registration #19	2015-05-20	25.277 mi
Registration #20	2015-05-20	25.277 mi
Registration #21	2015-05-20	25.277 mi
Registration #22	2015-05-20	25.277 mi
Registration #23	2015-05-20	25.277 mi
Registration #24	2015-05-20	25.277 mi
Registration #25	2015-05-20	25.277 mi
Registration #26	2015-05-20	25.277 mi

More info >



Additional information

Engine number	NOT KNOWN
---------------	-----------