



TOYOTA




report date: 2024-03-28

General information

Make	TOYOTA
Model	CELICA VVTI BLUE
Colour	Black
Year of manufacture	2006
Top speed	127 mph
Gearbox	6 speed Manual

Engine & fuel consumption

Power	140 BHP
Max. torque	172 Nm at 4.200 rpm
Engine capacity	1.794 cc
Cylinders	4
Fuel type	Petrol
Consumption city	27.4 mpg
Consumption extra urban	45.6 mpg
Consumption combined	36.7 mpg
CO2 emission	185 g/km
CO2 label	I





Internet history

Entry 1

Date	2022-02-11
Pictures	4
Listing price	<a href="#">View report</a>



source: [autotrader.co.uk](https://www.autotrader.co.uk)

**MOT history**

<b>MOT expiry date</b>	2023-02-20
<b>MOT pass rate</b>	67 %
<b>MOT passed</b>	14
<b>Failed MOT tests</b>	7
<b>Total advice items</b>	86
<b>Total items failed</b>	10

<b>MOT #21</b>	2022-02-21 14:21
----------------	------------------

<b>MOT test number</b>	140823553360
------------------------	--------------

<b>Result</b>	✓ Passed
---------------	----------

<b>Next expiry date</b>	2023-02-20
-------------------------	------------

- Minor** Parking brake lever ratchet mechanism obviously worn (1.1.6 (b) (i))
- Minor** Rear Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i))
- Advice** Rear Exhaust has a minor leak of exhaust gases (6.1.2 (a))
- Advice** Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))
- Minor** Front Battery insecure but not likely to fall from carrier (4.13 (a) (i))
- Advice** Under-body covered in heavily sealant
- Advice** Suspension component corroded but not seriously weakened Front & rear (5.3.3 (b) (i))



MOT #20	2022-02-09 11:09
MOT test number	254152316551
Result	✗ Failed

**Advice** Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))

**Minor** Offside Rear Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i))

**MAJOR** Engine MIL inoperative or indicates a malfunction (8.2.1.2 (h))

**Advice** Rear Registration plate deteriorated but not likely to be misread (0.1 (b))

**MAJOR** Emissions not tested (8.2.1.2 (d))

**MAJOR** Offside Front Position lamp not working (4.2.1 (a) (ii))

**Advice** Rear Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))

**DANGEROUS** Offside Rear Tyre tread depth below requirements of 1.6mm (5.2.3 (e))

**MAJOR** Brake lever has insufficient reserve travel Parking brake requirements only just met at full travel (1.1.2 (a))

**MAJOR** Rear Exhaust has a major leak of exhaust gases Rear silencer broken at joint (6.1.2 (a))

**Advice** Offside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))

**MAJOR** Offside Front Anti-roll bar linkage ball joint dust cover no longer prevents the ingress of dirt (5.3.4 (b) (ii))

**Advice** Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))

**MAJOR** Nearside Rear Suspension component mounting prescribed area excessively corroded significantly reducing structural strength Inner sill (5.3.6 (a) (i))

**MAJOR** Supplementary restraint system warning lamp indicates a fault (7.1.6 (a))

**Minor** Battery insecure but not likely to fall from carrier (4.13 (a) (i))

**Advice** Front Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))

**MAJOR** Brake pedal has insufficient reserve travel Pedal on the floor during test (1.1.2 (a))

**MAJOR** Offside Front Seat belt buckle not functioning as intended Does not release under load (7.1.2 (d))

**Advice** Coil spring corroded All 4 springs corroded (5.3.1 (b) (i))

**MAJOR** Nearside Front Tyre has a cut in excess of the requirements deep enough to reach the ply or cords Tyre worn on outer edge with a cut down to the cords (5.2.3 (d) (i))

**MAJOR** Fuel pipe leaking Fuel filler pipe to tank corroded and leaking (6.1.3 (b) (i))

**DANGEROUS** Exhaust shield missing where fitted as original equipment creating a risk of fire Rear silencer (6.1.3 (e))

**MAJOR** Nearside Front Track rod end ball joint dust cover excessively damaged or deteriorated so that it no longer prevents the ingress of dirt (2.1.3 (g) (ii))



MOT #19

2021-02-09 16:53

MOT test number

239236712588

Result		✓ Passed
Advice	Brake disc worn, pitted or scored, but not seriously weakened All 4 discs (1.1.14 (a) (ii))	
Advice	Both inner sills corroded	
Advice	Offside Rear Park brake noisy on rotation	
Minor	Battery insecure but not likely to fall from carrier (4.13 (a) (i))	
Advice	Coil spring corroded All 4 coils corroded (5.3.1 (b) (i))	
Advice	Fuel Pipe/s corroded Filler neck towards tank	
Advice	Rear Inner Brake pad(s) wearing thin Inner pads low (1.1.13 (a) (ii))	
Advice	Rear Both inner arches corroded	

**MOT #18**

2021-02-09 08:06

**MOT test number**

886371360798

**Result****✗ Failed****Advice** Brake disc worn, pitted or scored, but not seriously weakened All 4 discs (1.1.14 (a) (ii))**Advice** Rear Both inner arches corroded**MAJOR** Nearside Front Headlamp has a product on the lens so that the light output is severely reduced Lamp cloudy (4.1.4 (b))**MAJOR** Offside Front Position lamp not working (4.2.1 (a) (ii))**DANGEROUS** Nearside Rear Tyre tread depth below requirements of 1.6mm 205/45/17 (5.2.3 (e))**Advice** Both inner sills corroded**Advice** Rear Inner Brake pad(s) wearing thin Inner pads low (1.1.13 (a) (ii))**Advice** Offside Rear Park brake noisy on rotation**Advice** Offside Front Headlamp has a product on the lens but not seriously reducing light output Lamp misty (4.1.4 (b))**Minor** Battery insecure but not likely to fall from carrier (4.13 (a) (i))**Advice** Coil spring corroded All 4 coils corroded (5.3.1 (b) (i))**Advice** Fuel Pipe/s corroded Filler neck towards tank

**MOT #17**

2020-02-07 12:41

**MOT test number**

973911937272

**Result**

✓ Passed

- Advice** Rear Vehicle structure is corroded but structural rigidity is not significantly reduced (6.1.1 (c) (i))
- Minor** Front Battery insecure but not likely to fall from carrier (4.13 (a) (i))
- Advice** Nearside Rear Brake disc worn, pitted or scored, but not seriously weakened inner face (1.1.14 (a) (ii))
- Advice** Rear Exhaust has a minor leak of exhaust gases (6.1.2 (a))
- Minor** Nearside Front Lower Suspension arm ball joint dust cover severely deteriorated (5.3.4 (b) (i))
- Advice** Nearside Rear Outer Tyre slightly damaged wall damage (5.2.3 (d) (ii))
- Advice** Offside Rear Brake disc worn, pitted or scored, but not seriously weakened inner face (1.1.14 (a) (ii))

**MOT #16**

2020-02-07 12:41

**MOT test number**

688077168575

**Result**

✗ Failed

- Advice** Nearside Rear Outer Tyre slightly damaged wall damage (5.2.3 (d) (ii))
- Minor** Front Battery insecure but not likely to fall from carrier (4.13 (a) (i))
- Advice** Offside Rear Brake disc worn, pitted or scored, but not seriously weakened inner face (1.1.14 (a) (ii))
- Advice** Rear Vehicle structure is corroded but structural rigidity is not significantly reduced (6.1.1 (c) (i))
- Pass with rectification** Nearside Front Position lamp not working (4.2.1 (a) (ii))
- Minor** Nearside Front Lower Suspension arm ball joint dust cover severely deteriorated (5.3.4 (b) (i))
- Advice** Nearside Rear Brake disc worn, pitted or scored, but not seriously weakened inner face (1.1.14 (a) (ii))
- Advice** Rear Exhaust has a minor leak of exhaust gases (6.1.2 (a))



**MOT #15** 2019-02-15 12:46**MOT test number** 324373821799**Result** ✓ Passed**Minor** Nearside Front Lower Suspension arm ball joint dust cover severely deteriorated (5.3.4 (b) (i))**MOT #14** 2019-02-14 10:58**MOT test number** 860387933940**Result** ✗ Failed**Minor** Nearside Front Lower Suspension arm ball joint dust cover severely deteriorated (5.3.4 (b) (i))**MAJOR** Front Brake pedal has insufficient reserve travel (1.1.2 (a))**Advice** Rear Inner both rear inner sills starting to corrode**MOT #13** 2018-02-14 09:23**MOT test number** 506662100787**Result** ✓ Passed**Advice** Offside Rear Inner Seat belt anchorage prescribed area is corroded but not considered excessive (5.2.6)**Advice** Nearside Front wing and side repeater damaged**Advice** Nearside Rear Inner Seat belt anchorage prescribed area is corroded but not considered excessive (5.2.6)**MOT #12** 2017-09-07 11:49**MOT test number** 705162950074**Result** ✓ Passed

**MOT #11** 2017-09-06 13:08**MOT test number** 120363255401**Result** ✗ Failed**Fail** Windscreen wiper does not clear the windscreen effectively both (8.2.2)**Advice** Parking brake lever has little reserve travel (3.1.6b)**Advice** Under side rusty**Fail** Offside Rear Inner Brake pad(s) less than 1.5 mm thick (3.5.1g)**MOT #10** 2016-08-03 08:02**MOT test number** 720235749162**Result** ✓ Passed**MOT #9** 2015-08-07 08:05**MOT test number** 904774277531**Result** ✓ Passed**MOT #8** 2014-08-16 09:35**MOT test number** 358388424270**Result** ✓ Passed**MOT #7** 2013-08-27 11:25**MOT test number** 275869933273**Result** ✓ Passed

**MOT #6** 2013-08-22 12:21**MOT test number** 389884533270**Result** ✗ Failed**Fail** Offside Rear Brake pipe excessively corroded (3.6.B.2c)**Fail** Offside rear brake recording little or no effort (3.7.B.5a)**Notice** Rear discs very corroded**Fail** Nearside Rear Brake pipe excessively corroded (3.6.B.2c)**Fail** Nearside rear brake recording little or no effort (3.7.B.5a)**Fail** Service brake: efficiency below requirements (3.7.B.7)**MOT #5** 2012-08-30 15:58**MOT test number** 826743042297**Result** ✓ Passed**Advice** Nearside Rear Road wheel with a slightly distorted bead rim (4.2.A.1a)**Advice** Brakes imbalanced requirements only just met. It would appear that the braking system requires adjustment or repair. (3.7.B.5b)**Advice** Offside Rear Road wheel with a slightly distorted bead rim (4.2.A.1a)**MOT #4** 2011-08-26 15:51**MOT test number** 375368131467**Result** ✓ Passed**MOT #3** 2011-08-25 10:22**MOT test number** 376887831438**Result** ✗ Failed**Fail** Nearside Front Brake pad(s) less than 1.5 mm thick (3.5.1g)**Fail** Offside Front Brake pad(s) less than 1.5 mm thick (3.5.1g)



MOT #2

2010-08-27 12:16

MOT test number

820849230251

Result

✓ Passed

- Advice

Nearside Rear Road wheel with a slightly distorted bead rim (4.2.A.1a)
- Advice

Nearside Front Tyre worn close to the legal limit (4.1.E.1)
- Notice

SURFACE CORROSION ON BOTH FRONT BRAKE DISCS
- Advice

Offside Front Road wheel with a slightly distorted bead rim (4.2.A.1a)
- Advice

Offside Front Tyre worn close to the legal limit (4.1.E.1)

MOT #1

2009-08-27 10:39

MOT test number

944289539274

Result

✓ Passed

- Advice

Rear brake disc slightly scored (3.5.1h)
- Advice

Nearside Rear Tyre worn close to the legal limit (4.1.E.1)
- Advice

Parking brake: parking brake efficiency only just met. It would appear that the braking system requires adjustment or repair. (3.7.B.7)



Tax & MOT check

✕  
Untaxed

Tax expired:  
28 July 2022

✕  
MOT

Expired:  
20 February 2023

Tax status	Expired at 28 July 2022
Days left	640 days too late
MOT expiry date	20 February 2023
Full MOT history	<a href="#">See MOT history</a>

Tax calculation

Vehicle class	48
Band	I
Single payment (12 months)	£ 320,00,-
Single six month payment	£ 176,00,-
Total payable by 12 monthly instalments	£ 336,00,-



Damage history

Check the damage history for this TOYOTA. See if, where and when this TOYOTA had damage and the car repair costs. We also check if this TOYOTA was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	

Damage 2

Date	
Category	
Type	



Extra TOYOTA salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this TOYOTA in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	£ 19,999
Auction value	£ 19,999
Average private trade value	£ 19,999

More info >



Owner history

For how long did the current and previous owner(s) have this TOYOTA? How many owners did this TOYOTA have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration

More info >

Plate changes

See in this check if this TOYOTA had different number plates.

Number of plates	1
Current registration	YX56TYY
Plate since	2019-03-28
Current registration	YX56TYY
Plate since	2019-03-28

More info >





Finance check

Check if this TOYOTA is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this TOYOTA has been settled. If not, and you buy this TOYOTA then you could lose the money and the car you paid for. Download the premium report [here](#) and check if this TOYOTA is financed.

Finance company	XXXXXXXXXX	XXXX
Date of agreement	XXXXXXXXXX	XXXX
Agreement type	XXXXXXXXXX	XXXX
Agreement term	XXXXXXXXXX	XXXX
Agreement number	XXXXXXXXXX	XXXX
Contact info	XXXXXXXXXX	XXXX

More info >



Mileage check

Odometer	In miles
Mileage registrations	23
First mileage registration	2006-09-01
Last registration	2022-02-21
Complete history	<a href="#">See info</a>



Registration #1	2006-09-01	24 mi
Registration #2	2009-08-27	22.934 mi
Registration #3	2010-08-27	31.723 mi
Registration #4	2011-08-25	41.051 mi
Registration #5	2011-08-26	41.051 mi
Registration #6	2012-08-30	50.268 mi
Registration #7	2013-08-22	55.305 mi
Registration #8	2013-08-27	55.305 mi
Registration #9	2014-08-16	63.016 mi
Registration #10	2015-08-07	71.301 mi
Registration #11	2016-08-03	79.780 mi
Registration #12	2017-09-06	91.249 mi
Registration #13	2018-09-06	91.249 mi
Registration #14	2019-09-06	91.249 mi
Registration #15	2020-09-06	91.249 mi
Registration #16	2021-09-06	91.249 mi
Registration #17	2022-09-06	91.249 mi
Registration #18	2023-09-06	91.249 mi
Registration #19	2024-09-06	91.249 mi
Registration #20	2025-09-06	91.249 mi
Registration #21	2026-09-06	91.249 mi
Registration #22	2027-09-06	91.249 mi
Registration #23	2028-09-06	91.249 mi

More info >



Car features

The TOYOTA factory car options list is only available in the premium report.

S0225	Air conditioning
S0295	
S0482	
S0501	
S0566	
S0567	
S0569	

View the complete TOYOTA factory list for this vehicle [here](#).

More info >

Dimensions & weight

Width	1735 mm
Height	1315 mm
Length	4350 mm
Wheel base	2600 mm
Kerb weight	1145 kg
Max. allowed weight	1565 kg

Additional information

Fuel tank capacity	55 l
Fuel delivery	Multi-Point Injection
Number of doors	3
Number of seats	4
Number of axles	2
Engine number	1ZZ2359470