





General information

Make	PEUGEOT
Model	BOXER HDI 290 LX SWB C/C
Colour	White
Year of manufacture	2005
Gearbox	5 speed Manual

Engine & fuel consumption

Engine capacity	1.997 cc	0 < 101 A	LABEL U
Fuel type	Diesel	101 - 120 ^B _C 121 - 140 ^B _E	
		141 - 165 F	

225+





Internet history

Entry	1
Date	

Pictures

2021-10-29

13

Listing price

View report









source: cargurus.co.uk



MOT history

MOT expiry date	2024-09-06
MOT pass rate	64 %
MOT passed	16
Failed MOT tests	9
Total advice items	51
Total items failed	27

MOT #25		2023-09-06 08:49
MOT test	number	970613748322
Result		✓ Passed
Next expi	ry date	2024-09-06
Advice	Offside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))	
Advice	Nearside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))	

МОТ #24	2022-09-05 10:36
MOT test number	556163438663
Result	✓ Passed
Advice Offside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))	

МОТ #23	2022-09-01 10:46
MOT test number	177371770714
Result	🗙 Failed
Fail Offside Front Tyre has a cut in excess of the requirements deep enough to reach th cracks in sidewall (5.2.3 (d) (i))	ne ply or cords
Advice Offside Rear Service brake binding but not excessively (1.2.1 (f))	
Advice Offside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))	
Fail Nearside Front Tyre has a cut in excess of the requirements deep enough to reach cracks in sidewall (5.2.3 (d) (i))	the ply or cords
Fail Nearside Rear Service brake excessively binding (1.2.1 (f))	





MOT #22	2021-09-07 12:05
MOT test number	615302014017
Result	✓ Passed
MinorCentral Front Lower Windscreen damaged but not adversely affecting damagedAdviceOffside Front Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii)	

MOT #21	2021-09-06 14:40
MOT test number	528896595669
Result	🗙 Failed
Fail Parking brake efficiency below requirements (1.4.2 (a) (i))	
Fail Nearside Front Headlamp aim too high (4.1.2 (a))	
Fail Offside Rear Service brake excessively binding (1.2.1 (f))	
Minor Central Front Lower Windscreen damaged but not adversely affecting driver's v	view (3.2 (a) (i))
Advice Offside Front Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))	
Fail Nearside Rear Service brake excessively binding (1.2.1 (f))	

MOT #20	2020-08-26 16:15
MOT test number	371109285637
Result	Passed
Advice Central Exhaust mounting defective (6.1.2 (a))	

MOT #19		2020-08-26 16:15
MOT test number		554175112485
Result		🗙 Failed
Advice Central Exhaust	mounting defective (6.1.2 (a))	
Pass with rectification	Offside Rear Position lamp not working (4.2.1 (a) (ii))	





MOT #18	2019-08-19 14:47
MOT test number	358629727900
Result	✓ Passed
Advice Offside Front Brake disc worn, pitted or scored, but not seriously weak	kened (1.1.14 (a) (ii))
Advice All General Suspension And Braking Components Surface Corrosion	
Advice Offside Front Inner Tyre slightly damaged/cracking or perishing Inner Wall Perished And Cracking (5.2.3 (d) (ii))	
Advice General Underbody Surface Corrosion	
MOT #17	2019-08-12 12:04
MOT test number 8574167678	
Result	🗙 Failed

Advice Offside Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))

Fail Offside Front Suspension component mounting prescribed area excessively corroded significantly reducing structural strength Inner Arch , Strut Tower (5.3.6 (a) (i))

Fail Nearside Front Integral body structure corroded to the extent that the rigidity of the assembly is significantly reduced Jacking Point (6.1.1 (c) (i))

Advice All General Suspension And Braking Components Surface Corrosion

Advice Offside Rear Service brake binding but not excessively (1.2.1 (f))

Fail Offside Rear Suspension component mounting prescribed area excessively corroded significantly reducing structural strength Outer And Inner Sill To Brace (5.3.6 (a) (i))

Fail Offside Rear Suspension component mounting prescribed area is inadequately repaired Shackle Mount To Rear Valance (5.3.6 (a) (i))

Advice Offside Front Inner Tyre slightly damaged/cracking or perishing Inner Wall Perished And Cracking (5.2.3 (d) (ii))

Fail Nearside Front Suspension component mounting prescribed area excessively corroded significantly reducing structural strength Inner Arch , Strut Tower (5.3.6 (a) (i))

Advice General Underbody Surface Corrosion

Advice Nearside Rear Service brake binding but not excessively (1.2.1 (f))

Fail Offside Front Integral body structure corroded to the extent that the rigidity of the assembly is significantly reduced Jacking Point (6.1.1 (c) (i))

Fail Nearside Rear Suspension component mounting prescribed area is inadequately repaired Shackle Mount To Rear Valance (5.3.6 (a) (i))

Fail Nearside Rear Inner Suspension component mounting prescribed area excessively corroded significantly reducing structural strength Forward Lower Area Inner Sill / Arch To Brace (5.3.6 (a) (i))





MOT #16		2018-08-22 09:12
MOT test	number	262410676781
Result		✓ Passed
Advice	Rear parking brake requirements only just met, wheels not locking out.	
Advice	Vehicle structure has slight corrosion to front chassis/jacking points	
Advice	Spare wheel carrier corroded	
Advice adjustmer	Rear Service brake requirements only just met. It would appear that the braking nt or repair Rear brakes not locking out (1.2.1 (c))	system requires
Advice	N/S + O/S Front brake hose ferrules corroded	
Advice	Exhaust mounting brackets corroded	

MOT #15	2018-08-22 09:12	
MOT test number	429819354526	
Result	🗙 Failed	
Advice Exhaust mounting brackets corroded		
Advice Rear parking brake requirements only just met, wheels not locking out.		
Pass with rectification Nearside Rear Direction indicator incorrect colour (4.4.3)	(a))	
Pass with rectification Brake fluid contaminated (1.8 (a))		
Advice Vehicle structure has slight corrosion to front chassis/jacking points		
Advice Spare wheel carrier corroded		
Pass with rectification Offside Rear Direction indicator incorrect colour (4.4.3 (a))	a))	
Advice Rear Service brake requirements only just met. It would appear that the braking system requires adjustment or repair Rear brakes not locking out (1.2.1 (c))		
Advice N/S + O/S Front brake hose ferrules corroded		



H	V5	5	U	W	
I	report	dat	e: 2	024-0	3-29

MOT #14		2017-08-22 14:36
MOT test	number	116379030217
Result		Passed
Advice Advice	Exhaust brackets badly corroded Vehicle structure has slight corrosion front chassis and front jacking points (6.1.E	3.2)

MOT #13 2017-0	8-21 10:04
MOT test number 7490	034855375
Result	🗙 Failed
Fail Nearside Windscreen wiper does not clear the windscreen effectively (8.2.2)	
Advice Vehicle structure has slight corrosion front chassis and front jacking points (6.1.B.2)	
Fail Offside Rear Suspension spring mounting prescribed area is excessively corroded (2.4.A.3)	
Fail Offside Windscreen wiper does not clear the windscreen effectively (8.2.2)	
Fail Nearside Rear Suspension spring mounting prescribed area is excessively corroded (2.4.A.3))
Advice Exhaust brackets badly corroded	

MOT #12	2016-08-24 15:45
MOT test number	632345954515
Result	✓ Passed
MOT #11	2016-08-24 15:45

MOT test number		994081527713
Result		🗙 Failed
Pass with rectification	Offside Rear Direction indicator incorrect colour (1.4.A.2f)	



MOT #10	2015-0	9-03 15:37
MOT test	number 3028	318601104
Result		✓ Passed
Advice	Rear front brake fluctuating, but not excessively (3.7.B.3)	
Advice	Brake load sensing valve stiff (3.6.E.3)	
Advice	Exhaust hangers and silencers corroded	
Advice	Front coil springs corroded	
Advice	Offside Rear Direction indicator slightly discoloured (1.4.A.2f)	
Advice	Nearside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)	
Advice	O/s outer sills and front chassis and jacking points have slight corrosion	

МОТ #9	2015-09-03 00:00
MOT test number	768964610106
Result	× Failed
Advice Offside Rear Direction indicator slightly discoloured (1.4.A.2f)	
Fail Offside Front brake disc in such a condition that it is seriously weakened (3.5.1i)	
Advice O/s outer sills and front chassis and jacking points have slight corrosion	
Advice Rear front brake fluctuating, but not excessively (3.7.B.3)	
Advice Brake load sensing valve stiff (3.6.E.3)	
Advice Nearside Front brake disc worn, pitted or scored, but not seriously weakened	(3.5.1i)
Advice Exhaust hangers and silencers corroded	
Advice Front coil springs corroded	
Fail Offside Front front brake excessively fluctuating (3.7.B.3)	

HV55UWL

report date: 2024-03-29





MOT #8	2014-09-11 14:32
MOT #8 MOT test number	637354754284
Result	
Result	✓ Passed
MOT #7	2013-09-12 09:54
MOT test number	155805553276
Result	✓ Passed
MOT #6	2012-09-11 15:36
MOT test number	365435152482
Result	✓ Passed
MOT #5	2012-09-11 13:22
MOT test number	915885152220
Result	🗙 Failed
Fail Braking system leaking (3.6.A.1)	
MOT #4	2011-09-13 09:45
MOT test number	215896751239
Result	✓ Passed
MOT #3	2010-09-13 14:58
MOT test number	823216150275
Result	✓ Passed
MOT #2	2009-09-08 15:45
MOT test number	994081659238
Result	✓ Passed





MOT #1	2008-09-15 09:34
MOT test number	123079158226
Result	✓ Passed



HV55UWL report date: 2024-03-29

Tax & MOT check

X Untaxed	√ MOT
Tax expired: 15 September 2021	Expires: 6 September 2024
Tax status	Expired at 15 September
Days left	956 days too late
MOT expiry date	6 September 2024
Full MOT history	See MOT history





Damage history

Check the damage history for this PEUGEOT. See if, where and when this PEUGEOT had damage and the car repair costs. We also check if this PEUGEOT was scrapped. Download the premium report <u>here</u> for the results.

Damage 1	
Date	
Category	4. DEM PE
Туре	
Damage 2	Annet
Date	No. Contraction of the second
Category	AMP
Туре	

Extra PEUGEOT salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.





Vehicle valuation

What is this car worth? See the vehicle value of this PEUGEOT in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	4 10.000
Auction value	4 10.000
Average private trade value	4





Owner history

For how long did the current and previous owner(s) have this PEUGEOT? How many owners did this PEUGEOT have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

	More info >
Plate changes	
See in this check if this PEUGEOT had different number plates.	
Number of plates	,
Current registration	
Plate since	
Current registration	
Plate since	





Finance check

Check if this PEUGEOT is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this PEUGEOT has been settled.

If not, and you buy this PEUGEOT then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this PEUGEOT is financed.


Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	





Mileage check

Odometer	In miles
Mileage registrations	27
First mileage registration	2005-10-07
Last registration	2023-09-06
Complete history	<u>See info</u>



Registration #1	2005-10-07	23 mi
Registration #2	2008-09-15	9.481 mi
Registration #3	2009-09-08	11.805 mi
Registration #4	2010-09-13	15.130 mi
Registration #5	2011-09-13	17.019 mi
Registration #6	2012-09-11	17.723 mi
Registration #7	2012-09-11	17.723 mi
Registration #8	2013-09-12	18.518 mi
Registration #9	2014-09-11	19.338 mi
Registration #10	2015-09-03	20.905 mi
Registration #11	2015-09-03	20.905 mi
Registration #12	2016-08-24	22.276 mi
Registration #13	2016-08-24	22.276 mi
Registration #14	2017-08-21	22.523 mi
Registration #15		11.777 esi
Registration #16		11.117 esi
Registration #17		11.117 esi
Registration #18		11.117 esi
Registration #19		11.117 esi
Registration #20		11.117 esi
Registration #21		11.777 esi
Registration #22		11.117 est
Registration #23		11.117 esi
Registration #24		11.117 est
Registration #25		11.777 esi
Registration #26		11.117 est
CarCheck.co.uk		page 16/17





Car features

50225	Air conditioning
50295	
50482	
50501	
60566	
60567	
60569	

Dimensions & weightWidth2024 mmKerb weight1600 kgMax. allowed weight2900 kgAdditional information2Number of seats2Number of axles2Engine numberDYRT4022527