



report date: 2024-03-29

General information

Make	VOLKSWAGEN
Model	TOURAN TDI SPORT 7 STR
Colour	Red
Year of manufacture	2004
Top speed	125 mph
0 - 60 mph	9.9 seconds
Gearbox	6 speed Manual

Engine & fuel consumption

Power	142 BHP
Max. torque	320 Nm at 1.750 rpm
Engine capacity	1.968 cc
Cylinders	4
Fuel type	Diesel
Consumption city	42.8 mpg
Consumption extra urban	61.4 mpg
Consumption combined	53.3 mpg
CO2 emission	162 g/km
CO2 label	G





## MOT history

MOT expiry date	2021-02-20
MOT pass rate	64 %
MOT passed	14
Failed MOT tests	8
Total advice items	76
Total items failed	25

MOT #22 2020-02-20 11:02

MOT test number 403838907969

Result ✓ Passed

Next expiry date 2021-02-20

- Advice** Rear Registration plate deteriorated but not likely to be misread (0.1 (b))
- Advice** Nearside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- Advice** Rear Shock absorbers has slight external damage to the casing both (5.3.2 (b))
- Minor** Windscreen damaged but not adversely affecting driver's view (3.2 (a) (i))
- Advice** Front Registration plate deteriorated but not likely to be misread (0.1 (b))
- Advice** Oil leak, but not excessive inter cooler pipe (8.4.1 (a) (i))
- Advice** Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))
- Advice** Nearside Front Undertray not fully secure (8.1.1 (b) (i))

**MOT #21**

2020-02-20 09:54

**MOT test number**

437848745945

**Result****✗ Failed****Minor** Windscreen damaged but not adversely affecting driver's view (3.2 (a) (i))**Pass with rectification** Offside Headlamp aim too high (4.1.2 (a))**Advice** Nearside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))**Advice** Rear Registration plate deteriorated but not likely to be misread (0.1 (b))**Advice** Rear Shock absorbers has slight external damage to the casing both (5.3.2 (b))**Pass with rectification** Nearside Headlamp aim too high (4.1.2 (a))**Fail** Offside Rear Tyre has a tear, caused by separation or partial failure of its structure (5.2.3 (d) (ii))**Advice** Front Registration plate deteriorated but not likely to be misread (0.1 (b))**Advice** Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))**Advice** Oil leak, but not excessive inter cooler pipe (8.4.1 (a) (i))**Advice** Nearside Front Undertray not fully secure (8.1.1 (b) (i))**MOT #20**

2019-02-20 11:23

**MOT test number**

547261499432

**Result****✓ Passed****Advice** Front Registration plate deteriorated but not likely to be misread (0.1 (b))**Advice** Brake disc worn, pitted or scored, but not seriously weakened front and rear (1.1.14 (a) (ii))**Advice** Rear Shock absorbers has slight external damage to the casing both (5.3.2 (b))**Minor** Offside Windscreen damaged but not adversely affecting driver's view (3.2 (a) (i))**Advice** Offside Rear Tyre worn close to legal limit/worn on edge inner edge (5.2.3 (e))**Advice** Rear Registration plate deteriorated but not likely to be misread (0.1 (b))**Advice** Nearside Rear Tyre worn close to legal limit/worn on edge inner edge (5.2.3 (e))

**MOT #19**

2019-02-20 11:23

**MOT test number**

192888728441

**Result****✗ Failed****Minor**

Offside Windscreen damaged but not adversely affecting driver's view (3.2 (a) (i))

**Pass with rectification**

Nearside Headlamp aim too low (4.1.2 (a))

**Advice**

Brake disc worn, pitted or scored, but not seriously weakened front and rear (1.1.14 (a) (ii))

**Advice**

Rear Registration plate deteriorated but not likely to be misread (0.1 (b))

**Advice**

Rear Shock absorbers has slight external damage to the casing both (5.3.2 (b))

**Advice**

Nearside Rear Tyre worn close to legal limit/worn on edge inner edge (5.2.3 (e))

**Advice**

Offside Rear Tyre worn close to legal limit/worn on edge inner edge (5.2.3 (e))

**Advice**

Front Registration plate deteriorated but not likely to be misread (0.1 (b))

**MOT #18**

2018-02-17 13:40

**MOT test number**

791123992193

**Result****✓ Passed****Advice**

Front Suspension arm rubber bush deteriorated but not resulting in excessive movement both sides wishbone (2.4.G.2)

**Advice**

Rear tyres worn slightly on inner edges

**MOT #17**

2018-02-17 13:40

**MOT test number**

733152956113

**Result****✗ Failed****Pass with rectification**

Nearside Headlamp aim too high (1.8)

**Advice**

Front Suspension arm rubber bush deteriorated but not resulting in excessive movement both sides wishbone (2.4.G.2)

**Pass with rectification**

Offside Headlamp aim too high (1.8)

**Advice**

Rear tyres worn slightly on inner edges

**MOT #16**

2017-02-09 13:48

**MOT test number**

377856570543

**Result**

✓ Passed

- Advice** Light on dash suggesting bulb failure
- Advice** Nearside Front Tyre worn close to the legal limit outer edge (4.1.E.1)
- Advice** Front Brake pad(s) wearing thin (3.5.1g)
- Advice** Undertrays fitted obscuring some testable items
- Advice** Nearside Rear Rear position lamp(s) has light sources not illuminating, but not more than 50% (1.1.A.3b)
- Advice** Offside Front Tyre worn close to the legal limit Both edges (4.1.E.1)
- Advice** Rear brake disc worn, pitted or scored, but not seriously weakened both sides (3.5.1i)

**MOT #15**

2017-02-07 11:39

**MOT test number**

250717111087

**Result**

✗ Failed

- Advice** Front Brake pad(s) wearing thin (3.5.1g)
- Advice** Light on dash suggesting bulb failure
- Advice** Rear brake disc worn, pitted or scored, but not seriously weakened both sides (3.5.1i)
- Advice** Nearside Rear Rear position lamp(s) has light sources not illuminating, but not more than 50% (1.1.A.3b)
- Fail** Nearside Front Suspension arm rubber bush deteriorated resulting in excessive movement (2.4.G.2)
- Advice** Offside Front Tyre worn close to the legal limit Both edges (4.1.E.1)
- Advice** Undertrays fitted obscuring some testable items
- Fail** Nearside Rear Tyre tread depth below requirements of 1.6mm down to second layer (4.1.E.1)
- Fail** Nearside Rear Passenger's seat insecure (6.2.A.1)
- Fail** Offside Front Suspension arm rubber bush deteriorated resulting in excessive movement (2.4.G.2)
- Advice** Nearside Front Tyre worn close to the legal limit outer edge (4.1.E.1)



MOT #14

2016-02-17 11:54

MOT test number

560510194061

Result

✓ Passed

- Advice

Offside Rear position lamp(s) has light sources not illuminating, but not more than 50% upper is dim. (1.1.A.3b)
- Advice

Nearside Rear Brake hose slightly deteriorated (3.6.B.4d)
- Advice

Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
- Advice

Nearside Rear position lamp(s) has light sources not illuminating, but not more than 50% upper is dim. (1.1.A.3b)
- Advice

Offside Rear Brake hose slightly deteriorated (3.6.B.4d)
- Advice

Nearside Rear Shock dust cover is deteriorated.
- Advice

Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)

**MOT #13**

2016-02-10 11:31

**MOT test number**

111744406758

**Result****✗ Failed**

**Advice** Nearside Rear position lamp(s) has light sources not illuminating, but not more than 50% upper is dim. (1.1.A.3b)

**Fail** Nearside Front Anti-roll bar linkage ball joint dust cover excessively deteriorated so that it no longer prevents the ingress of dirt (2.4.G.2)

**Advice** Offside Rear Tyre worn close to the legal limit 3mm. (4.1.E.1)

**Advice** Offside Rear Brake hose slightly deteriorated (3.6.B.4d)

**Advice** Offside Front Tyre is slightly worn on outer edge.

**Advice** Nearside Rear Shock dust cover is deteriorated.

**Advice** Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)

**Fail** Offside Rear coil spring broken (2.4.C.1a)

**Fail** Offside Front Anti-roll bar linkage ball joint dust cover excessively deteriorated so that it no longer prevents the ingress of dirt (2.4.G.2)

**Advice** Offside Rear position lamp(s) has light sources not illuminating, but not more than 50% upper is dim. (1.1.A.3b)

**Advice** Nearside Rear Brake hose slightly deteriorated (3.6.B.4d)

**Fail** Offside Front Brake hose has insufficient room to move, resulting in fouling on any part Insecure. (3.6.B.4a)

**Advice** Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)

**Advice** Offside Front tyre has a nail in it.

**Fail** Nearside Rear coil spring broken (2.4.C.1a)

**Fail** Nearside Rear Tyre has ply or cords exposed (4.1.D.1b)

**MOT #12**

2015-02-21 11:04

**MOT test number**

508852055077

**Result****✓ Passed**

**MOT #11** 2015-02-18 14:59**MOT test number** 168059645488**Result** ✗ Failed**Fail** Offside Front Suspension arm rubber bush deteriorated resulting in excessive movement (2.4.G.2)**Fail** Offside Front Tyre has ply or cords exposed (4.1.D.1b)**Fail** Nearside Front Suspension arm rubber bush deteriorated resulting in excessive movement (2.4.G.2)**Fail** Nearside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)**MOT #10** 2014-03-26 09:50**MOT test number** 698785084090**Result** ✓ Passed**MOT #9** 2014-03-24 15:31**MOT test number** 656333284037**Result** ✗ Failed**Fail** Offside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)**Fail** Offside Direction indicator incorrect colour (1.4.A.2f)**Fail** Nearside Direction indicator incorrect colour (1.4.A.2f)**Fail** Front Exhaust has a major leak of exhaust gases (7.1.2)**MOT #8** 2013-03-28 11:34**MOT test number** 535077283079**Result** ✓ Passed**Advice** Nearside Front constant velocity joint gaiter damaged, but preventing the ingress of dirt (2.5.C.1a)**Notice** Items removed from driver's view prior to test**Advice** Offside Front constant velocity joint gaiter damaged, but preventing the ingress of dirt (2.5.C.1a)



**MOT #7** 2012-03-21 13:53**MOT test number** 437231782090**Result** ✓ Passed

- Advice** Offside Rear Tyre worn close to the legal limit (4.1.E.1)
- Advice** Offside Front suspension has slight movement at a wishbone pin or bush (2.5.A.1c)
- Advice** Nearside Front Tyre worn close to the legal limit (4.1.E.1)
- Advice** Nearside Front Front suspension has slight movement at a wishbone pin or bush (2.5.A.1c)

**MOT #6** 2011-03-21 12:52**MOT test number** 737670381091**Result** ✓ Passed

- Advice** Nearside Front constant velocity joint gaiter deteriorated (2.5.C.1a)
- Notice** Child seat fitted not allowing full inspection of adult belt

**MOT #5** 2010-03-17 14:08**MOT test number** 883256070067**Result** ✓ Passed**MOT #4** 2009-03-06 12:07**MOT test number** 180735969020**Result** ✓ Passed

- Advice** Offside Front Tyre worn close to the legal limit (4.1.E.1)

**MOT #3** 2009-03-05 12:38**MOT test number** 120714969478**Result** ✗ Failed

- Advice** Offside Front Tyre worn close to the legal limit (4.1.E.1)
- Fail** Nearside Front Tyre has ply or cords exposed (4.1.D.1b)



MOT #2	2008-03-19 13:32
MOT test number	810169378045
Result	✓ Passed

  

MOT #1	2007-03-28 13:41
MOT test number	120727787092
Result	✓ Passed



Damage history

Check the damage history for this VOLKSWAGEN. See if, where and when this VOLKSWAGEN had damage and the car repair costs. We also check if this VOLKSWAGEN was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	



Damage 2

Date	
Category	
Type	



Extra VOLKSWAGEN salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this VOLKSWAGEN in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	£ 19,999
Auction value	£ 19,999
Average private trade value	£ 19,999

More info >



Owner history

For how long did the current and previous owner(s) have this VOLKSWAGEN? How many owners did this VOLKSWAGEN have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration

More info >

Plate changes

See in this check if this VOLKSWAGEN had different number plates.

Number of plates	1
Current registration	<b>XXXXXX</b>
Plate since	2024-03-29
Current registration	<b>XXXXXX</b>
Plate since	2024-03-29

More info >



Finance check

Check if this VOLKSWAGEN is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this VOLKSWAGEN has been settled.

If not, and you buy this VOLKSWAGEN then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this VOLKSWAGEN is financed.

Finance company	XXXXXXXX	XXXX
Date of agreement	XXXXXXXX	XXXX
Agreement type	XXXXXXXX	XXXX
Agreement term	XXXXXXXX	XXXX
Agreement number	XXXXXXXX	XXXX
Contact info	XXXXXXXX	XXXX

More info >



Mileage check

Odometer	In miles
Mileage registrations	23
First mileage registration	2004-05-05
Last registration	2020-02-20
Complete history	<a href="#">See info</a>



Registration #1	2004-05-05	6 mi
Registration #2	2007-03-28	20.749 mi
Registration #3	2008-03-19	35.211 mi
Registration #4	2009-03-05	45.445 mi
Registration #5	2009-03-06	45.456 mi
Registration #6	2010-03-17	55.967 mi
Registration #7	2011-03-21	67.222 mi
Registration #8	2012-03-21	78.882 mi
Registration #9	2013-03-28	88.954 mi
Registration #10	2014-03-24	99.962 mi
Registration #11	2014-03-26	99.997 mi
Registration #12	2015-02-18	110.303 mi
Registration #13	2015-03-20	121.337 mi
Registration #14	2015-03-20	121.337 mi
Registration #15	2015-03-20	121.337 mi
Registration #16	2015-03-20	121.337 mi
Registration #17	2015-03-20	121.337 mi
Registration #18	2015-03-20	121.337 mi
Registration #19	2015-03-20	121.337 mi
Registration #20	2015-03-20	121.337 mi
Registration #21	2015-03-20	121.337 mi
Registration #22	2015-03-20	121.337 mi
Registration #23	2015-03-20	121.337 mi

More info >



Car features

The VOLKSWAGEN factory car options list is only available in the premium report.

S0225	Air conditioning
S0295	
S0482	
S0501	
S0566	
S0567	
S0569	

View the complete VOLKSWAGEN factory list for this vehicle [here](#).

More info >

Safety ratings

NCAP rating ★★★★★

Video [see crash video](#)



Dimensions & weight

Width	1794 mm
Height	1634 mm
Length	4397 mm
Wheel base	2678 mm
Kerb weight	1579 kg
Max. allowed weight	2260 kg

Additional information

Fuel tank capacity	60 l
Fuel delivery	Direct Injection
Number of doors	5



<b>Number of seats</b>	7
<b>Number of axles</b>	2
<b>Engine number</b>	BKD 321748