



TOYOTA



report date: 2024-03-28

General information

Make	TOYOTA
Model	PREVIA VVT-I T2 8STR
Colour	Beige
Year of manufacture	2004
Top speed	115 mph
0 - 60 mph	11.0 seconds
Gearbox	5 speed Manual

Engine & fuel consumption

Power	154 BHP
Max. torque	223 Nm at 4.000 rpm
Engine capacity	2.362 cc
Cylinders	4
Fuel type	Petrol
Consumption city	23.3 mpg
Consumption extra urban	35.8 mpg
Consumption combined	30.1 mpg
CO2 emission	226 g/km
CO2 label	L






Internet history

Entry 1

Date	2021-02-05
Pictures	10
Listing price	View report



source: [autoonline.co.uk](https://www.autoonline.co.uk)



MOT history

MOT expiry date	2022-11-09
MOT pass rate	73 %
MOT passed	16
Failed MOT tests	6
Total advice items	88
Total items failed	28

MOT #22 2021-11-10 16:10

MOT test number 561918772680

Result ✓ Passed

Next expiry date 2022-11-09

- Advice** Nearside Brake pipe corroded, covered in grease or other material Front To Rear (1.1.11 (c))
- Advice** Nearside Front Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))
- Advice** Offside Front Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))
- Minor** Offside Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i))
- Advice** Nearside Front Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))

MOT #21 2021-11-09 19:46

MOT test number 303151841835

Result ✗ Failed

Minor Offside Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i))

Fail Nearside Rear Inner Suspension component mounting prescribed area excessively corroded significantly reducing structural strength Sill (5.3.6 (a) (i))

Advice Nearside Front Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))

Advice Nearside Brake pipe corroded, covered in grease or other material Front To Rear (1.1.11 (c))

Advice Nearside Front Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))

Advice Offside Front Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))

**MOT #20**

2020-09-09 07:24

MOT test number

952343776802

Result

✓ Passed

Advice Offside Front Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))

Advice Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))

Advice Nearside Front Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))

Advice Steering rack has slight free play detected at steering wheel Both steering rack bushes have slight play (2.3 (a) (i))

Advice Nearside Rear Brake pipe corroded, covered in grease or other material Front to rear (1.1.11 (c))

MOT #19

2019-09-09 11:53

MOT test number

687181791776

Result

✓ Passed

Advice Offside Rear Coil spring corroded (5.3.1 (b) (i))

Advice Nearside Rear Nail in tyre

Advice Nearside Rear Coil spring corroded (5.3.1 (b) (i))

**MOT #18**

2019-09-02 09:46

MOT test number

263097662830

Result

✗ Failed

Fail Offside Front Headlamp has a product on the lens so that the light output is severely reduced (4.1.4 (b))

Advice Nearside Rear Nail in tyre

Fail Offside Rear Registration plate lamp inoperative in the case of a single lamp or all lamps (4.7.1 (b) (ii))

Fail Offside Front Headlamp aim projected beam image is obviously incorrect (4.1.2 (c))

Fail Offside Rear Suspension arm pin or bush excessively worn trailing arm (5.3.4 (a) (i))

Advice Offside Rear Coil spring corroded (5.3.1 (b) (i))

Fail Nearside Front Headlamp has a product on the lens so that the light output is severely reduced (4.1.4 (b))

Fail Nearside Front Headlamp aim projected beam image is obviously incorrect (4.1.2 (c))

Fail Nearside Rear Suspension arm pin or bush excessively worn trailing arm (5.3.4 (a) (i))

Advice Nearside Rear Coil spring corroded (5.3.1 (b) (i))

Fail Offside Rear Service brake excessively binding (1.2.1 (f))

MOT #17

2018-08-22 15:08

MOT test number

668403088429

Result

✓ Passed

Advice Nearside Rear Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))

Advice Offside Brake pipe corroded, covered in grease or other material Front to rear section. (1.1.11 (c))

Advice Offside Front Lower Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))

Advice Offside Rear Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))

Advice Nearside Front Lower Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))

**MOT #16**

2018-08-22 11:51

MOT test number

832120307015

Result

✗ Failed

Fail Offside Brake pipe excessively corroded Front to rear section. (1.1.11 (c))**Advice** Nearside Front Lower Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))**Fail** Nearside Headlamp aim so that beam "kick up" is not visible on the screen (4.1.2 (a))**Advice** Nearside Rear Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))**Advice** High level stop lamp inop.**Fail** Offside Stop lamp(s) not working (4.3.1 (a) (ii))**Advice** Offside Brake pipe corroded, covered in grease or other material Front to rear section. (1.1.11 (c))**Advice** Offside Front Lower Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))**Advice** Offside Rear Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))**Fail** Offside Headlamp aim so that beam "kick up" is not visible on the screen (4.1.2 (a))**MOT #15**

2017-08-23 13:13

MOT test number

557674775113

Result

✓ Passed

Advice Offside Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)**Advice** High level stop lamp inop.**Advice** Nearside Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)

**MOT #14**

2017-08-22 13:26

MOT test number

535947418907

Result**✗ Failed****Advice** High level stop lamp inop.**Fail** Nearside Rear Tyre tread depth below requirements of 1.6mm Outer edge worn. (4.1.E.1)**Fail** Offside Headlamp aim beam image obviously incorrect (1.8.A.1b)**Fail** Offside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)**Fail** Offside Headlamp excessively deteriorated so that the light output is severely reduced (1.7.5a)**Fail** Offside Rear Brake pad(s) less than 1.5 mm thick (3.5.1g)**Fail** Nearside Rear Direction indicator incorrect colour (1.4.A.2f)**Advice** Nearside Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)**Fail** Nearside Headlamp aim beam image obviously incorrect (1.8.A.1b)**Fail** Offside Rear Tyre tread depth below requirements of 1.6mm Inner edge worn. (4.1.E.1)**Fail** Nearside Headlamp excessively deteriorated so that the light output is severely reduced (1.7.5a)**Advice** Nearside Front Tyre worn close to the legal limit (4.1.E.1)**Fail** Nearside Stop lamp not working (1.2.1b)**Advice** Front Brake pad(s) wearing thin (3.5.1g)**Advice** Offside Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)**MOT #13**

2016-08-23 12:47

MOT test number

689544157180

Result**✓ Passed**

**MOT #12**

2016-08-22 11:01

MOT test number

999184208741

Result

✗ Failed

- Fail** Nearside Front Headlamp not working on dipped beam (1.7.5a)
- Fail** Offside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)
- Fail** Exhaust emissions Lambda reading after 2nd fast idle outside specified limits (7.3.D.3)
- Fail** Nearside Headlamp has a product on the lens so that the light output is severely reduced and offside (1.7.5a)

MOT #11

2015-08-24 09:00

MOT test number

682293397632

Result

✓ Passed

MOT #10

2014-08-12 09:29

MOT test number

875744324257

Result

✓ Passed

- Advice** Nearside Rear coil spring corroded (2.4.C.1b)
- Notice** Nail in nearside front tyre
- Advice** Nearside Front Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)
- Notice** Offside rear tyre out of shape slightly
- Advice** Offside Brake pipe slightly corroded (3.6.B.2c)
- Advice** Offside Rear coil spring corroded (2.4.C.1b)
- Notice** Advise front wipers
- Notice** Offside front tyre perished
- Advice** Offside Front Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)
- Notice** Nail in nearside rear tyre

**MOT #9** 2013-08-16 17:03**MOT test number** 569068123282**Result** ✓ Passed

- Advice** Nearside Rear Brake pipe slightly corroded (3.6.B.2c)
- Advice** Nearside Front Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)
- Advice** Nearside Rear coil spring corroded (2.4.C.1b)
- Notice** Handbrake travel high
- Advice** Offside Brake pipe slightly corroded (3.6.B.2c)
- Advice** Offside Front Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)
- Advice** Offside Rear coil spring corroded (2.4.C.1b)

MOT #8 2013-08-12 14:05**MOT test number** 177064823248**Result** ✗ Failed

- Advice** Offside Rear coil spring corroded (2.4.C.1b)
- Advice** Offside Rear Sub-frame rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)
- Notice** Handbrake travel high
- Advice** Offside Rear Brake pipe slightly corroded (3.6.B.2c)
- Advice** Nearside Front Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)
- Advice** Nearside Rear coil spring corroded (2.4.C.1b)
- Fail** Nearside Rear Sub-frame rubber bush deteriorated resulting in excessive movement (2.4.G.2)
- Advice** Nearside Rear Brake pipe slightly corroded (3.6.B.2c)
- Advice** Offside Brake pipe slightly corroded (3.6.B.2c)
- Advice** Offside Front Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)

**MOT #7** 2012-08-10 16:10**MOT test number** 948893022272**Result** ✓ Passed

- Advice** Offside Front Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)
- Advice** Offside Rear Sub-frame rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)
- Advice** Offside Rear coil spring corroded (2.4.C.1b)
- Notice** Rear exhaust box corroded
- Advice** Nearside Front Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)
- Advice** Nearside Rear Sub-frame rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)
- Advice** Nearside Rear coil spring corroded (2.4.C.1b)

MOT #6 2011-08-12 10:42**MOT test number** 436954221200**Result** ✓ Passed**MOT #5** 2010-08-12 11:06**MOT test number** 380504420273**Result** ✓ Passed

- Notice** Slight travel at handbrake
- Notice** Nearside rear tyre perished
- Notice** Child seat fitted not allowing full inspection of adult belt
- Notice** Offside front tyre bald on inner edge and perished

**MOT #4**

2009-08-12 11:57

MOT test number

891294429277

Result

✓ Passed

Notice Slight play in o/s/f wheel bearing**Notice** Rear axle bushes starting to split**Notice** Front discs pitted & corroded**Notice** Handbrake a bit high**Notice** Spare tyre very low**Notice** High level brake light in-op**MOT #3**

2008-07-29 10:55

MOT test number

380561118489

Result

✓ Passed

MOT #2

2007-08-09 12:50

MOT test number

274271727285

Result

✓ Passed

Advice Nearside Rear Tyre worn close to the legal limit (4.1.E.1)**Advice** Offside Front Tyre worn close to the legal limit (4.1.E.1)**Advice** Offside Rear Tyre worn close to the legal limit (4.1.E.1)**Advice** Nearside Front Tyre worn close to the legal limit (4.1.E.1)**MOT #1**

2007-08-02 09:09

MOT test number

283244917208

Result

✓ Passed

Advice Front Brake pad(s) wearing thin (3.5.1g)



Tax & MOT check

X

Untaxed

Tax expired:
1 July 2022

X

MOT

Expired:
9 November 2022

Tax status	Expired at 1 July 2022
Days left	667 days too late
MOT expiry date	9 November 2022
Full MOT history	See MOT history

Tax calculation

Vehicle class	48
Band	K
Single payment (12 months)	£ 395,00,-
Single six month payment	£ 217,25,-
Total payable by 12 monthly instalments	£ 414,75,-



Damage history

Check the damage history for this TOYOTA. See if, where and when this TOYOTA had damage and the car repair costs. We also check if this TOYOTA was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	



Damage 2

Date	
Category	
Type	

Extra TOYOTA salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this TOYOTA in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	£ 19,999
Auction value	£ 19,999
Average private trade value	£ 19,999

More info >



Owner history

For how long did the current and previous owner(s) have this TOYOTA? How many owners did this TOYOTA have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration

More info >

Plate changes

See in this check if this TOYOTA had different number plates.

Number of plates	1
Current registration	
Plate since	2024-03-28
Current registration	
Plate since	2024-03-28

More info >



Finance check

Check if this TOYOTA is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this TOYOTA has been settled. If not, and you buy this TOYOTA then you could lose the money and the car you paid for. Download the premium report [here](#) and check if this TOYOTA is financed.

Finance company	XXXXXXXX	XXXX
Date of agreement	XXXXXXXX	XXXX
Agreement type	XXXXXXXX	XXXX
Agreement term	XXXXXXXX	XXXX
Agreement number	XXXXXXXX	XXXX
Contact info	XXXXXXXX	XXXX

More info >



Mileage check

Odometer	In miles
Mileage registrations	24
First mileage registration	2004-09-17
Last registration	2021-11-10
Complete history	See info



Registration #1	2004-09-17	14 mi
Registration #2	2007-08-02	17.229 mi
Registration #3	2007-08-09	17.247 mi
Registration #4	2008-07-29	24.175 mi
Registration #5	2009-08-12	28.607 mi
Registration #6	2010-08-12	34.330 mi
Registration #7	2011-08-12	46.582 mi
Registration #8	2012-08-10	56.427 mi
Registration #9	2013-08-12	64.344 mi
Registration #10	2013-08-16	64.344 mi
Registration #11	2014-08-12	83.886 mi
Registration #12	2015-08-24	93.081 mi
Registration #13	2016-08-24	93.081 mi
Registration #14	2017-08-24	93.081 mi
Registration #15	2018-08-24	93.081 mi
Registration #16	2019-08-24	93.081 mi
Registration #17	2020-08-24	93.081 mi
Registration #18	2021-08-24	93.081 mi
Registration #19	2022-08-24	93.081 mi
Registration #20	2023-08-24	93.081 mi
Registration #21	2024-08-24	93.081 mi
Registration #22	2025-08-24	93.081 mi
Registration #23	2026-08-24	93.081 mi
Registration #24	2027-08-24	93.081 mi

More info >



Car features

The TOYOTA factory car options list is only available in the premium report.

S0225	Air conditioning
S0295	
S0482	
S0501	
S0566	
S0567	
S0569	

View the complete TOYOTA factory list for this vehicle [here](#).

More info >

Safety ratings

NCAP rating	★★★★★
Video	see crash video



Dimensions & weight

Width	1790 mm
Height	1810 mm
Length	4750 mm
Wheel base	2900 mm
Kerb weight	1605 kg

Additional information

Fuel tank capacity	76 l
Fuel delivery	Multi-Point Injection
Number of doors	5
Number of axles	2
Engine number	2AZB082084