



ML59ZKS

report date: 2024-03-28

General information

Make	FORD
Model	TRANSIT 260 LR P/V
Colour	White
Year of manufacture	-
Gearbox	5 speed Manual

Engine & fuel consumption

Power	84 BHP
Max. torque	250 Nm at 1.500 rpm
Cylinders	4
Fuel type	Diesel



LABEL UNKNOWN

**MOT history**

MOT #17	2023-12-04 16:52
MOT test number	354451269915
Result	✓ Passed
Next expiry date	2024-12-06
Advice	Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))
Advice	Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))
Advice	Offside Rear Inner Integral body structure is corroded but structural rigidity is not significantly reduced sill (6.1.1 (c) (i))

MOT #16	2022-12-05 11:07
MOT test number	830401883250
Result	✓ Passed
Advice	Oil leak, but not excessive (8.4.1 (a) (i))
Advice	Offside Front Wheel bearing has slight play (5.1.3 (a) (i))
Advice	Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))
Advice	Rear Inner Suspension spring mounting prescribed area is corroded but not considered excessive sills (5.3.6 (a) (i))
Advice	Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))

**MOT #15**

2022-11-30 09:40

MOT test number

826152181998

Result**✗ Failed**

- Fail** Stop lamp(s) all not working (4.3.1 (a) (iii))
- Fail** Anti-lock braking system warning lamp indicates an ABS fault (1.6 (b))
- Advice** Rear Inner Suspension spring mounting prescribed area is corroded but not considered excessive sills (5.3.6 (a) (i))
- Fail** Electronic stability control warning lamp indicates a fault (7.12 (e))
- Advice** Oil leak, but not excessive (8.4.1 (a) (i))
- Fail** Offside Windscreen wiper does not clear the windscreen effectively (3.4 (b) (ii))
- Advice** Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))
- Fail** Front Position lamp not working o/s + n/s (4.2.1 (a) (ii))
- Fail** Nearside Front Seat belt anchorage prescribed area strength or continuity significantly reduced door pillar (7.1.1 (a) (i))
- Fail** Registration plate lamp inoperative in the case of a single lamp or all lamps (4.7.1 (b) (ii))
- Fail** Offside Rear Outer Suspension spring mounting prescribed area excessively corroded significantly reducing structural strength sill (5.3.6 (a) (i))
- Fail** Front Anti-roll bar pin or bush excessively worn D bush (5.3.4 (a) (i))
- Fail** Reversing lamp inoperative (4.6.1 (a))
- Fail** Nearside Rear Brake hose excessively twisted (1.1.12 (b) (ii))
- Fail** Offside Headlamp aim too low (4.1.2 (a))
- Advice** Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))
- Advice** Offside Front Wheel bearing has slight play (5.1.3 (a) (i))
- Fail** Rear Position lamp not working o/s + n/s (4.2.1 (a) (ii))
- Fail** Offside Front Seat belt anchorage prescribed area strength or continuity significantly reduced door pillar (7.1.1 (a) (i))



MOT #14	2021-12-03 12:57
MOT test number	282309522078
Result	✓ Passed
Advice	Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))
Advice	Front Brake pad(s) wearing thin (1.1.13 (a) (ii))

MOT #13	2021-11-30 16:18
MOT test number	741819909459
Result	✗ Failed
Fail	Fuel cap/sealing device ineffective (6.1.3 (b) (i))
Fail	Offside Rear Leaf spring fractured (5.3.1 (b) (i))
Fail	Offside Front Lower Suspension arm pin or bush excessively worn arm rear bush (5.3.4 (a) (i))
Advice	Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))
Fail	Nearside Rear Leaf spring fractured (5.3.1 (b) (i))
Fail	Nearside Front Lower Suspension arm pin or bush excessively worn arm rear bush (5.3.4 (a) (i))
Advice	Front Brake pad(s) wearing thin (1.1.13 (a) (ii))
Fail	Offside Front Lower Suspension arm ball joint excessively worn (5.3.4 (a) (i))

**MOT #12**

2020-12-07 11:10

MOT test number

423717773333

Result

✓ Passed

- Advice** Oil leak, but not excessive (8.4.1 (a) (i))
- Advice** Rear Inner sills corroded
- Minor** Nearside Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i))
- Advice** Nearside Rear Wheel bearing has slight play (5.1.3 (a) (i))
- Advice** Rear Direction indicator slightly discoloured (4.4.3 (a))
- Advice** Offside Rear crack in light cluster
- Advice** Brake pipe corroded, covered in grease or other material (1.1.11 (c))

MOT #11

2019-11-16 10:56

MOT test number

626605441420

Result

✓ Passed

- Advice** Oil leak, but not excessive (8.4.1 (a) (i))
- Advice** Nearside Rear Wheel bearing has slight play (5.1.3 (a) (i))
- Advice** Inner sills corroded
- Advice** Brake pipe corroded, covered in grease or other material (1.1.11 (c))
- Advice** Front Play in steering rack inner joint(s)
- Advice** Offside Front Lower Suspension arm ball joint has slight play (5.3.4 (a) (i))
- Advice** Offside Rear crack in cluster

**MOT #10**

2019-11-16 10:56

MOT test number

957452539272

Result**✗ Failed**

- Advice** Front Play in steering rack inner joint(s)
- Advice** Inner sills corroded
- Advice** Oil leak, but not excessive (8.4.1 (a) (i))
- Advice** Nearside Rear Wheel bearing has slight play (5.1.3 (a) (i))
- Advice** Offside Rear crack in cluster
- Advice** Brake pipe corroded, covered in grease or other material (1.1.11 (c))
- Advice** Offside Front Lower Suspension arm ball joint has slight play (5.3.4 (a) (i))
- Pass with rectification** Offside Rear Wheel bearing has excessive play (5.1.3 (a) (i))

MOT #9

2018-11-20 12:50

MOT test number

130057936301

Result**✓ Passed**

- Advice** Oil leak, but not excessive (8.4.1 (a) (i))
- Advice** Rear Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))
- Minor** Offside Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i))
- Advice** Sills corroded
- Advice** Front Suspension arm pin or bush worn but not resulting in excessive movement both (5.3.4 (a) (i))
- Minor** Offside Front Suspension arm ball joint dust cover severely deteriorated (5.3.4 (b) (i))
- Advice** Offside Rear cluster cracked

**MOT #8**

2017-11-10 11:00

MOT test number

586072493123

Result

✓ Passed

- Advice** Registration plate delaminated but not likely to be misread both (6.3.1d)
- Advice** Front Play in steering rack inner joint(s)
- Advice** Front Suspension arm rubber bush deteriorated but not resulting in excessive movement both (2.4.G.2)
- Advice** Rear brake disc worn, pitted or scored, but not seriously weakened both (3.5.1i)
- Advice** Oil leak
- Advice** Offside Front Lower Suspension arm ball joint dust cover deteriorated, but preventing the ingress of dirt (2.4.G.2)
- Advice** Offside Rear cluster cracked
- Advice** Nearside Front Nail in tyre

MOT #7

2017-11-10 11:00

MOT test number

138296205583

Result

✗ Failed

- Advice** Rear brake disc worn, pitted or scored, but not seriously weakened both (3.5.1i)
- Advice** Oil leak
- Advice** Offside Rear cluster cracked
- Advice** Offside Front Lower Suspension arm ball joint dust cover deteriorated, but preventing the ingress of dirt (2.4.G.2)
- Advice** Nearside Front Nail in tyre
- Pass with rectification** Front Front position lamp(s) not working (1.1.A.3b)
- Advice** Registration plate delaminated but not likely to be misread both (6.3.1d)
- Advice** Front Play in steering rack inner joint(s)
- Advice** Front Suspension arm rubber bush deteriorated but not resulting in excessive movement both (2.4.G.2)

**MOT #6** 2016-10-27 13:47**MOT test number** 204983065746**Result** ✓ Passed

- Advice** Rear Brake pad(s) wearing thin both (3.5.1g)
- Advice** Oil leak
- Advice** Registration plate delaminated but not likely to be misread both (6.3.1d)
- Advice** Crack in OSR cluster
- Advice** Offside Front Ball joint dust cover damaged, but preventing the ingress of dirt (2.2.C.1c)

MOT #5 2016-10-27 13:47**MOT test number** 830330020270**Result** ✗ Failed

- Advice** Offside Front Ball joint dust cover damaged, but preventing the ingress of dirt (2.2.C.1c)
- Advice** Crack in OSR cluster
- Advice** Rear Brake pad(s) wearing thin both (3.5.1g)
- Advice** Oil leak
- Advice** Registration plate delaminated but not likely to be misread both (6.3.1d)
- Pass with rectification** Nearside Stop lamp not working (1.2.1b)

MOT #4 2015-11-12 17:47**MOT test number** 159833514979**Result** ✓ Passed

- Advice** Front Suspension arm rubber bush deteriorated but not resulting in excessive movement both sides (2.4.G.2)

MOT #3 2014-11-05 15:42**MOT test number** 127569004349**Result** ✓ Passed



MOT #2	2013-11-05 15:19
MOT test number	985279103336
Result	✓ Passed
Advice	Front Brake pad(s) wearing thin (3.5.1g)
Advice	Nearside Front Tyre worn close to the legal limit (4.1.E.1)
Advice	Rear Brake pad(s) wearing thin (3.5.1g)

MOT #1	2012-10-29 12:35
MOT test number	456793102476
Result	✓ Passed
Notice	Both rear tyres slightly mishaped



Damage history

Check the damage history for this FORD. See if, where and when this FORD had damage and the car repair costs. We also check if this FORD was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	

Damage 2

Date	
Category	
Type	



Extra FORD salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this FORD in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	£ 19,999
Auction value	£ 19,999
Average private trade value	£ 19,999

More info >



Owner history

For how long did the current and previous owner(s) have this FORD? How many owners did this FORD have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

Owner	Start date
Owner	Start date
Owner	Start date
Owner	Start date
Owner	Start date
Owner	Start date
Owner	Start date

More info >

Plate changes

See in this check if this FORD had different number plates.

Number of plates	1
Current registration	ML59ZKS
Plate since	2019-03-28
Current registration	ML59ZKS
Plate since	2019-03-28

More info >



Finance check

Check if this FORD is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this FORD has been settled.

If not, and you buy this FORD then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this FORD is financed.

Finance company	XXXXXXXX	XXXX
Date of agreement	XXXXXXXX	XXXX
Agreement type	XXXXXXXX	XXXX
Agreement term	XXXXXXXX	XXXX
Agreement number	XXXXXXXX	XXXX
Contact info	XXXXXXXX	XXXX

More info >



Mileage check

Odometer	In miles
Mileage registrations	18
First mileage registration	2009-11-30
Last registration	2023-12-04
Complete history	See info



Registration #1	2009-11-30	27 mi
Registration #2	2012-10-29	91.935 mi
Registration #3	2013-11-05	135.717 mi
Registration #4	2014-11-05	161.679 mi
Registration #5	2015-11-12	173.604 mi
Registration #6	2016-10-27	184.520 mi
Registration #7	2016-10-27	184.520 mi
Registration #8	2017-11-10	193.478 mi
Registration #9	2017-11-10	193.478 mi
Registration #10	2018-11-10	202.436 mi
Registration #11	2018-11-10	202.436 mi
Registration #12	2018-11-10	202.436 mi
Registration #13	2018-11-10	202.436 mi
Registration #14	2018-11-10	202.436 mi
Registration #15	2018-11-10	202.436 mi
Registration #16	2018-11-10	202.436 mi
Registration #17	2018-11-10	202.436 mi
Registration #18	2018-11-10	202.436 mi

More info >



Car features

The FORD factory car options list is only available in the premium report.

S0225	Air conditioning
S0295	
S0482	
S0501	
S0566	
S0567	
S0569	

View the complete FORD factory list for this vehicle [here](#).

More info >

Dimensions & weight

Width	2360 mm
Height	1989 mm
Length	4863 mm
Kerb weight	1699 kg
Max. allowed weight	2600 kg

Additional information

Fuel tank capacity	80 l
Fuel delivery	Direct Injection
Number of doors	3
Number of seats	3
Engine number	9R16420