





General information

Make	LAND ROVER
Model	DEFENDER TD5 COUNTY DOUBLE CAB
Colour	Green
Year of manufacture	2001
Top speed	132 mph
Gearbox	5 speed Manual

Engine & fuel consumption

Power	136 BHP	0 < 101 A	
Max. torque	315 Nm at 1.950 rpm	101 - 120 B	
Engine capacity	2.495 сс	121 - 140 P	
Cylinders	5	141 - 165 F G	
Fuel type	Diesel	166 - 185	
Consumption city	20.8 mpg	186 - 225	Ļ
Consumption extra urban	29.1 mpg	225+	L
Consumption combined	25.5 mpg		





Internet history

Entry 2			
Date	2021-07-14		
Pictures	22		
Listing price	View report		



source: autotrader.co.uk

Entry 1			
Date	2021-05-25		
Pictures	22		
Listing price	View report		



source: autotrader.co.uk









MOT history

MOT expiry date	2024-11-19
MOT pass rate	70 %
MOT passed	16
Failed MOT tests	7
Total advice items	59
Total items failed	21

MOT #23	2023-11-20 13:44
MOT test number	746966323338
Result	✓ Passed
Next expiry date	2024-11-19
Advice Steering system slightly rough (2.1.1 (a))	
Advice Nearside Front Upper Front passenger door hinge deteriorated but the door can still be readily opened and closed (6.2.3 (c) (i))	
Advice Parking brake lever defective but can be satisfactorily operated long trav	vel - parking brake is

weak (1.1.6 (d))

МОТ #22	2023-11-09 11:03
MOT test number	183932899884
Result	🗙 Failed
Fail Electronic stability control warning lamp indicates a fault (7.12 (e))	
Advice Steering system slightly rough (2.1.1 (a))	
Fail Offside Rear Vehicle structure excessively corroded within 30cm of towbar mount and chassis leg (6.1.6 (i) (i))	ing crossmember
Fail Anti-lock braking system warning lamp indicates an ABS fault (1.6 (b))	
Advice Parking brake lever defective but can be satisfactorily operated long travel - p weak (1.1.6 (d))	arking brake is
FailNearside Rear Vehicle structure excessively corroded within 30cm of towbar mout(6.1.6 (i) (i))	nting crossmember
Advice Nearside Front Upper Front passenger door hinge deteriorated but the door ca opened and closed (6.2.3 (c) (i))	IN still be readily





MOT #21	2022-09-22 14:26
MOT test number	580162550783
Result	✓ Passed
Advice Nearside Rear Vehicle structure is corroded but structural rigidity is not signific outrigger (6.1.1 (c) (i))	cantly reduced
Advice Rear Prop shaft joint worn, but not excessively front joint (6.1.7 (c) (i))	
Advice Offside Rear Vehicle structure is corroded but structural rigidity is not signification outrigger (6.1.1 (c) (i))	antly reduced
MOT #20	2022-09-22 09:47
MOT test number	191707137875
Result	🗙 Failed
Advice Rear Prop shaft joint worn, but not excessively front joint (6.1.7 (c) (i))	
Advice Offside Rear Vehicle structure is corroded but structural rigidity is not significate outrigger (6.1.1 (c) (i))	antly reduced

Advice Nearside Rear Vehicle structure is corroded but structural rigidity is not significantly reduced outrigger (6.1.1 (c) (i))

Fail Stop lamp(s) all not working (4.3.1 (a) (iii))





MOT #19 2022-08-24 13	8:27
MOT test number 735229880	637
Result × Fa	iled
Fail Nearside Front Wheel bearing has excessive play (5.1.3 (a) (i))	
Advice Nearside Rear Vehicle structure is corroded but structural rigidity is not significantly reduced outrigger to body mounting (6.1.1 (c) (i))	
FailParking brake efficiency below requirements (1.4.2 (a) (i))	
Advice Rear Prop shaft joint worn, but not excessively front joint (6.1.7 (c) (i))	
Fail Rear fog lamp tell-tale not working (4.9.1 (a) (ii))	
Advice Oil leak, but not excessive gearbox / transfer box (8.4.1 (a) (i))	
Advice Steering system slightly rough (2.1.1 (a))	
Advice Offside Front Wheel bearing has slight play (5.1.3 (a) (i))	
Advice Offside Rear Vehicle structure is corroded but structural rigidity is not significantly reduced outrigger to body mounting (6.1.1 (c) (i))	
Fail Rear fog lamp not working (4.5.1 (a) (ii))	
Advice Oil leak, but not excessive engine (8.4.1 (a) (i))	
Fail Steering box leaking to the extent that oil is dripping (2.1.1 (e) (ii))	





OT #18 2021-08-24 14:23	MOT #18
OT test number 651885276451	MOT test
esult V Passed	Result
Advice Nearside Front Upper Front passenger door hinge deteriorated but the door can still be readily pened and closed (6.2.3 (c) (i))	Advice opened a
Advice Nearside Front Lower Suspension arm pin or bush worn but not resulting in excessive movement ront bushes (5.3.4 (a) (i))	Advice front bush
Advice Offside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))	Advice
Advice Nearside Rear Lower Shock absorbers has a slightly worn bush (5.3.2 (c))	Advice
	Advice (i))
Advice Oil leak, but not excessive (8.4.1 (a) (i))	Advice
Advice Nearside Rear Tyre worn close to legal limit/worn on edge 3mm (5.2.3 (e))	Advice
Advice Offside Front Wheel bearing has slight play (5.1.3 (a) (i))	Advice
Advice Nearside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))	Advice
Minor Steering box leaking oil (2.1.1 (e) (i))	Minor
Advice Offside Front Lower Suspension arm pin or bush worn but not resulting in excessive movement ront bushes (5.3.4 (a) (i))	Advice front bush
Advice Offside Rear Lower Shock absorbers has a slightly worn bush (5.3.2 (c))	Advice
Advice Central Vehicle structure is corroded but structural rigidity is not significantly reduced body nounting rail (6.1.1 (c) (i))	Advice mounting
Advice Nearside Front Wheel bearing has slight play (5.1.3 (a) (i))	Advice
Advice Offside Rear Tyre worn close to legal limit/worn on edge 2mm (5.2.3 (e))	Advice





MOT #17	2021-08-24 1	14:23
MOT test I	931166920	6278
Result	×F	ailed
Pass wit	n rectification Offside Headlamp aim too high and too far to the right. (4.1.2 (a))	
Advice	Nearside Rear Lower Shock absorbers has a slightly worn bush (5.3.2 (c))	
Advice	Nearside Rear Tyre worn close to legal limit/worn on edge 3mm (5.2.3 (e))	
Advice (i))	Rear Vehicle structure slightly corroded within 30cm of towbar mounting cross member (6.1.6	(i)
Advice	Nearside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))	
Advice	Oil leak, but not excessive (8.4.1 (a) (i))	
Advice	Offside Front Wheel bearing has slight play (5.1.3 (a) (i))	
Minor	Steering box leaking oil (2.1.1 (e) (i))	
Pass wit	rectification Offside Windscreen wiper does not clear the windscreen effectively (3.4 (b) (i	ii))
Advice front bushe	Offside Front Lower Suspension arm pin or bush worn but not resulting in excessive movement es (5.3.4 (a) (i))	t
Pass wit	n rectification Nearside Headlamp aim too low (4.1.2 (a))	
Advice	Offside Rear Lower Shock absorbers has a slightly worn bush (5.3.2 (c))	
Advice	Offside Rear Tyre worn close to legal limit/worn on edge 2mm (5.2.3 (e))	
Advice mounting r	Central Vehicle structure is corroded but structural rigidity is not significantly reduced body ail (6.1.1 (c) (i))	
Advice	Offside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))	
Advice	Nearside Front Wheel bearing has slight play (5.1.3 (a) (i))	
Advice opened an	Nearside Front Upper Front passenger door hinge deteriorated but the door can still be readily d closed (6.2.3 (c) (i))	
Pass wit (ii))	n rectification Nearside Windscreen wiper does not clear the windscreen effectively (3.4 (b)	
Advice front bushe	Nearside Front Lower Suspension arm pin or bush worn but not resulting in excessive moveme es (5.3.4 (a) (i))	nt





МОТ #16	2020-08-25 10:01
MOT test number	375132817665
Result	✓ Passed
Advice Tyre worn close to legal limit/worn on edge both rear worn on inner edges (5.	2.3 (e))
MOT #15	2020-08-17 14:48
MOT test number	174132629043
Result	× Failed
Advice Tyre worn close to legal limit/worn on edge both rear worn on inner edges (5.	2.3 (e))
Fail Registration plate lamp inoperative in the case of a single lamp or all lamps (4.7.	1 (b) (ii))
Fail Nearside Stop lamp(s) showing white light to the rear (4.3.3 (a) (ii))	
Fail Nearside Rear Position lamp showing white light to the rear (4.2.3 (a) (ii))	

MOT #14		2018-04-12 09:38
MOT test	number	968541108831
Result		✓ Passed
Advice	Offside Rear Tyre worn close to the legal limit on inner edge (4.1.E.1)	
Advice	Nearside Rear Tyre worn close to the legal limit on inner edge (4.1.E.1)	

MOT #13	2016-03-21 11:24
MOT test number	585347582070
Result	✓ Passed

MOT #12		2016-03-21 11:24
MOT test number		189776098487
Result		🗙 Failed
Pass with rectification	Driver's seat insecure Bolts loose (6.2.A.1)	





MOT #11		2015-01-29 13:04
MOT test number		549649325056
Result		✓ Passed
MOT #10		2015-01-29 13:04
MOT test number		539759825016
Result		🗙 Failed
Pass with rectification	Nearside Stop lamp not working (1.2.1b)	
Pass with rectification	Offside Rear fog lamp not working (1.3.2b)	
Pass with rectification	Offside Front Stop lamp not working (1.2.1b)	

МОТ #9	2014-01-28 11:45
MOT test number	195558424018
Result	✓ Passed

MOT #8	2013-01-29 15:23
MOT test number	868539223066
Result	✓ Passed
Advice Nearside Front Direction indicator slightly discoloured (1.4.A.2f)	
Notice Engine covers fitted obscuring some components in the engine bay	
Advice Offside Front Direction indicator slightly discoloured (1.4.A.2f)	

MOT #7	2012-01-19 10:35
MOT test number	498749612042
Result	✓ Passed





MOT #6		2011-01-05 16:33
MOT test	number	196685101070
Result		✓ Passed
Advice	Nearside Rear Shock absorber has a slightly worn bush (2.7.4)	
Advice	Front registration plate deteriorated but not likely to be misread (6.3.1d)	
Advice	Offside Rear Shock absorber has a slightly worn bush (2.7.4)	

MOT #5	2010-01-18 16:05
MOT test number	412578110081
Result	✓ Passed

MOT #4	2009-01-12 15:39
MOT test number	223832519052
Result	✓ Passed

MOT #3	2008-01-09 11:30
MOT test number	681529508000
Result	✓ Passed
MOT #2	2007-01-19 16:05
MOT test number	284789717016

Result	✓ Passed
MOT #1	2006-01-18 10:22

MOT test number	623388816025
Result	✓ Passed



X607PER report date: 2024-03-28

Tax & MOT check

√ Taxed	✓ MOT
Tax due: 1 July 2024	Expires: 19 November 2024
Tax status	Valid until 1 July
Days left	64
MOT expiry date	19 November 2024
Full MOT history	See MOT history





Damage history

Check the damage history for this LAND ROVER. See if, where and when this LAND ROVER had damage and the car repair costs. We also check if this LAND ROVER was scrapped. Download the premium report <u>here</u> for the results.

Damage 1	
Date	FET I
Category	Lamp
Туре	
Damage 2	AMPLE
Date	
Category	AMPL
Туре	

Extra LAND ROVER salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.

More info >





Vehicle valuation

What is this car worth? See the vehicle value of this LAND ROVER in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	4 10.000
Auction value	4 10.000
Average private trade value	4 10.200

More info \rightarrow





Owner history

For how long did the current and previous owner(s) have this LAND ROVER? How many owners did this LAND ROVER have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

and the second	

	More info >
Plate changes	
See in this check if this LAND ROVER had different number plate	S.

Number of plates	
Current registration	
Plate since	
Current registration	
Plate since	
	More info >





Finance check

Check if this LAND ROVER is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this LAND ROVER has been settled.

If not, and you buy this LAND ROVER then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this LAND ROVER is financed.

Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	


More info \rightarrow



X607PER report date: 2024-03-28

Mileage check

Odometer	In miles
Mileage registrations	25
First mileage registration	2001-01-25
Last registration	2023-11-20
Complete history	<u>See info</u>



Registration #1	2001-01-25	23 mi
Registration #2	2006-01-18	40.112 mi
Registration #3	2007-01-19	47.397 mi
Registration #4	2008-01-09	56.863 mi
Registration #5	2009-01-12	67.430 mi
Registration #6	2010-01-18	79.766 mi
Registration #7	2011-01-05	87.806 mi
Registration #8	2012-01-19	96.426 mi
Registration #9	2013-01-29	105.238 mi
Registration #10	2014-01-28	112.222 mi
Registration #11	2015-01-29	122.860 mi
Registration #12	2016-03-21	125.876 mi
Registration #13	2016-03-21	125.876 mi
Registration #14		11.117 esi
Registration #15		11.777 esi
Registration #16		11.117 esi
Registration #17		11.777 esi
Registration #18		11.117 esi
Registration #19		11.777 est
Registration #20		11.117 esi
Registration #21		11.777 esi
Registration #22		11.117 est
Registration #23		11.777 esi
Registration #24		11.117 est
Registration #25		11.777 esi
5		





Dimensions & weight

Width	1790 mm
Height	2181 mm
Length	4625 mm
Kerb weight	2000 kg
Max. allowed weight	3050 kg
Additional information	

Fuel tank capacity75 IFuel deliveryDirect InjectionNumber of doors4Number of axles2Engine number10P03810B