






report date: 2024-03-29

General information

Make	BMW
Model	Z3 520I SE TOURING
Colour	Silver
Year of manufacture	1999
Top speed	132 mph
0 - 60 mph	10.2 seconds
Gearbox	5 speed Manual

Engine & fuel consumption

Power	148 BHP
Max. torque	190 Nm at 4.200 rpm
Engine capacity	1.991 cc
Cylinders	6
Fuel type	Petrol
Consumption city	20.6 mpg
Consumption extra urban	38.2 mpg
Consumption combined	29.1 mpg



CarCheck.co.uk page 1/20



report date: 2024-03-29

Internet history

Entry 1

Date 2021-10-08

Pictures 7

Listing price <u>View report</u>









source: autotrader.co.uk

CarCheck.co.uk page 2/20



MOT history

MOT expiry date	2024-07-18
MOT pass rate	66 %
MOT passed	19
Failed MOT tests	10
Total advice items	96
Total items failed	31

MOT #29	2023-07-19 12:26	
MOT test number	644704660788	
Result	✓ Passed	
Next expiry date	2024-07-18	
Advice Nearside Rear Coil spring corroded (5.3.1 (b) (i))		
Advice Offside Rear Shock absorbers has light misting of	of oil (5.3.2 (b))	
Advice Nearside Rear Outer Integral body structure is corroded but structural rigidity is not significantly reduced sill , slightly corroded. (6.1.1 (c) (i))		
Advice Offside Front Lower Suspension arm pin or bush worn but not resulting in excessive movement bottem arm, rear bush. (5.3.4 (a) (i))		
Advice Offside Rear Coil spring corroded (5.3.1 (b) (i))		
Advice Front Registration plate deteriorated but not like	ely to be misread (0.1 (b))	

CarCheck.co.uk page 3/20



report date: 2024-03-29

MOT #28 2023-07-18 10:14

MOT test number 358898539701

Result X Failed

Advice Nearside Rear Outer Integral body structure is corroded but structural rigidity is not significantly reduced sill, slightly corroded. (6.1.1 (c) (i))

Fail Offside Front Headlamp aim projected beam image is obviously incorrect (4.1.2 (c))

Advice Front Brakes imbalanced requirements only just met. It would appear that the braking system requires adjustment or repair. (1.2.1 (b) (i))

Fail Supplementary restraint system warning lamp indicates a fault (7.1.6 (a))

Advice Offside Rear Coil spring corroded (5.3.1 (b) (i))

Advice Nearside Front Lower Suspension arm pin or bush worn but not resulting in excessive movement bottem arm rear bush. (5.3.4 (a) (i))

Advice Front Registration plate deteriorated but not likely to be misread (0.1 (b))

Fail Nearside Front Headlamp aim projected beam image is obviously incorrect (4.1.2 (c))

Fail Offside Front Service brake excessively binding (1.2.1 (f))

Advice Nearside Rear Coil spring corroded (5.3.1 (b) (i))

Fail Nearside Front Lower Suspension arm ball joint excessively worn (5.3.4 (a) (i))

Advice Offside Rear Shock absorbers has light misting of oil (5.3.2 (b))

Advice Offside Front Lower Suspension arm pin or bush worn but not resulting in excessive movement bottem arm, rear bush. (5.3.4 (a) (i))

MOT test number 427182465957

Result \(\sqrt{Passed} \)

Advice Nearside Rear Sub-frame pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))

Advice Nearside Front Play in steering rack inner joint(s)

Advice Front Registration plate deteriorated but not likely to be misread (0.1 (b))

Advice Offside Rear Sub-frame pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))

CarCheck.co.uk page 4/20



report date: 2024-03-29

MOT #26 2022-06-21 11:54 369477089810 **MOT** test number Result × Failed **Advice** Nearside Front Play in steering rack inner joint(s) **Advice** Offside Rear Sub-frame pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i)) **Fail** Offside Front Headlamp aim projected beam image is obviously incorrect (4.1.2 (c)) Advice Nearside Rear Sub-frame pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i)) Nearside Front Headlamp aim projected beam image is obviously incorrect (4.1.2 (c)) Fail Advice Front Registration plate deteriorated but not likely to be misread (0.1 (b))

 MOT #25
 2021-07-16 11:21

 MOT test number
 657049972445

 Result
 ✓ Passed

MOT #24 2019-04-15 08:32 **MOT** test number 445352173749 Result ✓ Passed **Advice** Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c)) Advice Oil leak, but not excessive rear diff (8.4.1 (a) (i)) Advice O/s/f tyre cracking **Advice** Nearside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c)) **Advice** Brake pipe corroded, covered in grease or other material both main feeds (1.1.11 (c)) Advice N/s/r tyre cracking Advice Exhaust corroded but not blowing

CarCheck.co.uk page 5/20



report date: 2024-03-29

MOT #23 2019-04-12 14:16 870644806742 **MOT** test number Result × Failed **Advice** N/s/r tyre cracking Fail Nearside Front Tyre has a bulge, caused by separation or partial failure of its structure (5.2.3 (d) (ii)) **Advice** Exhaust corroded but not blowing Advice Nearside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c)) Advice Brake pipe corroded, covered in grease or other material both main feeds (1.1.11 (c)) Advice O/s/f tyre cracking Fail Offside Rear Tyre has a tear, caused by separation or partial failure of its structure (5.2.3 (d) (ii)) **Advice** Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c)) **Advice** Oil leak, but not excessive rear diff (8.4.1 (a) (i))

MOT #22

MOT test number

Result

Advice Brake hose slightly deteriorated both front (3.6.B.4d)

Advice Brake pipe slightly corroded both rear (3.6.B.2c)

MOT #21	2017	-05-10 15:54
MOT test	number 30	4652321763
Result		✓ Passed
Advice	Nearside Rear Outer Brake pipe slightly corroded (3.6.B.2c)	
Advice	Offside Rear Outer Brake pipe slightly corroded (3.6.B.2c)	
Advice	Central Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8	.3.1d)

CarCheck.co.uk page 6/20



report date: 2024-03-29

MOT #20 2017-05-05 09:18

MOT test number 832954537583

Result X Failed

Fail Supplementary Restraint System warning lamp indicates a fault (5.4.2)

Advice Offside Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)

Advice Nearside Rear Outer Brake pipe slightly corroded (3.6.B.2c)

Fail Offside Front Lower Suspension arm ball joint dust cover excessively deteriorated so that it no longer prevents the ingress of dirt (2.4.G.2)

Advice Central Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3.1d)

Advice Offside Rear Outer Brake pipe slightly corroded (3.6.B.2c)

MOT #19 2016-07-30 09:05

MOT test number 944328078269

Result \(\sqrt{Passed} \)

Advice Nearside Outer Track rod end ball joint has slight play (2.2.B.1f)

Advice Offside Lower Front suspension ball joint dust cover deteriorated, but preventing the ingress of dirt (2.4.G.2)

MOT #18 2015-09-05 14:16

MOT test number 435512487937

Result ✓ Passed

Advice Offside Front Lower Suspension arm ball joint dust cover deteriorated, but preventing the ingress of dirt (2.4.G.2)

Advice Engine covers fitted

CarCheck.co.uk page 7/20



report date: 2024-03-29

MOT #17 2014-09-19 16:53 975662964242 **MOT** test number Result ✓ Passed **Advice** Offside Rear Brake pipe slightly corroded (3.6.B.2c) Notice Engine covers fitted obscuring some components in the engine bay Advice Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i) Advice Offside Front Brake hose slightly deteriorated (3.6.B.4d) Notice Drivers seat adjustment switch top missing. still working Advice Nearside Rear Brake pipe slightly corroded (3.6.B.2c) Rear Brake pad(s) wearing thin (3.5.1g) Advice Notice Oil leak Advice Nearside Front Brake pipe slightly corroded (3.6.B.2c) Advice Offside Front Suspension arm ball joint dust cover deteriorated, but preventing the ingress of dirt (2.4.G.2)

MOT #16 2014-05-28 16:16

MOT test number 407318744112

CarCheck.co.uk page 8/20



report date: 2024-03-29

MOT #15 2013-08-30 16:47 **MOT** test number 717682543214 Result × Failed **Advice** Offside Inner Rear Brake pad(s) wearing thin (3.5.1g) Advice Offside Rear Brake pipe slightly corroded (3.6.B.2c) Pass with rectification Nearside Windscreen washer provides insufficient washer liquid (8.2.3) Advice Offside Front Shock absorber has slight corrosion to the casing (2.7.2a) **Advice** Nearside Rear Brake pipe slightly corroded (3.6.B.2c) Pass with rectification Offside Windscreen washer provides insufficient washer liquid (8.2.3)

MOT #14

MOT test number

386572643255

Result

Advice Offside Inner Rear Brake pad(s) wearing thin (3.5.1g)

Advice Offside Rear Brake pipe slightly corroded (3.6.B.2c)

Advice Offside Front Shock absorber has slight corrosion to the casing (2.7.2a)

Advice Nearside Rear Brake pipe slightly corroded (3.6.B.2c)

MOT #13	2012-08-22 12:27
MOT test number	665595832229
Result	✓ Passed
Advice Brake pipe slightly corroded (3.6.B.2c)	

CarCheck.co.uk page 9/20



MOT #12 2011-08-23 13:48

MOT test number 618425731250

Result ✓ Passed

Advice Brake hose slightly deteriorated (3.6.B.4d)

Notice Rear tyres perished

Advice Tyre worn close to the legal limit (4.1.E.1)

MOT #11 2011-08-23 10:13

MOT test number 989675931272

Result X Failed

Fail Offside Front Lower Suspension arm rubber bush deteriorated resulting in excessive movement (2.4.G.2)

Advice Tyre worn close to the legal limit (4.1.E.1)

Notice Rear tyres perished

Pass with rectification Windscreen washer provides insufficient washer liquid (8.2.3)

Advice Brake hose slightly deteriorated (3.6.B.4d)

MOT #10 2010-08-10 14:14

MOT test number 623702320290

Advice Rear Brake pad(s) wearing thin (3.5.1g)


Advice Windscreen has damage to an area less than a 10mm circle within zone 'A' (8.3.1a)

Notice Rear tyres perished

CarCheck.co.uk page 10/20



report date: 2024-03-29



MOT #8		2009-07-30 13:55
MOT test	number	532311819290
Result		✓ Passed
Notice	Rear tyres perished	
Advice Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3.1d)		
Advice	Rear brake disc slightly pitted (3.5.1h)	

CarCheck.co.uk page 11/20



report date: 2024-03-29

Failed

MOT #7 2009-07-28 13:57

MOT test number 853669609282

Result X Failed

Advice Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3.1d)

Pass with rectification Nearside Rear position lamp(s) excessively damaged so that it is not visible from a reasonable distance (1.1.A.3d)

Fail Offside Front Lower Suspension arm rubber bush deteriorated resulting in excessive movement (2.4.G.2)

Fail Front passenger door cannot be opened from outside the vehicle (6.2.B.1b)

Advice Rear brake disc slightly pitted (3.5.1h)

Notice Rear tyres perished

Result

Fail Nearside Front Lower Suspension arm rubber bush deteriorated resulting in excessive movement (2.4.G.2)

Fail Offside Front Lower Suspension arm has excessive play in a ball joint (2.4.G.2)

MOT #6 2008-08-21 10:53

MOT test number 261504338259

Result

Passed

Advice Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3.1d)

Advice Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)

MOT #5 2008-08-19 12:22

MOT test number 193052438290

Fail Nearside Front Shock absorber has a serious fluid leak (2.7.3)

Advice Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3.1d)

Fail Nearside Front Lower Suspension arm has excessive play in a ball joint (2.4.G.2)

Advice Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)

CarCheck.co.uk page 12/20



report date: 2024-03-29

MOT test number

Result

Advice Front Brake pad(s) wearing thin (3.5.1g)

Advice Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3.1d)

Advice Nearside Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)

 MOT #3
 2006-08-22 16:17

 MOT test number
 871314236254

 Result
 ✓ Passed

MOT #2 2006-08-21 16:46 **MOT** test number 350863036286 Result × Failed Fail Offside Windscreen wiper blade deteriorated (8.2.2) **Advice** Nearside Front Shock absorber has a light misting of oil (2.7.3) Fail Nearside Windscreen washer provides insufficient washer liquid (8.2.3) Fail Nearside Windscreen wiper blade deteriorated (8.2.2) Nearside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1) Fail Fail Brakes imbalanced across an axle (3.7.B.5b) Fail Offside Rear position lamp(s) excessively deteriorated so that it is not visible from a reasonable distance (1.1.A.3d) Fail Offside Windscreen washer provides insufficient washer liquid (8.2.3)

CarCheck.co.uk page 13/20



report date: 2024-03-29

MOT test number

Result


Advice Offside Front Tyre worn close to the legal limit (4.1.E.1)

Advice Nearside Front Shock absorber has a light misting of oil (2.7.3)

CarCheck.co.uk page 14/20



Tax & MOT check



MOT expiry date 18 July 2024

Full MOT history See MOT history

CarCheck.co.uk page 15/20



report date: 2024-03-29

Damage history

Check the damage history for this BMW. See if, where and when this BMW had damage and the car repair costs. We also check if this BMW was scrapped. Download the premium report <u>here</u> for the results.

Damage 1
Date
Category
Type
Damage 2
Date
Category
Type



Extra BMW salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.

More info >

CarCheck.co.uk page 16/20



report date: 2024-03-29

Owner history	
For how long did the current and previous owner(s) have this BMW? How many owners d Check it in the premium report and see all owner registrations. Download the full report	

	More info >
Plate changes	
See in this check if this BMW had different number plates.	
Number of plates	
Current registration	NK SIE
Plate since	
Current registration	NK NY
Plate since	
	More info >

CarCheck.co.uk page 17/20



report date: 2024-03-29

Finance check

Check if this BMW is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this BMW has been settled.

If not, and you buy this BMW then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this BMW is financed.

Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	


More info >

CarCheck.co.uk page 18/20



Mileage check

Odometer	In miles
Mileage registrations	30
First mileage registration	1999-09-02
Last registration	2023-07-19
Complete history	See info



Registration #1	1999-09-02	28 mi
Registration #2	2006-02-21	48.543 mi
Registration #3	2006-08-21	49.512 mi
Registration #4	2006-08-22	49.512 mi
Registration #5	2007-08-15	54.414 mi
Registration #6	2008-08-19	57.961 mi
Registration #7	2008-08-21	57.963 mi
Registration #8	2009-07-28	60.185 mi
Registration #9	2009-07-30	60.185 mi
Registration #10	2010-08-05	62.734 mi
Registration #11	2010-08-10	62.738 mi
Registration #12	2011-08-23	66.046 mi
Registration #13	2011-08-23	66.046 mi
Registration #14	2012-08-22	67.851 mi
Registration #15	2013-08-30	69.312 mi
Registration #16		11.777 es
Registration #17		11.777 mi
Registration #18		11.777 es
Registration #19		11.177 mi
Registration #20		11.777 es
Registration #21		0.0746
Registration #22		11,777 es
Registration #23		11,777 mi
Registration #24		11,777 es
Registration #25		11,777 ms
Registration #26		71,777 es
CarCheck.co.uk		page 19/20

Registration #27	0.00 40
Registration #28	71.777 66
Registration #29	11.777 es
Registration #30	11.777 au

More info >



Car features

S0225	Air conditionin
50295	
50482	
50501	
60566	
60567	
50569	

Safety ratings

NCAP rating	****
Video	see crash video



Dimensions & weight

Width	1800 mm
Height	1435 mm
Length	4805 mm
Wheel base	2830 mm
Kerb weight	1470 kg

Additional information

Fuel tank capacity	70
Fuel delivery	Multi-Point Injection
Number of doors	5
Number of axles	2
Engine number CarCheck.co.uk	32881994 page 20/20