





General information

| Make | VOLKSWAGEN |
|---------------------|----------------|
| Model | FOX URBAN FOX |
| Colour | Silver |
| Year of manufacture | - |
| Top speed | 92 mph |
| 0 - 60 mph | 17.5 seconds |
| Gearbox | 5 speed Manual |

Engine & fuel consumption

| Power | 55 BHP |
|-------------------------|---------------------|
| Max. torque | 108 Nm at 3.000 rpm |
| Cylinders | 3 |
| Fuel type | Petrol |
| Consumption city | 36.2 mpg |
| Consumption extra urban | 55.4 mpg |
| Consumption combined | 46.3 mpg |





Internet history

Entry 1

Date Pictures 2021-09-30

14

Listing price

View report



source: autotrader.co.uk



MOT history

| MOT #18 | 2022-11-09 15:02 |
|---|------------------|
| MOT test number | 483056279017 |
| Result | ✓ Passed |
| Next expiry date | 2023-11-08 |
| Advice Offside Front Inner Track rod end ball joint has slight play tie arm (2.1.3 (b) (i)) | |

| MOT #17 | 2021-11-06 15:18 |
|-----------------|------------------|
| MOT test number | 233863099249 |
| Result | ✓ Passed |

| MOT #16 | 2021-02-27 1 | 0:41 |
|----------|--|------|
| MOT test | number 243197684 | 4266 |
| Result | V Pa | ssed |
| Advice | Front Brake pad(s) wearing thin (1.1.13 (a) (ii)) | |
| Advice | Offside Rear Wheel bearing slightly noisy (5.1.3 (b) (i)) | |
| Advice | Offside Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii)) | |
| Advice | Offside Rear Lower Shock absorbers has slight external damage to the casing rusty (5.3.2 (b)) | |
| Advice | Nearside Front Brake pad(s) wearing thin slight bind (1.1.13 (a) (ii)) | |
| Advice | Nearside Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii)) | |





| MOT #15 | | 2020-03-04 10:03 |
|---------------------|--|-------------------------|
| MOT test | number | 940800013580 |
| Result | | ✓ Passed |
| Advice | Nearside Front Brake disc worn, but not excessively (1.1.14 (a) (i)) | |
| Advice | Under tray fitted. | |
| Advice | Nearside Rear Shock absorbers has slight external damage to the casing Cov | ver broken. (5.3.2 (b)) |
| Advice | Offside Front Brake pad(s) wearing thin (1.1.13 (a) (ii)) | |
| Advice | Nearside Front Macpherson strut corroded but not seriously weakened (5.3.3 | 3 (b) (i)) |
| Advice | Offside Front Brake disc worn, but not excessively (1.1.14 (a) (i)) | |
| Advice (a) (ii)) | Nearside Front Brake pad(s) wearing thin Slight bind when rotated. pads low | er than o/s. (1.1.13 |
| Advice corroded. | Offside Rear Shock absorbers has slight external damage to the casing Cove (5.3.2 (b)) | r broken and casing |
| Advice | Offside Front Macpherson strut corroded but not seriously weakened (5.3.3 (| b) (i)) |





| MOT #14 | 2020-03-03 09:41 |
|--|-----------------------|
| MOT test number | 278061960777 |
| Result | 🗙 Failed |
| Advice Nearside Front Brake pad(s) wearing thin Slight bind when rotated. pads lower (a) (ii)) | than o/s. (1.1.13 |
| Advice Nearside Front Brake disc worn, but not excessively (1.1.14 (a) (i)) | |
| Fail Central Rear Brake pipe at imminent risk of failure or fracture (1.1.11 (a)) | |
| Advice Nearside Rear Shock absorbers has slight external damage to the casing Cove | r broken. (5.3.2 (b)) |
| Advice Nearside Front Macpherson strut corroded but not seriously weakened (5.3.3 (| b) (i)) |
| Fail Brake performance not tested (1.2.1 (g)) | |
| Advice Under tray fitted. | |
| Advice Offside Front Brake pad(s) wearing thin (1.1.13 (a) (ii)) | |
| Advice Offside Front Brake disc worn, but not excessively (1.1.14 (a) (i)) | |
| Advice Offside Rear Shock absorbers has slight external damage to the casing Cover b corroded. (5.3.2 (b)) | proken and casing |
| Advice Offside Front Macpherson strut corroded but not seriously weakened (5.3.3 (b) | (i)) |

| MOT #13 | | 2019-02-12 09:40 |
|----------|--|------------------|
| MOT test | number | 980265396662 |
| Result | | ✓ Passed |
| Advice | Nearside Rear shock absorber dust cover deteriorated | |
| Advice | Offside Rear shock absorber dust cover deteriorated | |

| MOT #12 | 2018-02-16 17:19 |
|--|------------------|
| MOT test number | 440386943265 |
| Result | ✓ Passed |
| Advice Exhaust has a minor leak of exhaust gases Flexi (7.1.2) | |






| MOT #11 | 2018-02-16 12:42 | | |
|--|---|--|--|
| MOT test number | 972219367507 | | |
| Result | × Failed | | |
| Pass with rectification | Nearside Front Headlamp not working on dipped beam (1.7.5a) | | |
| Fail Nearside Front Lower Anti-roll bar linkage ball joint dust cover excessively damaged so that it no longer prevents the ingress of dirt (2.4.G.2) | | | |
| Fail Nearside Front Lower Suspension arm rubber bush deteriorated resulting in excessive movement (2.4.G.2) | | | |
| Fail Offside Rear fog lamp not working (1.3.2b) | | | |
| Fail Offside Front Upper Anti-roll bar linkage ball joint dust cover excessively damaged so that it no longer prevents the ingress of dirt (2.4.G.2) | | | |
| Advice Exhaust has a minor leak of exhaust gases Flexi (7.1.2) | | | |
| | | | |
| MOT #10 | 2017-02-21 13:20 | | |
| MOT test number | 546561995569 | | |
| Result | ✓ Passed | | |
| Advice Offside Front Tie bar/rod ball joint dust cover deteriorated, but preventing the ingress of dirt droplink top rubber (2.4.G.2) | | | |
| Advice Offside Front Su | spension arm corroded but not seriously weakened (2.4.G.1) | | |

Advice Front front parking (secondary) brake imbalance requirements only just met. It would appear that the braking system requires adjustment or repair. (3.7.B.6b)

Advice Nearside Front Suspension arm corroded but not seriously weakened (2.4.G.1)

| MOT #9 | 2017-02-21 13:20 |
|-----------------|------------------|
| MOT test number | 834759974758 |
| Result | 🗙 Failed |





| MOT #8 | | 2016-03-25 12:59 |
|----------|--|------------------|
| MOT test | number | 381235290892 |
| Result | | ✓ Passed |
| Advice | Offside Front coil spring corroded (2.4.C.1b) | |
| Advice | Rear Tyre worn close to the legal limit both (4.1.E.1) | |

| MOT #7 | 2015-03-30 10:48 |
|-----------------|------------------|
| MOT test number | 515229285089 |
| Result | ✓ Passed |

| MOT #6 | 2015-03-30 10:40 |
|--|------------------|
| MOT test number | 815889785030 |
| Result | 🗙 Failed |
| Fail Offside Front Tyre has ply or cords exposed (4.1.D.1b) | |
| Notice Off side front wiper blade starting to split | |
| Advice Nearside Front Tyre worn close to the legal limit (4.1.E.1) | |

| MOT #5 | 2014-04-10 09:35 |
|-----------------|------------------|
| MOT test number | 276460804146 |
| Result | ✓ Passed |

| MOT #4 | 2014-04-08 15:12 |
|---|-------------------------|
| MOT test number | 605578594052 |
| Result | 🗙 Failed |
| Fail Offside Front Suspension arm rubber bush deteriorated resulting in exces | sive movement (2.4.G.2) |

NV09MKC

report date: 2024-03-28





865242602166

✓ Passed

| MOT #3 | | 2013-04-02 10:21 |
|-------------------------|--|-----------------------|
| MOT test | number | 146682293405 |
| Result | | ✓ Passed |
| Advice (2.4.G.2) | Offside Front Suspension arm rubber bush deteriorated but not resulting in | n excessive movement |
| Advice (2.4.G.2) | Nearside Front Suspension arm rubber bush deteriorated but not resulting | in excessive movement |
| MOT #2 | | 2012 04 11 22 20 |
| MOT #2 | | 2012-04-11 22:26 |

MOT test number

Result

| MOT #1 | 2012-04-02 23:21 |
|--|------------------|
| MOT test number | 885153792095 |
| Result | 🗙 Failed |
| Fail Offside Front Headlamp aim too low and too far to the left. (1.8) | |
| FailRear Parking brake lever has no reserve travel (3.1.6b) | |
| Advice Rear Service brake: service brake efficiency only just met. It would appear that system requires adjustment or repair. (3.7.B.7) | at the braking |
| Fail Offside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1) | |
| Advice Rear Parking brake: parking brake efficiency only just met. It would appear th system requires adjustment or repair. (3.7.B.7) | at the braking |





Damage history

Check the damage history for this VOLKSWAGEN. See if, where and when this VOLKSWAGEN had damage and the car repair costs. We also check if this VOLKSWAGEN was scrapped. Download the premium report <u>here</u> for the results.

| Damage 1 | |
|----------|-------|
| Date | FERRE |
| Category | Lamp |
| Туре | |
| Damage 2 | AMPLE |
| Date | |
| Date | OLE |
| Category | AM |
| Туре | |

Extra VOLKSWAGEN salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.

More info \rightarrow





Vehicle valuation

What is this car worth? See the vehicle value of this VOLKSWAGEN in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

| Trade retail value | 4 10.700 |
|-----------------------------|----------|
| Auction value | 4 10.000 |
| Average private trade value | 4 10 700 |

More info \rightarrow





Owner history

For how long did the current and previous owner(s) have this VOLKSWAGEN? How many owners did this VOLKSWAGEN have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

| And a second sec | |
|--|-------------|
| ********** | |
| ********* | |
| | |
| And a second sec | |
| *********** | |
| REFERENCES FOR THE FOR | |
| | |
| | More info > |
| Plate changes | |
| See in this check if this VOLKSWAGEN had different number plates. | |
| Number of plates | , |
| Carrent registration | |
| Plate since | |
| Current registration | |
| Plate since | |
| | |





Finance check

Check if this VOLKSWAGEN is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this VOLKSWAGEN has been settled.

If not, and you buy this VOLKSWAGEN then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this VOLKSWAGEN is financed.

| Finance company | |
|-------------------|--|
| Date of agreement | |
| Agreement type | |
| Agreement term | |
| Agreement number | |
| Contact info | |

More info \rightarrow





Mileage check

| Odometer | In miles |
|----------------------------|------------|
| Mileage registrations | 20 |
| First mileage registration | 2009-08-07 |
| Last registration | 2022-11-09 |
| Complete history | See info |



| Registration #1 | 2009-08-07 | 29 mi |
|--|------------|-----------|
| Registration #2 | 2012-04-02 | 25.982 mi |
| Registration #3 | 2012-04-11 | 25.982 mi |
| Registration #4 | 2013-04-02 | 29.526 mi |
| Registration #5 | 2014-04-08 | 37.658 mi |
| Registration #6 | 2014-04-10 | 37.658 mi |
| Registration #7 | 2015-03-30 | 45.315 mi |
| Registration #8 | 2015-03-30 | 45.315 mi |
| Registration #9 | 2016-03-25 | 51.228 mi |
| | | |
| Registration #10 | 2017-02-21 | 53.552 mi |
| Registration #10 Registration #11 | 2017-02-21 | 53.552 mi |
| - | | 53.552 mi |
| Registration #11 | | 53.552 mi |
| Registration #11 Registration #12 | | 53.552 mi |
| Registration #11 Registration #12 Registration #13 | | 53.552 mi |
| Registration #11 Registration #12 Registration #13 Registration #14 | | 53.552 mi |
| Registration #11 Registration #12 Registration #13 Registration #14 Registration #15 | | 53.552 mi |
| Registration #11 Registration #12 Registration #13 Registration #14 Registration #15 Registration #16 | | 53.552 mi |
| Registration #11 Registration #12 Registration #13 Registration #14 Registration #15 Registration #16 Registration #17 | | 53.552 mi |







Car features

| S0225 | Air conditioning |
|-------|------------------|
| S0295 | |
| S0482 | |
| S0501 | |
| S0566 | |
| S0567 | |
| S0569 | |

Safety ratings

NCAP rating

Video

see crash video



Dimensions & weight Width 1660 mm Height 1544 mm Length 3828 mm Wheel base 2465 mm Kerb weight 1069 kg Max. allowed weight 1480 kg Additional information **Fuel tank capacity** 50 I **Fuel delivery Multi-Point Injection** 3 Number of doors

| Number of seats | 4 |
|-----------------|------------|
| Number of axles | 2 |
| Engine number | CHF 004629 |