

Ford



General information

Make	FORD
Model	FUSION FUSION 2
Colour	Grey
Year of manufacture	-
Top speed	101 mph
0 - 60 mph	13.7 seconds
Gearbox	5 speed Manual

Engine & fuel consumption

Power	79 BHP
Max. torque	124 Nm at 3.500 rpm
Cylinders	4
Fuel type	Petrol
Consumption city	32.1 mpg
Consumption extra urban	52.3 mpg
Consumption combined	42.2 mpg



Internet history

Entry 1

Date

Pictures

2021-07-29

2

Listing price

View report





source: autotrader.co.uk



MOT history

MOT #22		2022-07-14 13:12
MOT test	number	854018231350
Result		✓ Passed
Next expi	ry date	2023-07-28
Advice	Oil leak, but not excessive From engine (8.4.1 (a) (i))	
Advice	Front Brake disc worn, pitted or scored, but not seriously weakened Both (1.2	1.14 (a) (ii))
Advice	Steering rack has play in front both joints	
Advice	Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Advice	Front Headlamp has a product on the lens but not seriously reducing light ou	Itput Both (4.1.4 (b))
Advice	Nearside Rear Child Seat fitted not allowing full inspection of adult belt	
Advice	Brake pipe corroded, covered in grease or other material Front to rear (1.1.1	1 (c))
Advice	Offside Front Coil spring corroded (5.3.1 (b) (i))	
Advice	Front Brake pad(s) wearing thin Both (1.1.13 (a) (ii))	
Advice	Rear Registration plate deteriorated but not likely to be misread (0.1 (b))	

MOT #21	2021-07-	29 16:31
MOT test i	number 42674	2736784
Result	,	Passed
Advice	Front Brake disc worn, pitted or scored, but not seriously weakened Both side (1.1.14 (a) (i	i))
Advice	Rear Brake pipe corroded, covered in grease or other material Both side (1.1.11 (c))	
Advice	Front Axle deformed but serviceable (5.1.1 (a))	



MOT #20	2021-07-29 10:10
MOT test number	118953600775
Result	🗙 Failed
Advice Nearside Rear Coil spring corroded (5.3.1 (b) (i))	
Advice Rear Suspension components are crowded	
Minor Offside Front Headlamp lens slightly defective (4.1.1 (b) (i))	
Fail Exhaust Lambda reading after 2nd fast idle outside specified limits (8.2.1.2 (c))	
Advice Offside Rear Coil spring corroded (5.3.1 (b) (i))	
Minor Nearside Front Headlamp lens slightly defective (4.1.1 (b) (i))	
Advice Front Suspension components are crowded	

MOT #19	2021-07-29 08:52
MOT test number	347025119842
Result	🗙 Failed
Advice Offside Rear Coil spring corroded (5.3.1 (b) (i))	
Advice Rear Suspension components are crowded	
Minor Nearside Front Headlamp lens slightly defective (4.1.1 (b) (i))	
Advice Nearside Rear Coil spring corroded (5.3.1 (b) (i))	
Advice Front Suspension components are crowded	
Minor Offside Front Headlamp lens slightly defective (4.1.1 (b) (i))	
Fail Exhaust Lambda reading after 2nd fast idle outside specified limits (8.2.1.2 (c))	

BL54RAU

report date: 2024-03-29



BL54RAU report date: 2024-03-29

MOT #18		2020-07-02 09:09
MOT test	number	486324948640
Result		✓ Passed
Advice	Front Brake pad(s) wearing thin (1.1.13 (a) (ii))	
Advice	Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))	
Advice	Offside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c)))
Advice	Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))	
Advice	Brake pipe corroded, covered in grease or other material X2 Front to rear (1.1.11	(c))
Advice	Nearside Front Brake pipe corroded, covered in grease or other material (1.1.11 (2))
Advice	Power steering pipe/hose slightly damaged Corroded (2.1.5 (g) (i))	
Advice	Rear Registration plate deteriorated but not likely to be misread $(0.1 (b))$	





MOT #17 2	020-07-01 14:47
MOT test number	770774637640
Result	🗙 Failed
Fail Nearside Windscreen wiper does not clear the windscreen effectively (3.4 (b) (ii))	
Advice Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))	
FailNearside Stop lamp(s) not working (4.3.1 (a) (ii))	
Advice Offside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))	
FailOffside Front Position lamp not working (4.2.1 (a) (ii))	
Advice Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))	
Advice Front Brake pad(s) wearing thin (1.1.13 (a) (ii))	
Fail Offside Headlamp aim projected beam image is obviously incorrect Lens deteriorated	(4.1.2 (c))
Advice Brake pipe corroded, covered in grease or other material X2 Front to rear (1.1.11 (c))
Advice Nearside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c)))
Advice Rear Registration plate deteriorated but not likely to be misread (0.1 (b))	
Advice Power steering pipe/hose slightly damaged Corroded (2.1.5 (g) (i))	
Fail Nearside Headlamp aim projected beam image is obviously incorrect Lens deteriorated	d (4.1.2 (c))

MOT #16	2019-03-29 16:27
MOT test	number 999966150154
Result	✓ Passed
Advice	Nearside Brake pipe corroded, covered in grease or other material front to rear (1.1.11 (c))
Advice	Oil leak, but not excessive (8.4.1 (a) (i))
Advice	Offside Brake pipe corroded, covered in grease or other material front to rear (1.1.11 (c))





MOT #15	2019-03-29 10:41
MOT test number	913197635220
Result	🗙 Failed
Fail Nearside Rear Parking brake inoperative on one side (1.4.1 (a))	
Advice Oil leak, but not excessive (8.4.1 (a) (i))	
Advice Offside Brake pipe corroded, covered in grease or other material front to real	r (1.1.11 (c))
Fail Engine MIL inoperative or indicates a malfunction (8.2.1.2 (h))	
Fail Nearside Rear Service brake excessively binding (1.2.1 (f))	
Advice Nearside Brake pipe corroded, covered in grease or other material front to re	ear (1.1.11 (c))
Fail Parking brake efficiency below requirements (1.4.2 (a) (i))	

MOT #14		2018-03-27 12:09
MOT test	number	771528880512
Result		✓ Passed
Advice	Nearside Rear Trailing arm has slight play in a pin/bush axle bush (2.4.G.2)	
Advice	Nearside Rear Brake pipe slightly corroded (3.6.B.2c)	
Advice	Offside Rear Trailing arm has slight play in a pin/bush axle bush (2.4.G.2)	
Advice	Offside Rear Brake pipe slightly corroded (3.6.B.2c)	



MOT #13	2018-03-27 09:22
MOT test number	842706979510
Result	🗙 Failed
Advice Nearside Rear tyre perished	
Advice Nearside Rear Brake pipe slightly corroded (3.6.B.2c)	
Fail Offside Rear Tyre has ply or cords exposed (4.1.D.1b)	
Advice Offside Rear Trailing arm has slight play in a pin/bush axle bush (2.4.G.2)	
Advice Nearside Front tyre perished	
Advice Offside Rear Brake pipe slightly corroded (3.6.B.2c)	
Advice Nearside Rear Trailing arm has slight play in a pin/bush axle bush (2.4.G.2)	

MOT #12		2017-03-31 10:22
MOT test	number	750847757321
Result		✓ Passed
Advice	Offside Headlamp deteriorated but light output not reduced (1.7.5a)	
Advice	Nearside Headlamp deteriorated but light output not reduced (1.7.5a)	
Advice	Brake pipe slightly corroded Front to Rear (3.6.B.2c)	

MOT #11		2016-04-01 12:48
MOT test	number	771182529147
Result		✓ Passed
Advice	Offside Headlamp deteriorated but light output not reduced (1.7.5a)	
Advice	Nearside Rear Axle has slight play in pin/bush	
Advice	Nearside Rear Nail in tyre	
Advice	Nearside Headlamp deteriorated but light output not reduced (1.7.5a)	
Advice	Offside Rear Axle has slight play in pin/bush	



CAR CHECK	BL54RAU report date: 2024-03-29
MOT #10	2015-03-27 09:18
MOT test number	775826685075
Result	✓ Passed
Notice Exhaust heat shield insecure	
MOT #9	2014-03-27 13:37
MOT test number	689016184054
Result	✓ Passed

MOT #8	2013-0	3-27 12:38
MOT test	number 6591	L06483091
Result		✓ Passed
Advice	Nearside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)	
Advice	Offside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)	

MOT #7	2012-03-30 12:06
MOT test number	676320292038
Result	✓ Passed
NOT #C	

MOT #6	2011-03-04 14:44
MOT test number	668183161079
Result	✓ Passed

MOT #5	2011-03-04 11:44
MOT test number	415483161081
Result	🗙 Failed
Fail Nearside Front coil spring fractured (2.4.C.1a)	





MOT #4		2010-03-29 16:17
MOT test	number	834108480080
Result		✓ Passed
Advice	Offside Rear Tyre worn close to the legal limit (4.1.E.1)	
Advice	Nearside Rear Tyre worn close to the legal limit (4.1.E.1)	

МОТ #3	2010-03-29 13:11
MOT test number	474298780063
Result	🗙 Failed
Advice Offside Rear Tyre worn close to the legal limit (4.1.E.1)	
Advice Nearside Rear Tyre worn close to the legal limit (4.1.E.1)	
Fail Offside Front coil spring fractured (2.4.C.1a)	

MOT #2	2009-03-30 10:40
MOT test number	441069189024
Result	✓ Passed

MOT #1	2008-01-21 17:24
MOT test number	650421728018
Result	✓ Passed





Damage history

Check the damage history for this FORD. See if, where and when this FORD had damage and the car repair costs. We also check if this FORD was scrapped. Download the premium report <u>here</u> for the results.

Damage 1	
Date	 FERRE
Category	Lamp
Туре	
Damage 2	AMPLE
Damaye 2	C C C C
Date	
Category	 AMP
Туре	

Extra FORD salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.

More info \rightarrow





Vehicle valuation

What is this car worth? See the vehicle value of this FORD in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	4 10.000
Auction value	4 10.000
Average private trade value	4 10.200

More info \rightarrow





Owner history

For how long did the current and previous owner(s) have this FORD? How many owners did this FORD have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

And a second sec	

	More info >
Plate changes	
See in this check if this FORD had different number plates.	
Number of plates	,
Current registration	
Plate since	
Current registration	
Plate since	
	More info >





Finance check

Check if this FORD is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this FORD has been settled.

If not, and you buy this FORD then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this FORD is financed.

Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	

More info \rightarrow





Mileage check

Odometer	In miles
Mileage registrations	24
First mileage registration	2005-01-17
Last registration	2022-07-14
Complete history	See info



Registration #1	2005-01-17	10 mi
Registration #2	2008-01-21	47.121 mi
Registration #3	2009-03-30	52.775 mi
Registration #4	2010-03-29	55.704 mi
Registration #5	2010-03-29	55.704 mi
Registration #6	2011-03-04	58.719 mi
Registration #7	2011-03-04	58.719 mi
Registration #8	2012-03-30	61.831 mi
Registration #9	2013-03-27	64.009 mi
Registration #10	2014-03-27	66.654 mi
Registration #11	2015-03-27	68.437 mi
Registration #12	2016-04-01	70.183 mi
Registration #12	2010-04-01	70.105 111
Registration #12	2010-04-01	70.105 mi
Registration #13		
Registration #13 Registration #14		
Registration #13 Registration #14 Registration #15		
Registration #13 Registration #14 Registration #15 Registration #16		
Registration #13 Registration #14 Registration #15 Registration #16 Registration #17		
Registration #13 Registration #14 Registration #15 Registration #16 Registration #17 Registration #18		
Registration #13 Registration #14 Registration #15 Registration #16 Registration #17 Registration #18 Registration #19		
Registration #13 Registration #14 Registration #15 Registration #16 Registration #17 Registration #18 Registration #19 Registration #20		
Registration #13 Registration #14 Registration #15 Registration #16 Registration #17 Registration #18 Registration #19 Registration #20 Registration #21		
Registration #13 Registration #14 Registration #15 Registration #16 Registration #17 Registration #18 Registration #19 Registration #20 Registration #21 Registration #22		







Car features

S0225	Air conditioning
S0295	
S0482	
\$0501	
S0566	
S0567	
S0569	

Safety ratings

NCAP rating

Video

see crash video



Dimensions & weight	
Width	1952 mm
Height	1534 mm
Length	4020 mm
Wheel base	2485 mm
Kerb weight	1082 kg
Max. allowed weight	1605 kg
Additional information	
Fuel tank capacity	45 I
Fuel delivery	Multi-Point Injection
Number of doors	5
Number of seats CarCheck.co.uk	5 page 16/16