

Ford



## General information

Make	FORD
Model	MONDEO TITANIUM TDCI
Colour	Black
Year of manufacture	-
Top speed	129 mph
0 - 60 mph	9.8 seconds
Gearbox	6 speed Manual

# Engine & fuel consumption

Power	130 BHP
Max. torque	329 Nm at 1.800 rpm
Cylinders	4
Fuel type	Diesel
Consumption city	36.7 mpg
Consumption extra urban	60.1 mpg
Consumption combined	48.7 mpg



## MOT history

MOT #22		2020-02-26 13:39
MOT test	number	365570228798
Result		✓ Passed
Next expi	ry date	2021-03-15
Advice	Offside Front Suspension arm corroded but not seriously weakened (5.3.3 (b) (i))	
Advice	Nearside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Advice	Front Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))	
Advice	Nearside Front Suspension arm corroded but not seriously weakened (5.3.3 (b) (i	))
Advice	Front Brake disc worn, but not excessively (1.1.14 (a) (i))	
Advice	Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Advice	Offside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Advice	Oil leak, but not excessive (8.4.1 (a) (i))	
Advice	Rear Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))	





MOT #21	2020-02-25 12:34
MOT test number	446513827220
Result	<b>×</b> Failed
Advice Nearside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Advice Nearside Front Suspension arm corroded but not seriously weakened (5.3.3 (b) (i)	)
<b>Fail</b> Nearside Rear Wheel bearing play so excessive it is likely to break up (5.1.3 (a) (ii))	
Fail   Nearside Front Brake pipe excessively corroded (1.1.11 (c))	
Advice Front Brake disc worn, but not excessively (1.1.14 (a) (i))	
Advice Oil leak, but not excessive (8.4.1 (a) (i))	
Advice Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Advice Rear Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))	
Advice Offside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Advice Offside Front Suspension arm corroded but not seriously weakened (5.3.3 (b) (i))	
Fail   Offside Front Brake pipe excessively corroded (1.1.11 (c))	
<b>Fail</b> Nearside Front Outer Drive shaft joint constant velocity boot split or insecure, no long ingress of dirt (6.1.7 (g) (ii))	ger prevents the
Advice Front Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))	

MOT #20		2019-02-26 12:00
MOT test	number	560707714478
Result		✓ Passed
Advice	Nearside Rear Service brake binding but not excessively (1.2.1 (f))	
Advice	Oil leak, but not excessive (8.4.1 (a) (i))	
Advice	Offside Rear tyre starting to wear on the inner edge	





MOT #19	2019-02-25 14:10
MOT test number	556090819678
Result	🗙 Failed
<b>Fail</b> Exhaust emissions exceed manufacturer's specified limit (8.2.2.2 (a))	
Advice Offside Rear tyre starting to wear on the inner edge	
Fail Nearside Front Anti-roll bar linkage ball joint excessively worn (5.3.4 (a) (i))	
Advice Nearside Rear Service brake binding but not excessively (1.2.1 (f))	
Advice Oil leak, but not excessive (8.4.1 (a) (i))	

MOT #18		2018-03-06 17:08
MOT test	number	278635978416
Result		✓ Passed
Advice	Nearside Front Brake pipe slightly corroded (3.6.B.2c)	
Advice	Nearside Front Tyre worn close to the legal limit ON LEGAL LIMIT OF 1.6mm (4	.1.E.1)
Advice	Power steering fluid level low, but not below minimum (2.3.1)	
Advice	Offside Front Brake pipe slightly corroded (3.6.B.2c)	
Advice onto body	Rear Sub-frame rubber bush deteriorated but not resulting in excessive mover (2.4.G.2)	ment all 4 bushes





MOT #17 2018-03-06 12:31
<b>MOT test number</b> 398530754439
Result X Failed
Advice Rear Sub-frame rubber bush deteriorated but not resulting in excessive movement all 4 bushes onto body (2.4.G.2)
Advice Offside Rear position lamp(s) has light sources not illuminating, but not more than 50% (1.1.A.3b)
Fail   Offside Headlamp not working on dipped beam (1.7.5a)
Fail   Offside Rear brake caliper leaking (3.6.A.1)
Fail   Nearside Headlamp aim not tested (1.8.A.1c)
Advice Offside Front Brake pipe slightly corroded (3.6.B.2c)
Advice Nearside Front Tyre worn close to the legal limit ON LEGAL LIMIT OF 1.6mm (4.1.E.1)
Advice Nearside Rear position lamp(s) has light sources not illuminating, but not more than 50% (1.1.A.3b)
Fail   Nearside Headlamp not working on dipped beam (1.7.5a)
Advice Power steering fluid level low, but not below minimum (2.3.1)
Fail   Nearside Stop lamp not working (1.2.1b)
Advice Nearside Front Brake pipe slightly corroded (3.6.B.2c)
Fail   Offside Headlamp aim not tested (1.8.A.1c)
Fail   Offside Track rod end ball joint has excessive play (2.2.B.1f)





MOT #16	2017-03-14 11:58
MOT test number	106508798240
Result	✓ Passed
Advice Rear Sub-frame rubber bush deteriorated but not resulting in excessive mo onto body (2.4.G.2)	vement all 4 bushes
Advice Offside rear tyre worn on inner edge	
Advice Offside Front Brake pipe slightly corroded (3.6.B.2c)	
Advice Nearside rear tyre worn on inner edge	
Advice Nearside Front Brake pipe slightly corroded (3.6.B.2c)	

MOT #15	2017-03-13 10:05
MOT test number	261400450435
Result	🗙 Failed
Advice Offside rear tyre worn on inner edge	
<b>Fail</b> Nearside Brake pipe excessively corroded front to rear to flexible hose (3.6.B.2c)	
Advice Nearside Front Brake pipe slightly corroded (3.6.B.2c)	
<b>Advice</b> Rear Sub-frame rubber bush deteriorated but not resulting in excessive movem onto body (2.4.G.2)	nent all 4 bushes
Advice Nearside rear tyre worn on inner edge	
<b>Advice</b> Nearside Rear position lamp(s) has light sources not illuminating, but not more segments inoperative (1.1.A.3b)	than 50% 1 of 3
<b>Fail</b> Offside Brake pipe excessively corroded front to rear to flexible hose (3.6.B.2c)	
Advice Offside Front Brake pipe slightly corroded (3.6.B.2c)	





MOT #14	2016-03-01 16:43
MOT test	number 350687961474
Result	✓ Passed
Advice onto body	Rear Sub-frame rubber bush deteriorated but not resulting in excessive movement all 4 bushes (2.4.G.2)
Advice	Trailer electrical socket damaged, but the lead can still be securely connected (1.9.3b)
Advice segments	Nearside Rear position lamp(s) has light sources not illuminating, but not more than 50% 1 of 3 inoperative (1.1.A.3b)
<b>Advice</b> (2.5.C.1a)	Offside Outer Front constant velocity joint gaiter deteriorated, but preventing the ingress of dirt
Advice	Offside Brake pipe slightly corroded front to rear to flexible hose (3.6.B.2c)
Advice	Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3.1d)
Advice	Power steering pump has slight seepage from a seal (2.3.3b)
Advice	Nearside Brake pipe slightly corroded front to rear to flexible hose (3.6.B.2c)





MOT #13		2016-03-01 12:22
MOT test num	ıber	694728008930
Result		🗙 Failed
Advice Po	wer steering pump has slight seepage from a seal (2.3.3b)	
Advice Ne	earside Front Inner Brake pad(s) wearing thin (3.5.1g)	
Advice Wi	ndscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3	3.1d)
<b>Advice</b> Re	ar brake disc worn, pitted or scored, but not seriously weakened both discs -in	iner faces (3.5.1i)
	earside Rear position lamp(s) has light sources not illuminating, but not more the perative (1.1.A.3b)	han 50% 1 of 3
Advice Of	fside Brake pipe slightly corroded front to rear to flexible hose (3.6.B.2c)	
Advice Of	fside rear brake fluctuating, but not excessively (3.7.B.3)	
Fail Exhau	ist has a major leak of exhaust gases front pipe / front flexible joint (7.1.2)	
<b>Advice</b> Of (2.5.C.1a)	fside Outer Front constant velocity joint gaiter deteriorated, but preventing the	e ingress of dirt
Advice Tra	ailer electrical socket damaged, but the lead can still be securely connected (1	9.3b)
Advice Of	fside Front Inner Brake pad(s) wearing thin (3.5.1g)	
Fail Offsid	e Front position lamp(s) not working (1.1.A.3b)	
Advice Ne	earside Brake pipe slightly corroded front to rear to flexible hose (3.6.B.2c)	
Fail Nears	ide rear brake excessively fluctuating (3.7.B.3)	
Advice Re onto body (2.4	ar Sub-frame rubber bush deteriorated but not resulting in excessive moveme I.G.2)	ent all 4 bushes

MOT #12	20	)15-03-16 15:18
MOT test	number	715575975007
Result		✓ Passed
Advice	Trailer electrical socket damaged, but the lead can still be securely connected (1.9.	3b)
Advice	Offside Rear Brake pipe slightly corroded (3.6.B.2c)	
Advice	Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3.1c	1)



YD07XJE
report date: 2024-03-29

MOT #11	2015-03-16 10:26
MOT test number	137345375419
Result	🗙 Failed
Fail   Windscreen washer provides insufficient washer liquid (8.2.3)	
Fail   Nearside Front position lamp(s) not working (1.1.A.3b)	
Fail Offside Headlamp aim too low (1.8)	
Advice Trailer electrical socket damaged, but the lead can still be securely connected (	(1.9.3b)
Advice Offside Rear Brake pipe slightly corroded (3.6.B.2c)	
<b>Fail</b> Fuel cap/sealing device does not fasten securely by positive means (7.2.4b)	
Fail   Nearside Headlamp aim too low (1.8)	
Fail   Nearside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1)	
Advice Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8	.3.1d)

MOT #10		2014-04-22 11:08
MOT test	number	129252914142
Result		✓ Passed
Notice	Child seat fitted not allowing full inspection of adult belt	
Advice	Nearside Rear Tyre worn close to the legal limit (4.1.E.1)	

MOT #9	2014-04-22 11:08	
MOT test number	767332814177	
Result	× Failed	
<b>Pass with rectification</b> (1.1.A.3b)	Offside Rear position lamp(s) has less than 50% of the light sources illuminating	
Notice Child seat fitted not allowing full inspection of adult belt		
Advice Nearside Rear Tyre worn close to the legal limit (4.1.E.1)		





MOT #8	2012 02 11 14.25
	2013-03-11 14:25
MOT test number	445240873027
Result	🗸 Passed
MOT #7	2013-03-11 12:45
MOT test number	348870073099
Result	🗙 Failed
<b>Fail</b> Offside Front Windscreen wiper does not clear the windscreen effectively (8.2.2)	
Fail   Nearside Front Windscreen wiper does not clear the windscreen effectively (8.2.2)	
MOT #C	2012 04 05 12.41
MOT #6	2012-04-05 12:41
MOT test number	138076392412
Result	🗸 Passed
MOT #5	2012-04-05 12:41
MOT test number	118216392483
Result	🗙 Failed

Pass with rectificationWindscreen has a sticker or other obstruction encroaching into the swept areaby more than 40mm outside zone 'A' (8.3.1e)

**Pass with rectification** Front Headlamp aim too high (1.8)

MOT #4	2011-04-05 12:18
MOT test number	316965391063
Result	✓ Passed





MOT #3	2011-04-05 11:15	
MOT test number	336845191020	
Result	🗙 Failed	
<b>Fail</b> Nearside Rear position lamp(s) excessively deteriorated so that it is not visible from distance (1.1.A.3d)	m a reasonable	
Fail   Nearside rear brake binding (3.7.B.1)		
Advice Nearside Front Tyre worn close to the legal limit (4.1.E.1)		
Fail   Offside Headlamp aim too low (1.8)		
FailOffside rear brake binding (3.7.B.1)		
Advice Offside Front Tyre worn close to the legal limit (4.1.E.1)		

MOT #2	2010-04-08 14:09
MOT test number	151068590470
Result	✓ Passed

MOT #1	2010-04-02 10:34
MOT test number	643622290079
Result	🗙 Failed
Fail   Brakes imbalanced across an axle (3.7.B.5b)	
Fail   Nearside Headlamp aim too low (1.8)	
<b>Fail</b> Offside Windscreen wiper does not clear the windscreen effectively (8.2.2)	
Notice Both rear tyres worn to 2mm on edge	
Fail   Nearside Windscreen wiper does not clear the windscreen effectively (8.2.2)	





### Damage history

Check the damage history for this FORD. See if, where and when this FORD had damage and the car repair costs. We also check if this FORD was scrapped. Download the premium report <u>here</u> for the results.

Damage 1	
Date	 FE CO
Category	Lamp
Туре	
Damage 2	AMPLE
Damaye 2	C C C C
Date	
Category	 AMP
Туре	

#### Extra FORD salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.

More info  $\rightarrow$ 





### Vehicle valuation

What is this car worth? See the vehicle value of this FORD in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	4 10.000
Auction value	4 10.000
Average private trade value	4

More info  $\rightarrow$ 





### Owner history

For how long did the current and previous owner(s) have this FORD? How many owners did this FORD have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

xxxxxxxx	
************	
********	
*******	
***********	
********	
	More info >
Plate changes	
See in this check if this FORD had different number plates.	
Number of plates	7
Carrent registration	
Plate since	
Current registration	
Plate since	
	More info >





### Finance check

Check if this FORD is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this FORD has been settled.

If not, and you buy this FORD then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this FORD is financed.

Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	


More info  $\rightarrow$ 





# Mileage check

Odometer	In miles
Mileage registrations	21
First mileage registration	2007-03-02
Last registration	2020-02-26
Complete history	See info



Registration #1	2007-03-02	18 mi
Registration #2	2010-04-02	26.645 mi
Registration #3	2010-04-08	26.645 mi
Registration #4	2011-04-05	46.251 mi
Registration #5	2011-04-05	46.251 mi
Registration #6	2012-04-05	53.617 mi
Registration #7	2013-03-11	60.604 mi
Registration #8	2013-03-11	60.604 mi
Registration #9	2014-04-22	69.129 mi
Registration #10	2015-03-16	74.256 mi
Registration #11	2015-03-16	74.272 mi
Registration #12		11.202 est
Registration #13		11.777 esi
Registration #14		11.277 esi
Registration #15		11.777 esi
Registration #16		11.777 esi
Registration #17		11.777 esi
Registration #18		11.777 esi
Registration #19		11.777 mi
Registration #20		11.117 esi
Registration #21		11.777 mi

More info >





### Car features

S0225	Air conditioning
\$0295	
50482	
S0501	
S0566	
S0567	
S0569	

# Safety ratings

**NCAP** rating

Video

see crash video



Dimensions & weight	
Width	1958 mm
Height	1429 mm
Length	4731 mm
Wheel base	2754 mm
Kerb weight	1491 kg
Max. allowed weight	2035 kg
Additional information	
Fuel tank capacity	58 I
Fuel delivery	Direct Injection
Number of doors	5
Number of seats CarCheck.co.uk	5 page 17/17

Number of axles	2
Engine number	7C06588