





### General information

Make	MERCEDES
Model	C C200 CDI SE
Colour	Blue
Year of manufacture	2006
Top speed	126 mph
0 - 60 mph	11.9 seconds
Gearbox	5 speed automatic

# Engine & fuel consumption

Power	121 BHP
Max. torque	270 Nm at 2.800 rpm
Engine capacity	2.148 сс
Cylinders	4
Fuel type	Diesel
Consumption city	30.4 mpg
Consumption extra urban	50.4 mpg
Consumption combined	40.9 mpg
CO2 emission	183 g/km
CO2 label	I





# MOT history

MOT expiry date	2024-10-13
MOT pass rate	75 %
MOT passed	15
Failed MOT tests	5
Total advice items	67
Total items failed	3

МОТ #20	2023-09-25 10:34
MOT test number	220244762977
Result	✓ Passed
Next expiry date	2024-10-13
<b>Advice</b> Suspension arm attachment bracket/mounting corroded but its strength is not se all arm mounts (5.3.3 (b) (i))	eriously reduced
Advice Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))	
Advice Rear Brake pipe corroded, covered in grease or other material nearside and offsi	de (1.1.11 (c))
Advice Full check on rear tyres not possible due to binding	
Advice Nearside Front Wheel bearing has slight play (5.1.3 (a) (i))	
Advice Rear Suspension component mounting prescribed area is corroded but not conside nearside and offside body sills (5.3.6 (a) (i))	dered excessive
Advice Rear Subframe mounting prescribed area is corroded but not considered excessive offside (5.3.6 (a) (i))	ve nearside and
Advice All rear suspension components corroded but not seriously weakened	
Advice Brake pipe corroded, covered in grease or other material front to rear [both lines (1.1.11 (c))	where seen]
Advice Offside Front Suspension arm pin or bush worn but not resulting in excessive monomorphic front arm bush (5.3.4 (a) (i))	vement front





MOT #19	2023-09-19 17:09
MOT test number	350552363143
Result	× Failed
Advice Rear Subfram offside (5.3.6 (a) (i))	e mounting prescribed area is corroded but not considered excessive nearside and
Advice Full check on	rear tyres not possible due to binding
Advice Brake pipe co (1.1.11 (c))	rroded, covered in grease or other material front to rear [both lines where seen]
Advice Offside Front front arm bush (5.3.4 (a)	Suspension arm pin or bush worn but not resulting in excessive movement front (i))
MAJOR Rear Service	brake excessively binding nearside and offside (1.2.1 (f))
Advice Front Headlar offside lens cloudy (4.1.4	np has a product on the lens but not seriously reducing light output nearside and (b))
Advice Sub-frame co	rroded but not seriously weakened (5.3.3 (b) (i))
MAJOR Parking brake	e lever defective so that it cannot be satisfactorily operated not releasing (1.1.6 (d))
Advice All rear suspe	nsion components corroded but not seriously weakened
Advice Rear Brake pi	pe corroded, covered in grease or other material nearside and offside (1.1.11 (c))
Advice Nearside From	t Wheel bearing has slight play (5.1.3 (a) (i))
Advice Rear Suspens	ion component mounting prescribed area is corroded but not considered excessive v sills (5.3.6 (a) (i))
MAJOR Rear Anti-roll	bar linkage ball joint excessively worn nearside and offside (5.3.4 (a) (i))
Advice Suspension a all arm mounts (5.3.3 (b)	rm attachment bracket/mounting corroded but its strength is not seriously reduced (i))

MOT #18	2022-10-14 14:37
MOT test	number 743053221832
Result	✓ Passed
Advice	Rear Tyre slightly damaged/cracking or perishing both sides, worn on edges (5.2.3 (d) (ii))
Advice	Nearside Front Service brake binding but not excessively (1.2.1 (f))





MOT #17		2021-10-14 15:26
MOT test	number	612581626128
Result		✓ Passed
Advice	Under trays fitted	
<b>Advice</b> (5.3.4 (a)	Offside Front Lower Suspension arm pin or bush worn but not resulting in ( (i))	excessive movement
Advice	Rear Tyre worn close to legal limit/worn on edge both sides (5.2.3 (e))	
MOT #16		2020-11-30 16:42
MOT #16 MOT test	number	2020-11-30 16:42 826916856386
	number	
MOT test	<b>number</b> Nearside Rear Anti-roll bar linkage ball joint has slight play (5.3.4 (a) (i))	826916856386
MOT test Result		826916856386
MOT test Result Advice	Nearside Rear Anti-roll bar linkage ball joint has slight play (5.3.4 (a) (i))	826916856386





MOT #15		2019-07-20 14:16
MOT test	number	177165577837
Result		✓ Passed
<b>Advice</b> (a) (i))	Offside Rear Anti-roll bar linkage pin or bush worn but not resulting in excessive	movement (5.3.4
Advice	Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c	:))
Advice	Offside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Advice	Offside Brake pipe corroded, covered in grease or other material front to rear (1	.1.11 (c))
Advice	Headlamps deteriorated	
Advice	Offside Front Brake pipe corroded, covered in grease or other material (1.1.11 (	c))
<b>Advice</b> (5.3.4 (a) (	Nearside Rear Anti-roll bar linkage pin or bush worn but not resulting in excessiv (i))	ve movement
Advice	Nearside Rear Brake pipe corroded, covered in grease or other material (1.1.11	(c))
Advice	Front Brake pad(s) wearing thin (1.1.13 (a) (ii))	
Advice	Nearside Brake pipe corroded, covered in grease or other material front to rear	(1.1.11 (c))
Advice	Nearside Front Brake pipe corroded, covered in grease or other material (1.1.11	(c))

MOT #14		2018-07-27 15:56
MOT test	number	985523517830
Result		✓ Passed
Advice	Offside Front Service brake fluctuating, but not excessively (1.2.1 (e))	
Advice	Offside Front Brake pipe corroded, covered in grease or other material (1.1.11	(c))
Advice (c))	Offside Rear Brake pipe corroded, covered in grease or other material pipe to	flexible hose (1.1.11
Advice	Nearside Front Brake pipe corroded, covered in grease or other material (1.1.1	l1 (c))
<b>Advice</b> (1.1.11 (c)	Nearside Rear Brake pipe corroded, covered in grease or other material pipe t ))	o flexible hose





MOT #13		2018-07-27 12:29
MOT test	number	946611338504
Result		🗙 Failed
Advice	Offside Front Brake pipe corroded, covered in grease or other material (1.1.11	(c))
MAJOR	<b>OR</b> Parking brake efficiency below requirements (1.4.2 (a) (i))	
Advice	Nearside Front Brake pipe corroded, covered in grease or other material (1.1.1	1 (c))
Advice (c))	Brake pipe corroded, covered in grease or other material rear section of both f	ront to rear (1.1.11

MOT #12		2018-07-23 11:30
MOT test	number	749830283440
Result		× Failed
MAJOR	Offside Front Direction indicator incorrect colour (4.4.3 (a))	
MAJOR	Offside Front Lower Suspension arm pin or bush excessively worn inner bush (!	5.3.4 (a) (i))
DANGER	<b>OUS</b> Parking brake efficiency less than 50% of the required value (1.4.2 (a) (i	i))
Advice	Offside Front Brake pipe corroded, covered in grease or other material (1.1.11	(c))
MAJOR	Exhaust emissions exceed level of metered smoke for a turbo charged engine	(8.2.2.2 (b))
MAJOR	Offside Rear Stop lamp(s) not working (4.3.1 (a) (ii))	
Advice	Nearside Front Brake pipe corroded, covered in grease or other material (1.1.1	1 (c))
Advice (c))	Brake pipe corroded, covered in grease or other material rear section of both f	ront to rear (1.1.11
MAJOR	Nearside Parking brake inoperative on one side (1.4.1 (a))	

MOT #11	2017-09-27 17:05
MOT test number	282964221893
Result	✓ Passed





MOT #10	2016-09-12 13:13
MOT test number	175616109127
Result	✓ Passed
MOT #9	2015-09-17 10:30
MOT test number	698940843560
Result	✓ Passed
MOT #8	2015-09-08 08:41
MOT test number	588463402592
Result	🗙 Failed
Fail         Nearside Front Lower Suspension arm rubber bush deteriorated resulting in excessive movement	

(2.4.G.2)
Advice Offside Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)

MOT #7	2014-09-16 11:15
MOT test number	528109054237
Result	✓ Passed

МОТ #6		2014-09-16 11:15
MOT test number		389309354431
Result		× Failed
Pass with rectification	Offside Rear Direction indicator incorrect colour (1.4.A.2f)	
Pass with rectification	Nearside Rear Direction indicator incorrect colour (1.4.A.2f)	

MOT #5	2013-09-05 08:54
MOT test number	329908843464
Result	✓ Passed





MOT #4	2012-09-03 08:49
MOT test number	185597742286
Result	✓ Passed
MOT #3	2011-09-06 15:11
MOT test number	379559941239
Result	✓ Passed

MOT #2		2010-09-07 15:28
MOT test	number	173900250249
Result		✓ Passed
Advice	Offside Rear Tyre worn close to the legal limit (4.1.E.1)	
Advice	Nearside Rear Tyre worn close to the legal limit (4.1.E.1)	

MOT #1		2009-09-25 16:42
MOT test	number	604698769274
Result		✓ Passed
Notice	Covers fitted underneath vehicle not allowing for full inspection of all components	5
Notice	Cracks in sidewall of all 4 road wheels	



AK56WWV report date: 2024-03-28

Tax & MOT check

✓ Taxed Tax due: 1 October 2024	✓ MOT Expires: 13 October 2024
Tax status	Valid until 1 October
Days left	156
MOT expiry date	13 October 2024
Full MOT history	See MOT history

# Tax calculation

Vehicle class	49
Band	I
Single payment (12 months)	£ 320,00,-
Single six month payment	£ 176,00,-
Total payable by 12 monthly instalments	£ 336,00,-





#### Damage history

Check the damage history for this MERCEDES. See if, where and when this MERCEDES had damage and the car repair costs. We also check if this MERCEDES was scrapped. Download the premium report <u>here</u> for the results.

Damage 1	
Date	FERRE
Category	Lamp
Туре	
Damage 2	AMPLI
Date	
Category	AMPL
Туре	

#### Extra MERCEDES salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.

More info >





#### Vehicle valuation

What is this car worth? See the vehicle value of this MERCEDES in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	4.11.111
Auction value	4 10.000
Average private trade value	4 11 711

More info  $\rightarrow$ 





### Owner history

For how long did the current and previous owner(s) have this MERCEDES? How many owners did this MERCEDES have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

**********	
*******	
	More info >
Plate changes See in this check if this MERCEDES had different number plates.	
Number of plates	,
Carrent registration	
Plate since	
Carrent registration	
Plate since	





#### Finance check

Check if this MERCEDES is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this MERCEDES has been settled.

If not, and you buy this MERCEDES then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this MERCEDES is financed.

Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	


More info  $\rightarrow$ 





# Mileage check

Odometer	In miles
Mileage registrations	20
First mileage registration	2006-09-28
Last registration	2023-09-25
Complete history	See info



Registration #1	2006-09-28	7 mi
Registration #2	2009-09-25	23.900 mi
Registration #3	2010-09-07	33.134 mi
Registration #4	2011-09-06	41.621 mi
Registration #5	2012-09-03	50.312 mi
Registration #6	2013-09-05	60.830 mi
Registration #7	2014-09-16	73.153 mi
Registration #8	2015-09-08	82.547 mi
Registration #9	2015-09-17	82.747 mi
Registration #10	2016-09-12	87.601 mi
Registration #11		11.777 esi
Registration #12		11.777 est
Registration #13		11.707 est
Registration #14		11.777 est
Registration #15		11.777 est
Registration #16		11.777 est
Registration #17		11.777 est
Registration #18		01.707 mi
Registration #19		11.777 mi
Registration #20		11.117 est

More info  $\rightarrow$ 



# Dimensions & weight

Width	1957 mm
Height	1406 mm
Length	4343 mm
Wheel base	2715 mm
Kerb weight	1490 kg
Max. allowed weight	1945 kg

# Additional information

Fuel tank capacity	62 I
Fuel delivery	Direct Injection
Number of doors	3
Number of seats	4
Number of axles	2
Engine number	64696330555103