





General information

Make	ΤΟΥΟΤΑ
Model	MR2 GT
Colour	White
Year of manufacture	-
Top speed	137 mph
0 - 60 mph	7.7 seconds
Gearbox	5 speed Manual

Engine & fuel consumption

Power	158 BHP
Max. torque	191 Nm at 4.800 rpm
Cylinders	4
Fuel type	Petrol





MOT history

MOT #23	2020-09-11 08:43
MOT test number	156674541777
Result	✓ Passed
Next expiry date	2021-09-10
Advice Vehicle covered in underseal	

	2020-07-28 10:49
number	232307591848
	🗙 Failed
Exhaust Lambda reading after 2nd fast idle outside specified limits (8.2.1.2 (c))	
Exhaust emissions likely to be affected by an exhaust leak (8.2.1.1 (b))	
Oil leak, but not excessive (8.4.1 (a) (i))	
Under side of vehicle covered in sealant unable to fully inspect	
	Exhaust Lambda reading after 2nd fast idle outside specified limits (8.2.1.2 (c)) Exhaust emissions likely to be affected by an exhaust leak (8.2.1.1 (b)) Oil leak, but not excessive (8.4.1 (a) (i))

MOT #21	2018-07-11 15:20
MOT test number	357419509742
Result	✓ Passed
Advice Front Inner Brake disc worn, pitted or scored, but not seriously weakened (1.	1.14 (a) (ii))





MOT #20	2018-07-04 15:26
MOT test number	357494836191
Result	🗙 Failed
MAJOR Exhaust carbon monoxide content after 2nd fast idle exceeds manufacturer's sp (8.2.1.2 (a))	ecified limits
DANGEROUS Oil leaking continuously from engine posing a serious risk to road safety E [MAJOR] (8.4.1 (a) (ii))	ENGINE OIL LEAK
Minor Brake fluid warning lamp illuminated (1.1.10 (f))	
MAJOR Nearside Headlamp aim too low (4.1.2 (a))	
Advice RED EML LIGHT ON	
Advice Oil leak, but not excessive GEARBOX (8.4.1 (a) (i))	
Advice Front Inner Brake disc worn, pitted or scored, but not seriously weakened BOTH DISCS (1.1.14 (a) (ii))	FRONT BRAKE
Advice ENGINE OIL LIGHT ON	
Advice Oil leak, but not excessive ENGINE OIL (8.4.1 (a) (i))	
MOT #19	2018-06-20 10:39

MOT test	number 944412634399
Result	× Failed
MAJOR	Rear Brakes imbalanced across an axle Axle 2 (1.2.1 (b) (i))
MAJOR REPAIRED	Offside Integral body structure is deformed and structural rigidity is significantly reduced CILL WITH FILLER ? (6.1.1 (a) (i))
Advice	Oil leak, but not excessive ENGINE OIL (8.4.1 (a) (i))
MAJOR (8.2.1.2 (a	Exhaust carbon monoxide content after 2nd fast idle exceeds manufacturer's specified limits))
Advice DISCS (1.1	Front Inner Brake disc worn, pitted or scored, but not seriously weakened BOTH FRONT BRAKE
MAJOR	Nearside Rear Brakes imbalanced across an axle (1.2.1 (b) (i))
MAJOR	Nearside Headlamp aim too low (4.1.2 (a))
Advice	Oil leak, but not excessive GEARBOX (8.4.1 (a) (i))



MOT #18		2017-06-26 12:03
MOT test n	number	499326727142
Result		✓ Passed
Advice	Oil leak	
Advice	Front Brake pad(s) wearing thin (3.5.1g)	
Advice	Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)	
Advice	Under trays fitted (unable to fully inspect)	
MOT #17		2017 06 24 12.20

MOT #17	2017-06-24 12:39
MOT test number	989975751431
Result	🗙 Failed
Advice Oil leak	
Advice Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)	
Advice Rear Brake pad(s) wearing thin (3.5.1g)	
Fail Nearside Front Windscreen wiper does not clear the windscreen effectively (8.2.2)	
Advice Under trays fitted (unable to fully inspect)	
FailParking brake lever has no reserve travel (3.1.6b)	
FailNearside Front Front position lamp(s) not working (1.1.A.3b)	
Advice Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)	
Advice Front Brake pad(s) wearing thin (3.5.1g)	
Fail Offside Rear rear brake excessively fluctuating (3.7.B.3)	
Fail Offside Front Windscreen wiper does not clear the windscreen effectively (8.2.2)	





MOT #1	2017-05-23 13:01
MOT te	st number 965650217331
Result	× Failed
Fail	Offside Front Seat belt anchorage prescribed area is excessively corroded (5.2.6)
Fail	Nearside Windscreen wiper does not clear the windscreen effectively (8.2.2)
Advic	e Oil leak
Fail (2.4.A.3	Nearside Front Suspension component mounting prescribed area is excessively corroded strut turret
Advic	e Offside Front Suspension arm has slight play in a ball joint (2.4.G.2)
Fail (2.4.A.3	Nearside Rear Suspension component mounting prescribed area is excessively corroded strut turret
Fail (2.4.A.3	Offside Rear Suspension component mounting prescribed area is excessively corroded outer sill
Fail	Nearside Front Seat belt anchorage prescribed area is excessively corroded (5.2.6)
Fail	Nearside Front position lamp(s) not working (1.1.A.3b)
Advic	e Nearside Front Suspension arm has slight play in a ball joint (2.4.G.2)
Fail (2.4.A.3	Offside Front Suspension component mounting prescribed area is excessively corroded strut turret
Advic	Parking brake lever has little reserve travel (3.1.6b)
Fail	Exhaust emissions Lambda reading after 2nd fast idle outside specified limits (7.3.D.3)
Advic	e Heavy surface corrosion on underside
Fail (2.4.A.3	Offside Rear Suspension component mounting prescribed area is excessively corroded strut turret

MOT #15	2016-05-24 16:	16
MOT test	number 83360921105	56
Result	✓ Passe	ed
Advice	Oil leak	
Advice (2.4.G.2)	Offside Front Anti-roll bar ball joint dust cover damaged, but preventing the ingress of dirt	





MOT #14	2016-05-23 15:19
MOT test number	853757278882
Result	🗙 Failed
Advice Offside Front Anti-roll bar ball joint dust cover damaged, but preventing the ing (2.4.G.2)	gress of dirt
Advice Oil leak	
Fail Offside Steering rack gaiter split (2.2.D.2d)	
Fail Exhaust emissions carbon monoxide content after 2nd fast idle excessive (7.3.D.3	3)

MOT #13		2015-05-23 11:49
MOT test	number	766613845101
Result		✓ Passed
Notice	Oil leak	
Notice	All tyres heavily perished and cracked	
Advice	Rear Brake pad(s) wearing thin (3.5.1g)	
Notice	Heavy surface corossion to underside	





MOT #12 2015-05-18 12:18
MOT test number 298928535186
Result × Failed
Fail Nearside Rear Suspension component mounting prescribed area is excessively corroded (2.4.A.3)
Advice Rear Brake pad(s) wearing thin (3.5.1g)
Notice Oil leak
Fail Offside Rear Suspension component mounting prescribed area is excessively corroded (2.4.A.3)
Notice All tyres heavily perished and cracked
Fail Nearside Front Suspension spring mounting prescribed area is excessively corroded (2.4.A.3)
Fail Offside Rear Suspension component mounting prescribed area is excessively corroded (2.4.A.3)
Advice Front Brakes imbalanced requirements only just met. It would appear that the braking system requires adjustment or repair. (3.7.B.5b)
Fail Nearside Rear Suspension component mounting prescribed area is excessively corroded (2.4.A.3)
Notice Heavy surface corossion to underside
Fail Nearside Front Seat belt anchorage prescribed area is excessively corroded (5.2.6)





MOT #11	2014-05-19 15:29
MOT test	number 875339434170
Result	✓ Passed
Notice	Both front and nearside rear tyres heavily perished and cracked
Advice	Brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
Advice	Nearside Front Suspension arm has slight play in a ball joint (2.4.G.2)
Notice	Under-trays fitted obscuring some underside components
Notice	Fuel pipes corroded
Advice (2.4.G.2)	Offside Front Anti-roll bar linkage ball joint dust cover damaged, but preventing the ingress of dirt
Notice	Oil leak
Notice	Engine covers fitted obscuring some components in the engine bay





MOT #10 2014	-05-13 15:14
MOT test number 70	6553834191
Result	🗙 Failed
Fail Offside Rear Subframe mounting prescribed area is excessively corroded (2.4.A.3)	
Fail Exhaust emissions Lambda reading after 2nd fast idle outside specified limits (7.3.D.3)	
Notice Oil leak	
Advice Offside Front Anti-roll bar linkage ball joint dust cover damaged, but preventing the ing (2.4.G.2)	ress of dirt
Notice Engine covers fitted obscuring some components in the engine bay	
Fail Offside Rear Seat belt anchorage prescribed area is excessively corroded (5.2.6)	
Notice Nearside rear body panel corroded and holed[not structural prescribed area]	
Fail Nearside Rear Subframe mounting prescribed area is excessively corroded (2.4.A.3)	
Notice Both front and nearside rear tyres heavily perished and cracked	
Fail Exhaust emissions carbon monoxide content after 2nd fast idle excessive (7.3.D.3)	
Notice Exhaust corroded/deteriorated	
Notice Under-trays fitted obscuring some underside components	
Advice Brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)	
Fail Nearside Front position lamp(s) not working (1.1.A.3b)	
Advice Nearside Front Suspension arm has slight play in a ball joint (2.4.G.2)	
Notice Fuel pipes corroded	
FailRear Exhaust has a major leak of exhaust gases (7.1.2)	
Notice Offside rear body panel corroded and holed[not structural prescribed area]	





2013-05-08 12:52

MOT #9		2013-05-09 11:58
MOT test	number	518659523129
Result		✓ Passed
Notice	Oil leak	
Notice	Parts of suspension corroded and bushes starting to perish	
Notice	N/s/r tyre perishing	
Advice	Parking brake lever has little reserve travel (3.1.6b)	
Notice	Sills covered with underseal	
Notice	Fuel pipe/s corroded	
Notice	Both front tyres perishing	
Notice	Under-trays fitted obscuring some underside components	

MOT #8

	2013 (55 00 ±2.52
MOT tes	st number 298	248423152
Result		🗙 Failed
Notice	Oil leak	
Notice	Sills covered with underseal	
Notice	Parts of suspension corroded and bushes starting to perish	
Notice	N/s/r tyre perishing	
Advice	Parking brake lever has little reserve travel (3.1.6b)	
Notice	• Fuel pipe/s corroded	
Notice	Both front tyres perishing	
Notice	Under-trays fitted obscuring some underside components	
Fail	Offside Rear Suspension component mounting prescribed area is excessively corroded (2.4.	.A.3)





MOT #7		2012-05-08 13:23
MOT test	number	485029722148
Result		🗸 Passed
Advice	Nearside Front Macpherson strut corroded but not seriously weakened (2.4.G.1)	
Advice	Offside Front Macpherson strut corroded but not seriously weakened (2.4.G.1)	
Notice	Under-trays fitted obscuring some underside components	

MOT #6 2012-05-02 17:17 **MOT test number** 918463122176 Result × Failed Fail Nearside Rear Suspension component mounting prescribed area is excessively corroded (2.4.A.3) Notice Under-trays fitted obscuring some underside components Advice Nearside Front Macpherson strut corroded but not seriously weakened (2.4.G.1) Fail Offside Rear Suspension component mounting prescribed area is excessively corroded (2.4.A.3) Advice Offside Front Macpherson strut corroded but not seriously weakened (2.4.G.1)

MOT #5		2011-04-28 13:04
MOT test	number	379728911195
Result		✓ Passed
Advice	Nearside Front Suspension arm has slight play in a ball joint (2.4.G.2)	
Notice	Damage to o/s/r tyre sidewall	
Notice	Oil leak	
Advice	Parking brake lever has little reserve travel (3.1.6b)	
Notice	Front tyres starting to perish	
Notice	Fuel pipe/s corroded	
Notice	Slight surface corrosion to underside	





MOT #4	2011-04-22 16:13
MOT test number	879592811165
Result	🗙 Failed
Notice Oil leak	
Fail Nearside rear brake binding (3.7.B.1)	
Fail Offside Headlamp aim too high (1.8)	
Notice Front tyres starting to perish	
Advice Parking brake lever has little reserve travel (3.1.6b)	
Advice Parking brake: parking brake efficiency only just met. It would appear that the requires adjustment or repair. (3.7.B.7)	ne braking system
Notice Fuel pipe/s corroded	
Fail Exhaust emissions carbon monoxide content after 2nd fast idle excessive (7.3.D	0.3)
Fail Nearside Headlamp aim too high (1.8)	
Notice Slight surface corrosion to underside	
Fail Offside Front Suspension component mounting prescribed area is excessively component.	prroded (2.4.A.3)
Notice Damage to o/s/r tyre sidewall	
Advice Nearside Front Suspension arm has slight play in a ball joint (2.4.G.2)	

MOT #3		2010-04-23 09:07
MOT test	number	713613610176
Result		✓ Passed
Advice	Offside Rear Lower Suspension arm has slight play in a ball joint (2.4.G.2)	
Notice	Hand brake close to no reserve travel	
Notice	Unable to check all brake pipes due to covers	
Notice	Heavy surface corrosion on parts of underside	
Notice	Nearside front flexi hose not located with pin	





MOT #2	2010-04-19 15:50
MOT test number	232559600420
Result	🗙 Failed
Fail Exhaust emissions Lambda reading after 2nd fast idle outside specified limits (7.3)	.D.3)
Notice Unable to check all brake pipes due to covers	
Advice Offside Rear Lower Suspension arm has slight play in a ball joint (2.4.G.2)	
Fail Nearside Seat belt anchorage prescribed area is excessively corroded (5.2.6)	
Fail Nearside Rear Suspension component mounting prescribed area is excessively contained.	rroded (2.4.A.3)
Notice Heavy surface corrosion on parts of underside	
Fail Exhaust emissions carbon monoxide content at idle excessive (7.3.D.4)	
Fail Exhaust emissions hydrocarbon content after 2nd fast idle excessive (7.3.D.3)	
FailBrakes imbalanced across an axle (3.7.B.5b)	
Fail Offside Registration plate lamp not working (1.1.5c)	
Fail Offside Seat belt anchorage prescribed area is excessively corroded (5.2.6)	
Notice Nearside front flexi hose not located with pin	
Advice Parking brake: parking brake efficiency only just met. It would appear that the requires adjustment or repair. (3.7.B.7)	braking system
Fail Offside Rear Suspension component mounting prescribed area is excessively corrected area.	oded (2.4.A.3)
Notice Hand brake close to no reserve travel	
Fail Exhaust emissions carbon monoxide content after 2nd fast idle excessive (7.3.D.3)





MOT #:	2010-	04-16 14:36
MOT te	est number 103	976100175
Result		🗙 Failed
Fail	Exhaust emissions carbon monoxide content at idle excessive (7.3.D.4)	
Fail	Exhaust emissions Lambda reading after 2nd fast idle outside specified limits (7.3.D.3)	
Fail	Offside Outer Suspension component mounting prescribed area is excessively corroded (2.	4.A.3)
Fail	Offside Registration plate lamp not working (1.1.5c)	
Fail	Offside Windscreen wiper does not clear the windscreen effectively (8.2.2)	
Fail	Exhaust emissions carbon monoxide content after 2nd fast idle excessive (7.3.D.3)	
Fail	Nearside Outer Suspension component mounting prescribed area is excessively corroded (2	2.4.A.3)
Fail	Nearside Windscreen wiper does not clear the windscreen effectively (8.2.2)	





Damage history

Check the damage history for this TOYOTA. See if, where and when this TOYOTA had damage and the car repair costs. We also check if this TOYOTA was scrapped. Download the premium report <u>here</u> for the results.

Damage 1	
Date	
Category	Lamp
Туре	K K
Damage 2	AMPL
Date	NE
Category	AMP
Туре	

Extra TOYOTA salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.

More info \rightarrow





Owner history

For how long did the current and previous owner(s) have this TOYOTA? How many owners did this TOYOTA have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

xxxxxxxx	

	More info >
Plate changes	
See in this check if this TOYOTA had different number plates.	
Number of plates	,
Current registration	
Plate since	
Carrent registration	
Plate since	
	More info >





Finance check

Check if this TOYOTA is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this TOYOTA has been settled.

If not, and you buy this TOYOTA then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this TOYOTA is financed.

Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	


More info \rightarrow





Mileage check

Odometer	In miles
Mileage registrations	24
First mileage registration	1993-12-31
Last registration	2020-09-11
Complete history	See info



Registration #1	1993-12-31	10 mi
Registration #2	2010-04-16	96.404 mi
Registration #3	2010-04-19	96.429 mi
Registration #4	2010-04-23	96.437 mi
Registration #5	2011-04-22	97.108 mi
Registration #6	2011-04-28	97.119 mi
Registration #7	2012-05-02	97.911 mi
Registration #8	2012-05-08	97.917 mi
Registration #9	2013-05-08	98.488 mi
Registration #10	2013-05-09	98.500 mi
Registration #11	2014-05-13	99.258 mi
Registration #12	2014-05-19	99.284 mi
Registration #13		11.777 esi
Registration #13 Registration #14		10.000 est
		01.000 est 01.000 est 01.000 est
Registration #14		01.000 est 01.000 est 01.000 est 01.000 est
Registration #14 Registration #15		01.000 est 01.000 est 01.000 est 01.000 est 01.000 est
Registration #14 Registration #15 Registration #16		00.000 est 0.000 est 0.000 est 0.000 est 0.000 est 0.000 est
Registration #14 Registration #15 Registration #16 Registration #17		01.007 46 0.007 46 01.007 46 01.007 46 01.007 46 01.007 46 01.007 46
Registration #14 Registration #15 Registration #16 Registration #17 Registration #18		00.000 est 0.000 est 0.000 est 0.000 est 0.000 est 0.000 est 0.000 est 0.000 est
Registration #14 Registration #15 Registration #16 Registration #17 Registration #18 Registration #19		00.000 est 0.000 est 0.000 est 0.000 est 0.000 est 0.000 est 0.000 est 0.000 est 0.000 est
Registration #14 Registration #15 Registration #16 Registration #17 Registration #18 Registration #19 Registration #20		00.000 est 0.000 est
Registration #14 Registration #15 Registration #16 Registration #17 Registration #18 Registration #19 Registration #20 Registration #21		00.000 est 0.000 est 0.0000 est 0.000 est 0.00
Registration #14 Registration #15 Registration #16 Registration #17 Registration #18 Registration #19 Registration #20 Registration #21 Registration #22		0.200 est 0.200

More info \rightarrow





Car features

S0225	Air conditionin
\$0295	
\$0482	
50501	
50566	
50567	
50569	

Dimensions & weight	
Width	1700 mm
Height	1240 mm
Length	4180 mm
Additional information	
Fuel tank capacity	54 I
Fuel delivery	Multi-Point Injection
Number of doors	2
Engine number	3S9195120