



BN59FLL

report date: 2024-03-29

General information

| | |
|---------------------|--------------------|
| Make | FORD |
| Model | TRANSIT 260 LR P/V |
| Colour | Silver |
| Year of manufacture | 2009 |
| Gearbox | 5 speed Manual |

Engine & fuel consumption

| | |
|-----------------|---------------------|
| Power | 84 BHP |
| Max. torque | 250 Nm at 1.500 rpm |
| Engine capacity | 2.198 cc |
| Cylinders | 4 |
| Fuel type | Diesel |



LABEL UNKNOWN



MOT history

| | |
|--------------------|------------|
| MOT expiry date | 2022-12-02 |
| MOT pass rate | 63 % |
| MOT passed | 10 |
| Failed MOT tests | 6 |
| Total advice items | 45 |
| Total items failed | 26 |

| | |
|------------------|---|
| MOT #16 | 2021-12-03 14:34 |
| MOT test number | 288269658666 |
| Result | ✓ Passed |
| Next expiry date | 2022-12-02 |
| Advice | Brake disc worn, pitted or scored, but not seriously weakened rears (1.1.14 (a) (ii)) |
| Advice | Offside Front Wheel bearing slightly noisy (5.1.3 (b) (i)) |
| Advice | Brake pad(s) wearing thin rears (1.1.13 (a) (ii)) |

**MOT #15**

2021-11-19 12:35

MOT test number

893271504296

Result**✗ Failed**

- Fail** Brake pipe excessively corroded 2 x on rear axle (1.1.11 (c))
- Fail** Offside Front Brake pipe excessively corroded to flexi (1.1.11 (c))
- Fail** Nearside Rear Stop lamp(s) not working (4.3.1 (a) (ii))
- Advice** Brake disc worn, pitted or scored, but not seriously weakened rears (1.1.14 (a) (ii))
- Advice** Offside Front Wheel bearing slightly noisy (5.1.3 (b) (i))
- Fail** Rear Tyre(s) of different sizes are fitted on the same axle. (5.2.3 (b))
- Fail** Brake pipe excessively corroded 2 x front to rear (1.1.11 (c))
- Fail** Nearside Front Brake pipe excessively corroded to flexi (1.1.11 (c))
- Fail** Windscreen in an unacceptable condition (3.2 (c) (i))
- Fail** Nearside Rear Registration plate lamp does not illuminate simultaneously with the position lamps (4.7.2 (a))
- Advice** Brake pad(s) wearing thin rears (1.1.13 (a) (ii))
- Fail** Nearside Front Anti-roll bar ball joint excessively worn drop link (5.3.4 (a) (i))

**MOT #14**

2020-10-07 14:19

MOT test number

934485403972

Result

✓ Passed

- Advice** Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- Advice** Offside Rear Brake pipe corroded, covered in grease or other material across aex (1.1.11 (c))
- Advice** Offside Front Seat belt slightly damaged (7.1.2 (b) (i))
- Minor** Nearside Rear Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i))
- Advice** Offside Front Suspension arm pin or bush worn but not resulting in excessive movement rear (5.3.4 (a) (i))
- Advice** Offside Front Brake pipe corroded, covered in grease or other material to rear (1.1.11 (c))
- Advice** Offside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- Advice** Front Registration plate deteriorated but not likely to be misread (0.1 (b))
- Advice** Nearside Front Suspension arm pin or bush worn but not resulting in excessive movement rear (5.3.4 (a) (i))
- Advice** Nearside Front Brake pipe corroded, covered in grease or other material to rear (1.1.11 (c))

MOT #13

2019-10-03 13:58

MOT test number

657590668370

Result

✓ Passed

- Advice** Front Registration plate deteriorated but not likely to be misread (0.1 (b))
- Advice** Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))
- Advice** Offside Front Seat belt slightly damaged (7.1.2 (b) (i))
- Advice** Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- Advice** Rear Engine mounting damaged but not to excess gearbox (6.1.8 (a) (i))

**MOT #12**

2019-10-03 11:41

MOT test number

885822673601

Result**✗ Failed**

- Advice** Offside Front Seat belt slightly damaged (7.1.2 (b) (i))
- Fail** Offside Front Lower Anti-roll bar linkage ball joint excessively worn (5.3.4 (a) (i))
- Advice** Rear Engine mounting damaged but not to excess gearbox (6.1.8 (a) (i))
- Fail** Offside Front Track rod end ball joint worn to the extent there is a serious risk of detachment (2.1.3 (b) (ii))
- Fail** Offside Rear Registration plate lamp inoperative in the case of a single lamp or all lamps (4.7.1 (b) (ii))
- Fail** Nearside Front Upper Anti-roll bar linkage ball joint excessively worn (5.3.4 (a) (i))
- Advice** Front Registration plate deteriorated but not likely to be misread (0.1 (b))
- Advice** Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))
- Advice** Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- Fail** Nearside Rear Registration plate lamp inoperative in the case of a single lamp or all lamps (4.7.1 (b) (ii))

MOT #11

2018-09-18 11:08

MOT test number

392356458735

Result**✓ Passed**

- Advice** Offside Front Track rod end ball joint has slight play (2.1.3 (b) (i))
- Advice** Rear Brakes imbalanced requirements only just met. It would appear that the braking system requires adjustment or repair. (1.2.1 (b) (i))
- Advice** Rear Brake pad(s) wearing thin (1.1.13 (a) (ii))
- Advice** Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))

**MOT #10**

2018-09-17 10:40

MOT test number

557220910845

Result**✗ Failed****Fail** Nearside Front Anti-roll bar ball joint excessively worn (5.3.4 (a) (i))**Advice** Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))**Advice** Rear Brake pad(s) wearing thin (1.1.13 (a) (ii))**Fail** Exhaust emissions exceed default limit of 1.5m-1 (8.2.2.2 (b))**Advice** Offside Front Track rod end ball joint has slight play (2.1.3 (b) (i))**Advice** Rear Brakes imbalanced requirements only just met. It would appear that the braking system requires adjustment or repair. (1.2.1 (b) (i))**MOT #9**

2017-10-06 14:21

MOT test number

291803849387

Result**✓ Passed****Advice** Front Suspension arm rubber bush deteriorated but not resulting in excessive movement both sides- rear bushes (2.4.G.2)**Advice** Front both wipers deteriorated**Advice** Offside Front Seat belt cut but webbing not significantly weakened (5.2.2a)**Advice** Front Brake pad(s) wearing thin (3.5.1g)**Advice** Coolant low**MOT #8**

2016-10-08 09:37

MOT test number

592200692773

Result**✓ Passed****Advice** Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3.1d)**Advice** Front Suspension arm rubber bush deteriorated but not resulting in excessive movement both sides- rear bushes (2.4.G.2)

**MOT #7** 2015-10-08 13:47**MOT test number** 181822127220**Result** ✓ Passed**MOT #6** 2015-10-08 13:47**MOT test number** 738578423975**Result** ✗ Failed**Pass with rectification** Windscreen washer provides insufficient washer liquid (8.2.3)**MOT #5** 2014-11-04 15:02**MOT test number** 506208604326**Result** ✓ Passed**Notice** Ft disc surface corrosion**MOT #4** 2013-11-22 12:41**MOT test number** 196726523348**Result** ✓ Passed**MOT #3** 2013-11-22 10:50**MOT test number** 368126323378**Result** ✗ Failed**Fail** Nearside Rear brake caliper securing device excessively deteriorated (3.5.1j)**Fail** Nearside Rear rear brake recording little or no effort (3.7.B.5a)**Fail** Nearside Front Body has a sharp edge caused by damage (6.1.C.1)**Fail** Brake lever has abnormal movement of levers indicating maladjustment (3.5.1f)**Fail** Rear Registration plate lamp not working (1.1.C.1d)**Notice** Fuel filter in red zone



| | |
|-----------------|--------------------|
| MOT #2 | 2012-10-18 15:14 |
| MOT test number | 596322792270 |
| Result | ✓ Passed |
| Notice | Windscreen damaged |

| | |
|-------------------------|--|
| MOT #1 | 2012-10-18 14:16 |
| MOT test number | 769982792294 |
| Result | ✗ Failed |
| Notice | Windscreen damaged |
| Pass with rectification | Offside Headlamp aim too high (1.8) |
| Fail | Nearside rear parking brake recording little or no effort (3.7.B.6a) |
| Pass with rectification | Nearside Headlamp aim too high (1.8) |
| Fail | Parking brake: efficiency below requirements (3.7.B.7) |



Damage history

Check the damage history for this FORD. See if, where and when this FORD had damage and the car repair costs. We also check if this FORD was scrapped. Download the premium report [here](#) for the results.

Damage 1

| | |
|----------|--|
| Date | |
| Category | |
| Type | |

Damage 2

| | |
|----------|--|
| Date | |
| Category | |
| Type | |



Extra FORD salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this FORD in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

| | |
|-----------------------------|----------|
| Trade retail value | £ 19,999 |
| Auction value | £ 19,999 |
| Average private trade value | £ 19,999 |

More info >



Owner history

For how long did the current and previous owner(s) have this FORD? How many owners did this FORD have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

| | |
|-------|-------|
| ***** | ***** |
| ***** | ***** |
| ***** | ***** |
| ***** | ***** |
| ***** | ***** |
| ***** | ***** |
| ***** | ***** |

More info >

Plate changes

See in this check if this FORD had different number plates.

| | |
|----------------------|------------|
| Number of plates | 1 |
| Current registration | ***** |
| Plate since | 2024-03-29 |
| Current registration | ***** |
| Plate since | 2024-03-29 |

More info >



Finance check

Check if this FORD is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this FORD has been settled.

If not, and you buy this FORD then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this FORD is financed.

| | | |
|-------------------|----------|----------|
| Finance company | REDACTED | REDACTED |
| Date of agreement | REDACTED | REDACTED |
| Agreement type | REDACTED | REDACTED |
| Agreement term | REDACTED | REDACTED |
| Agreement number | REDACTED | REDACTED |
| Contact info | REDACTED | REDACTED |

More info >



Mileage check

| | |
|----------------------------|--------------------------|
| Odometer | In miles |
| Mileage registrations | 17 |
| First mileage registration | 2009-11-27 |
| Last registration | 2021-12-03 |
| Complete history | See info |



| | | |
|------------------|------------|------------|
| Registration #1 | 2009-11-27 | 17 mi |
| Registration #2 | 2012-10-18 | 72.030 mi |
| Registration #3 | 2012-10-18 | 72.030 mi |
| Registration #4 | 2013-11-22 | 96.334 mi |
| Registration #5 | 2013-11-22 | 96.334 mi |
| Registration #6 | 2014-11-04 | 119.290 mi |
| Registration #7 | 2015-10-08 | 121.523 mi |
| Registration #8 | 2015-10-08 | 121.523 mi |
| Registration #9 | 2016-10-08 | 135.552 mi |
| Registration #10 | 2016-10-08 | 135.552 mi |
| Registration #11 | 2016-10-08 | 135.552 mi |
| Registration #12 | 2016-10-08 | 135.552 mi |
| Registration #13 | 2016-10-08 | 135.552 mi |
| Registration #14 | 2016-10-08 | 135.552 mi |
| Registration #15 | 2016-10-08 | 135.552 mi |
| Registration #16 | 2016-10-08 | 135.552 mi |
| Registration #17 | 2016-10-08 | 135.552 mi |

More info >



Car features

The FORD factory car options list is only available in the premium report.

| | |
|-------|------------------|
| S0225 | Air conditioning |
| S0295 | |
| S0482 | |
| S0501 | |
| S0566 | |
| S0567 | |
| S0569 | |

View the complete FORD factory list for this vehicle [here](#).

More info >

Dimensions & weight

| | |
|---------------------|---------|
| Width | 2360 mm |
| Height | 1989 mm |
| Length | 4863 mm |
| Kerb weight | 1699 kg |
| Max. allowed weight | 2600 kg |

Additional information

| | |
|--------------------|------------------|
| Fuel tank capacity | 80 l |
| Fuel delivery | Direct Injection |
| Number of doors | 3 |
| Number of seats | 3 |
| Engine number | 9R16420 |