





General information

Make	VOLKSWAGEN
Model	TOUAREG V6 TDI
Colour	Silver
Year of manufacture	2008
Top speed	125 mph
0 - 60 mph	9.2 seconds
Gearbox	6 speed automatic

Engine & fuel consumption

Power	221 BHP
Max. torque	500 Nm at 1.750 rpm
Engine capacity	2.967 cc
Cylinders	6
Fuel type	Diesel
Consumption city	19.9 mpg
Consumption extra urban	33.6 mpg
Consumption combined	26.9 mpg
CO2 emission	278 g/km
CO2 label	М







Internet history

Entry 1

Date

2021-09-14

Pictures

Listing price

View report

6







MOT history

MOT expiry date	2024-06-21
MOT pass rate	59 %
MOT passed	13
Failed MOT tests	9
Total advice items	64
Total items failed	3

MOT #22		2023-06-22 16:44
MOT test I	number	694209925729
Result		✓ Passed
Next expir	ry date	2024-06-21
Advice	Rear underbody covered with excessive underseal rear	
Advice	Front Shock absorbers has light misting of oil both (5.3.2 (b))	
Advice	Rear Brake disc worn, pitted or scored, but not seriously weakened both (1.	1.14 (a) (ii))
Advice	Undertray fitted	

MOT #212022-08-03 16:14MOT test number457122908961Result✓ PassedAdviceOffside Front Shock absorbers has light misting of oil (5.3.2 (b))AdviceNearside Front Shock absorbers has light misting of oil (5.3.2 (b))AdviceOffside Rear coil spring corroded





MOT #20	2022-08-03 11:08
MOT test number	920691506729
Result	🗙 Failed
MAJOR Offside Rear Tyre has a cut in excess of the requirements deep enough (5.2.3 (d) (i))	to reach the ply or cords
Advice Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Advice Offside Rear coil spring corroded	
Advice Nearside Front Shock absorbers has light misting of oil (5.3.2 (b))	
MAJORNearside Rear Registration plate lamp inoperative in the case of a single(b) (ii))	e lamp or all lamps (4.7.1
DANGEROUS Rear Stop lamp(s) remains on when the brakes are released (4.3.	2 (a) (iii))
Advice Offside Front Shock absorbers has light misting of oil (5.3.2 (b))	

MOT #19	2021-10-28 15:04
MOT test number	951247771696
Result	✓ Passed

MOT #18	2021-10-28 13:53
MOT test number	380137383990
Result	🗙 Failed
MAJOR Front Windscreen washer provides insufficient washer liquid (3.5 (a))	
DANGEROUS Nearside Rear Stop lamp(s) remains on when the brakes are released (4.3.2 (a) (iii))	

MOT #17		2021-09-29 10:01
MOT test	number	819232188174
Result		🗙 Failed
MAJOR	Nearside Front Coil spring fractured or broken (5.3.1 (b) (i))	
MAJOR	Nearside Rear Stop lamp(s) not working (4.3.1 (a) (ii))	
MAJOR	Offside Front Coil spring fractured or broken (5.3.1 (b) (i))	





MOT #16	2021-08-24 12:25
MOT test	number 800535979374
Result	× Failed
Advice	Nearside Rear Brake disc worn, but not excessively (1.1.14 (a) (i))
Advice sill (5.3.6 (Offside Rear Lower Subframe mounting prescribed area is corroded but not considered excessive (a) (i))
Advice	Offside Rear Lower Suspension arm corroded but not seriously weakened (5.3.3 (b) (i))
Advice excessive	Nearside Front Lower Seat belt anchorage prescribed area is corroded but not considered sill (7.1.1 (a) (i))
MAJOR	Nearside Stop lamp(s) adversely affected by the operation of another lamp (4.3.3 (b))
MAJOR reducing s	Offside Front Lower Subframe mounting prescribed area excessively corroded significantly structural strength sill (5.3.6 (a) (i))
MAJOR	Offside Front Coil spring fractured or broken (5.3.1 (b) (i))
Advice excessive	Nearside Rear Lower Subframe mounting prescribed area is corroded but not considered sill (5.3.6 (a) (i))
Advice	Offside Rear Brake disc worn, but not excessively (1.1.14 (a) (i))
Advice (5.3.4 (a)	Offside Front Lower Suspension arm pin or bush worn but not resulting in excessive movement (i))
Advice	Offside Front Lower Seat belt anchorage prescribed area is corroded but not considered excessive (a) (i))
MAJOR	Nearside Front Coil spring fractured or broken (5.3.1 (b) (i))
Advice excessive	Nearside Front Lower Subframe mounting prescribed area is corroded but not considered sill (5.3.6 (a) (i))

MOT #15	2020-08-20 15:41
MOT test number	352071865786
Result	✓ Passed





MOT #14 202	0-08-20 13:21
MOT test number 2	54791881704
Result	🗙 Failed
Advice Rear Brake pad(s) wearing thin (1.1.13 (a) (ii))	
DANGEROUS Nearside Rear Inner Tyre has a tear, caused by separation or partial failure of it (5.2.3 (d) (ii))	ts structure
Advice Brake pad warning light on.	
MOT #13 201	9-07-31 11:37
MOT test number 1	27916831167
Result	🗸 Passed
Advice Passenger seat(s) missing at time of test rear	
Advice Nearside Front Lower Suspension arm pin or bush worn but not resulting in excessive foremost and rearmost (5.3.4 (a) (i))	movement
Advice Offside Front tyre- heavily worn edges	
Advice Nearside Front Brake hose slightly deteriorated (1.1.12 (b) (ii))	
Advice Nearside Outer Suspension component mounting prescribed area is corroded but not excessive sill (5.3.6 (a) (i))	considered
Advice Offside Front Lower Suspension arm pin or bush worn but not resulting in excessive m foremost and rearmost (5.3.4 (a) (i))	novement
Advice Offside Front Brake hose slightly deteriorated (1.1.12 (b) (ii))	





MOT #12	2019-07-25 09:09
MOT test number	893047895793
Result	🗙 Failed
Advice Offside Front Outer Suspension component mounting prescribed area is corroded considered excessive sill (5.3.6 (a) (i))	but not
Advice Nearside Front Lower Suspension arm pin or bush worn but not resulting in excess foremost and rearmost (5.3.4 (a) (i))	ive movement
Advice Nearside Front Brake hose slightly deteriorated (1.1.12 (b) (ii))	
Advice Passenger seat(s) missing at time of test rear	
MAJOR Offside Rear Outer Suspension component mounting prescribed area excessively of significantly reducing structural strength sill (5.3.6 (a) (i))	corroded
Advice Offside Front tyre- heavily worn edges	
Advice Nearside Outer Suspension component mounting prescribed area is corroded but rexcessive sill (5.3.6 (a) (i))	not considered
Advice Offside Front Lower Suspension arm pin or bush worn but not resulting in excessiv foremost and rearmost (5.3.4 (a) (i))	e movement
Advice Offside Front Brake hose slightly deteriorated (1.1.12 (b) (ii))	

MOT #11	2018-08-03 14:42
MOT test number	442107951876
Result	✓ Passed

MOT #10	2018-08-03 13:26
MOT test number	718473823276
Result	× Failed

MAJOR Nearside Front Tyre has a cut in excess of the requirements deep enough to reach the ply or cords (5.2.3 (d) (i))

MOT #9	2017-05-02 08:52
MOT test number	436588341626
Result	✓ Passed





MOT #8		2016-05-05 11:21
MOT test	number	372152393281
Result		✓ Passed
Advice	Front both tyres worn on inner and outer shoulders/edges	
Advice	Nearside Front Tyre worn close to the legal limit (4.1.E.1)	
Advice	Rear both tyres worn on inner shoulder edges	
Advice movement	Nearside Front Lower Suspension arm rubber bush deteriorated but not resu inner rear (2.4.G.2)	Iting in excessive
MOT #7		2016-05-03 13:14

MOT #7	2016-05-03 13:14
MOT test number	664808184780
Result	🗙 Failed
Advice Rear both tyres worn on inner shoulder edges	
Advice Nearside Front Tyre worn close to the legal limit (4.1.E.1)	
Advice Front both tyres worn on inner and outer shoulders/edges	
FailOffside Rear coil spring broken (2.4.C.1a)	
Advice Nearside Front Lower Suspension arm rubber bush deteriorated but not movement inner rear (2.4.G.2)	resulting in excessive

МОТ #6	2015-04-16 11:49
MOT test number	286766305498
Result	✓ Passed

MOT #	5 2015-04-14 09:	:23
MOT te	est number 9088347051	.72
Result	× Fail	led
Fail	Drive shaft which forms part of the suspension support bearing excessively worn (2.4.G.4d)	
Fail	Supplementary Restraint System warning lamp indicates a fault (5.4.2)	





MOT #4		2014-04-29 09:24
MOT test	number	656059614187
Result		✓ Passed
Advice	Windscreen has damage to an area less than a 40mm circle outside	e zone 'A' (8.3.1d)
MOT #3		2013-01-23 09:54
MOT test	number	145253723460
Result		✓ Passed
MOT #2		2012-01-28 12:11
MOT test	number	457618322002
Result		✓ Passed
MOT #1		2011-01-21 15:15
MOT test	number	426381121068
Result		✓ Passed
Advice	Offside Rear Tyre worn close to the legal limit (4.1.E.2b)	
Advice	Nearside Front Tyre worn close to the legal limit (4.1.E.2b)	
Advice	Nearside Rear Tyre worn close to the legal limit (4.1.E.2b)	





Damage history

Check the damage history for this VOLKSWAGEN. See if, where and when this VOLKSWAGEN had damage and the car repair costs. We also check if this VOLKSWAGEN was scrapped. Download the premium report <u>here</u> for the results.

Damage 1	
Date	FERRE
Category	Lamp
Туре	
Damage 2	AMPLE
Date	
Date	OLE
Category	AM
Туре	

Extra VOLKSWAGEN salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.

More info >





Vehicle valuation

What is this car worth? See the vehicle value of this VOLKSWAGEN in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	4 10.700
Auction value	4 10.000
Average private trade value	4 10 700

More info \rightarrow





Owner history

For how long did the current and previous owner(s) have this VOLKSWAGEN? How many owners did this VOLKSWAGEN have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

ANALYSIS AND	
	More info >
Plate changes	
See in this check if this VOLKSWAGEN had different number plates.	
Number of plates	,
Current registration	
Plate since	
Current registration	
Plate sites	





Finance check

Check if this VOLKSWAGEN is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this VOLKSWAGEN has been settled.

If not, and you buy this VOLKSWAGEN then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this VOLKSWAGEN is financed.

Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	

More info \rightarrow





Mileage check

Odometer	In miles
Mileage registrations	24
First mileage registration	2008-01-04
Last registration	2023-06-22
Complete history	<u>See info</u>



Registration #1	2008-01-04	18 mi
Registration #2	2011-01-21	50.455 mi
Registration #3	2012-01-28	67.697 mi
Registration #4	2013-01-23	85.049 mi
Registration #5	2014-04-29	91.835 mi
Registration #6	2015-04-14	98.397 mi
Registration #7	2015-04-16	98.397 mi
Registration #8	2016-05-03	101.786 mi
Registration #9	2016-05-05	101.786 mi
Registration #10	2017-05-02	105.086 mi
Registration #11	2018-08-03	113.857 mi
	2010 00 02	113.858 mi
Registration #12	2018-08-03	113.858 mi
Registration #12 Registration #13	2018-08-03	113.858 mi
5		
Registration #13		
Registration #13 Registration #14		
Registration #13 Registration #14 Registration #15		
Registration #13 Registration #14 Registration #15 Registration #16		
Registration #13 Registration #14 Registration #15 Registration #16 Registration #17		
Registration #13 Registration #14 Registration #15 Registration #16 Registration #17 Registration #18		
Registration #13 Registration #14 Registration #15 Registration #16 Registration #17 Registration #18 Registration #19		
Registration #13 Registration #14 Registration #15 Registration #16 Registration #17 Registration #18 Registration #19 Registration #20		
Registration #13 Registration #14 Registration #15 Registration #16 Registration #17 Registration #18 Registration #19 Registration #20 Registration #21		
Registration #13 Registration #14 Registration #14 Registration #15 Registration #16 Registration #17 Registration #18 Registration #19 Registration #20 Registration #21 Registration #22		

More info \rightarrow





Car features

S0225	Air conditioning
\$0295	
S0482	
\$0501	
\$0566	
50567	
S0569	

Safety ratings

NCAP rating

Video

see crash video



Dimensions & weight

Width	1928 mm
Height	1726 mm
Length	4754 mm
Wheel base	2855 mm
Max. allowed weight	2945 kg

Additional information

Fuel tank capacity	80
Fuel delivery	Direct Injection
Number of doors	5
Number of seats	5
CarChack co.uk	page 15/15

Engine number

BKS 081949