





General information

Make	HYUNDAI
Model	COUPE SIII
Colour	Red
Year of manufacture	2008
Top speed	124 mph
0 - 60 mph	10.6 seconds
Gearbox	4 speed automatic

Engine & fuel consumption

Power	141 BHP
Max. torque	186 Nm at 4.500 rpm
Engine capacity	1.975 cc
Cylinders	4
Fuel type	Petrol
Consumption city	23.7 mpg
Consumption extra urban	42.8 mpg
Consumption combined	33.2 mpg
CO2 emission	203 g/km
CO2 label	Κ







Internet history

Entry 2

Date Pictures 2023-03-17

25

Listing price

View report



source: cargurus.co.uk

Entry 1

Date

Pictures

Listing price

2022-01-29

View report

40

source: autotrader.co.uk









MOT history

MOT expiry date	2024-10-26
MOT pass rate	58 %
MOT passed	14
Failed MOT tests	10
Total advice items	110
Total items failed	37

MOT #24		2023-10-27 14:40
MOT test	number	438624550687
Result		✓ Passed
Next expi	ry date	2024-10-26
Advice	Vehicle has recently been undersealed but looks structurally fine	
Advice	Brake pipe corroded, covered in grease or other material front to rear ur	ndersealed (1.1.11 (c))
Advice	Offside Rear Brake disc worn, pitted or scored, but not seriously weaken	ed (1.1.14 (a) (ii))
Advice	Nearside Subframe mounting repair covered in underseal (5.3.6 (a) (i))	



MOT #23	2023-10-27 09:30
MOT test number	420902979501
Result	🗙 Failed
Advice Nearside Subframe mounting repair covered in underseal (5.3.6 (a) (i))	
Minor Rear Windscreen wiper blade defective (3.4 (b) (i))	
Advice Brake pipe corroded, covered in grease or other material front to rear unders	ealed (1.1.11 (c))
Advice Nearside Front Inner Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Fail Offside Front Position lamp not working (4.2.1 (a) (ii))	
Advice Vehicle has recently been undersealed but looks structurally fine	
Fail Offside Front Service brake excessively binding (1.2.1 (f))	
Advice Offside Rear Brake disc worn, pitted or scored, but not seriously weakened (1	1.14 (a) (ii))

MOT #22	2023-03-03 10:57
MOT test	number 195916616543
Result	✓ Passed
Advice	Suspension component mounting repair covered in underseal FRONT AND REAR (5.3.6 (a) (i))
Advice (i))	Front Upper Suspension component mounting repair covered in underseal BOTH SIDES (5.3.6 (a)
Advice	Brake pipe corroded, covered in grease or other material FRONT AND REAR ALL AROUND (1.1.11
Advice	Offside Front Service brake binding but not excessively (1.2.1 (f))
Advice	Subframe mounting repair covered in underseal FRONT AND REAR (5.3.6 (a) (i))



SD08DWU
report date: 2024-03-29

MOT #21	2023-01-26 12:16
MOT test number	260532531557
Result	🗙 Failed

Advice	Nearside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))
Advice	Offside Front Service brake binding but not excessively (1.2.1 (f))
	Offside Front Upper Suspension component mounting prescribed area excessively corroded ntly reducing structural strength behind arch liner (5.3.6 (a) (i))
Advice excessiv	Offside Front Suspension component mounting prescribed area is corroded but not considered e (5.3.6 (a) (i))
Fail	Offside Rear Brake pipe connection leaking on a hydraulic braking system (1.1.11 (b) (ii))
Fail	Front Sub-frame corroded and seriously weakened (5.3.3 (b) (i))
Advice excessiv	Offside Rear Suspension component mounting prescribed area is corroded but not considered e (5.3.6 (a) (i))
Advice	Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))
Advice	Rear Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))
Advice	Rear Registration plate deteriorated but not likely to be misread (0.1 (b))
Advice	Offside Front Lower Suspension arm corroded but not seriously weakened (5.3.3 (b) (i))
Minor	Offside Rear Brake pipe inadequately clipped or supported (1.1.11 (d) (i))
	Nearside Front Upper Suspension component mounting prescribed area excessively corroded ntly reducing structural strength behind arch liner (5.3.6 (a) (i))
Advice	Offside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))
Advice excessiv	Nearside Front Suspension component mounting prescribed area is corroded but not considered e (5.3.6 (a) (i))
Fail	Anti-lock braking system warning lamp does not illuminate (1.6 (a))
Advice	Nearside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))
Advice excessiv	Nearside Rear Suspension component mounting prescribed area is corroded but not considered e (5.3.6 (a) (i))
Advice	Nearside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))
Advice	Front Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))
Advice	Parking brake efficiency only just met
Fail	Offside Steering rack gaiter missing or no longer prevents the ingress of dirt (2.1.3 (g) (ii))
Advice	Nearside Front Lower Suspension arm corroded but not seriously weakened (5.3.3 (b) (i))
Fail	Offside Rear Brake pipe likely to become detached or damaged (1.1.11 (d) (ii))



Passed

MOT #20	2022-02-03 09:11
MOT test number	122539252825
Result	✓ Passed
MOT #19	2021-09-28 17:23
MOT test number	409359518727

Result

Advice Brake pipes plastic coated

MOT #1	.8	2021-09-27 12:56
MOT te	st number	523282721088
Result		× Failed
Fail	Offside Steering rack gaiter missing or no longer prevents the ingress of dirt (2.1.3	(g) (ii))
Fail	Offside Rear Brake disc significantly and obviously worn $(1.1.14 (a) (i))$	
Advic	e Brake pipes plastic coated	
Fail	Nearside Rear Service brake excessively fluctuating (1.2.1 (e))	
Fail	Anti-lock braking system warning lamp indicates an ABS fault (1.6 (b))	
Fail	Nearside Rear Brake disc significantly and obviously worn $(1.1.14$ (a) (i))	
Fail	Offside Rear Service brake excessively fluctuating (1.2.1 (e))	

MOT #17	2020-10-01 11:05
MOT test number	562142279237
Result	Passed
Advice Rear Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))



MOT #16 2020-09-30 13	3:28
MOT test number 166839540	527
Result × Fa	iled
Fail Anti-lock braking system warning lamp indicates an ABS fault (1.6 (b))	
MOT #15 2019-09-25 1	5:32
MOT test number 729439236	391
Result V Pas	sed
Advice Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Advice Offside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))	
Advice Offside Front Lower Suspension arm pin or bush worn but not resulting in excessive movement Rear bush (5.3.4 (a) (i))	
Advice Rear Registration plate deteriorated but not likely to be misread (0.1 (b))	
Advice Nearside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))	
Advice Offside Rear Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))	
Advice Nearside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))	
Advice Nearside Front Lower Suspension arm pin or bush worn but not resulting in excessive movemen Rear bush (5.3.4 (a) (i))	ıt
Advice Fuel filler pipes corroded	
Advice Hydraulic leak, but not excessive Power steering pipe slightly seeping (8.4.1 (a) (i))	
Advice Nearside Rear Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))	
Advice Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))	
Minor Offside Steering rack gaiter damaged or deteriorated, but preventing the ingress of dirt (2.1.3 (g (i)))



MOT #14	
MOT #14	2019-09-19 13:27
MOT test n	
Result	× Failed
	Nearside Front Lower Suspension arm pin or bush worn but not resulting in excessive movement 5.3.4 (a) (i))
Advice	Nearside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))
Fail Offs	side Front Shock absorbers has a serious fluid leak (5.3.2 (b))
Fail Offs	side Front Windscreen wiper does not clear the windscreen effectively (3.4 (b) (ii))
Advice	Hydraulic leak, but not excessive Power steering pipe slightly seeping (8.4.1 (a) (i))
Advice	Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))
Minor (a) (i))	Nearside Front Electrical wiring insecure ABS sensor wire - mounting bracket hanging loose (4.11
Advice	Offside Rear Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))
Advice	Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))
	Offside Front Lower Suspension arm pin or bush worn but not resulting in excessive movement 5.3.4 (a) (i))
	arside Front Suspension spring mounting prescribed area excessively corroded significantly ructural strength Lower spring recess on shock absorber holed (5.3.6 (a) (i))
Advice	Rear Registration plate deteriorated but not likely to be misread (0.1 (b))
Advice	Offside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))
Advice	Fuel filler pipes corroded
Minor (i))	Offside Steering rack gaiter damaged or deteriorated, but preventing the ingress of dirt (2.1.3 (g)
Advice	Nearside Rear Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))
Advice	Nearside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))



MOT #13		2018-09-03 14:53
MOT test	number	335163529654
Result		✓ Passed
Advice Trailing ar	Nearside Rear Outer Suspension arm pin or bush worn but not resulting in exo m (5.3.4 (a) (i))	cessive movement
Advice	Nearside Front Brake pipe corroded, covered in grease or other material (1.1.	11 (c))
Advice	Central Rear Lower Engine mounting damaged but not to excess (6.1.8 (a) (i)))
Advice	Fuel filler pipes corroded	
Advice	Offside Rear Exhaust has a minor leak of exhaust gases silencer (6.1.2 (a))	
Advice	Offside Rear Brake pipe corroded, covered in grease or other material before	flexi (1.1.11 (c))
Advice Trailing ar	Offside Rear Outer Suspension arm pin or bush worn but not resulting in exce m (5.3.4 (a) (i))	ssive movement
Advice	Offside Front Brake pipe corroded, covered in grease or other material (1.1.1)	L (c))
Advice	Front Exhaust has a minor leak of exhaust gases Flexi (6.1.2 (a))	
Advice	Nearside Rear Brake pipe corroded, covered in grease or other material befor	e flexi (1.1.11 (c))



MOT #12 2018-	09-03 11:08
MOT test number 217	350840772
Result	🗙 Failed
Fail Engine MIL inoperative or indicates a malfunction (8.2.1.2 (h))	
Advice Nearside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))	
Advice Central Rear Lower Engine mounting damaged but not to excess (6.1.8 (a) (i))	
Advice Offside Rear Exhaust has a minor leak of exhaust gases silencer (6.1.2 (a))	
Fail Nearside Rear Tyre tread depth below requirements of 1.6mm (5.2.3 (e))	
Advice Offside Rear Brake pipe corroded, covered in grease or other material before flexi (1.1.1	.1 (c))
Advice Offside Rear Outer Suspension arm pin or bush worn but not resulting in excessive mov Trailing arm (5.3.4 (a) (i))	ement
Fail Nearside Headlamp not working on dipped beam (4.1.1 (a) (ii))	
Advice Offside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))	
Advice Fuel filler pipes corroded	
Advice Front Exhaust has a minor leak of exhaust gases Flexi (6.1.2 (a))	
Advice Nearside Rear Brake pipe corroded, covered in grease or other material before flexi (1.1	11 (c))
Advice Nearside Rear Outer Suspension arm pin or bush worn but not resulting in excessive mo Trailing arm (5.3.4 (a) (i))	ovement

MOT #11		2017-08-01 15:42
MOT test	number	935765804320
Result		✓ Passed
Advice	Offside Front Brake pipe slightly corroded (3.6.B.2c)	
Advice	Slight sweat at steering rack nearside front	
Advice	Fuel Pipe/s corroded filler neck	
Advice	Play in steering rack inner joint(s)	
Advice	Nearside Rear Tyre worn close to the legal limit (4.1.E.1)	



MOT #10		2016-08-25 08:52
MOT test	number	625980718596
Result		✓ Passed
Advice	NSF tyre warring on outer sypes	
Advice (2.4.G.2)	Nearside Anti-roll bar rubber bush deteriorated but not resulting in excessive r	novement D bush
Advice	Offside Front Brake pipe slightly corroded (3.6.B.2c)	
Advice	Fuel filler pipes corroded	
Advice	Exhaust has a minor leak of exhaust gases front flexi pipe (7.1.2)	
Advice bush (2.4.	Offside Front Anti-roll bar rubber bush deteriorated but not resulting in excessi G.2)	ive movement D

МОТ #9	2016-08-22 10:48
MOT test number	634572265596
Result	🗙 Failed
Advice Nearside Anti-roll bar rubber bush deteriorated but not resulting in excessive m (2.4.G.2)	novement D bush
Advice Offside Front Brake pipe slightly corroded (3.6.B.2c)	
Fail Rear brake application uneven (3.7.B.2)	
Fail Driver's door cannot be opened from inside the vehicle (6.2.B.1b)	
Advice Fuel filler pipes corroded	
Fail Offside Front Steering rack gaiter split (2.2.D.2d)	
Advice Offside Front Anti-roll bar rubber bush deteriorated but not resulting in excessive bush (2.4.G.2)	ve movement D
FailNearside rear brake binding (3.7.B.1)	
Fail Parking brake: efficiency below requirements (3.7.B.7)	
Advice NSF tyre warring on outer sypes	
Advice Exhaust has a minor leak of exhaust gases front flexi pipe (7.1.2)	



MOT #8	2015-07-03 14:26	
MOT test number	558144485118	
Result	✓ Passed	
Notice Fuel filler pipes corroded		
MOT #7	2015-07-01 12:27	
MOT test number	629882685194	
Result	🗙 Failed	
Advice Rear Brake pad(s) wearing thin (3.5.1g)		
Fail Windscreen washer provides insufficient washer liquid (8.2.3)		
Advice Offside Rear brake disc worn, pitted or scored, but not seriously weaken	ed (3.5.1i)	
Fail Offside Front Windscreen wiper does not clear the windscreen effectively (8.2.2)		
Fail Nearside Front Headlamp aim too low (1.8)		
FailParking brake: efficiency below requirements (3.7.B.7)		
Advice Nearside Rear brake disc worn, pitted or scored, but not seriously weake	ened (3.5.1i)	
Fail Nearside Front Windscreen wiper does not clear the windscreen effectively	(8.2.2)	
Notice Fuel filler pipes corroded		
Fail Nearside rear parking brake recording little or no effort (3.7.B.6a)		
Fail Offside Front Headlamp aim too low (1.8)		
MOT #6	2014-07-09 16:00	
MOT test number	748590394100	

MOT test	number	/48590394100
Result		✓ Passed
Notice	NSR tyre cracked	
Notice	OSR tyre cracked	



MOT #5		2014-07-09 11:47
MOT test	number	996920394133
Result		🗙 Failed
Notice	OSR tyre cracked	
Fail Fi	ront Brake pad(s) less than 1.5 mm thick (3.5.1g)	
Advice	Offside Inner Front brake disc worn, pitted or scored, but not seriously weaker	ned (3.5.1i)
Notice	NSR tyre cracked	
Fail 0	ffside Rear Registration plate lamp insecure (1.1.C.1c)	

MOT #4	2013-07-04 14:08
MOT test number	199295583182
Result	✓ Passed

МОТ #3	2012-06-06 14:35
MOT test number	509598852191
Result	✓ Passed
Advice Offside Rear Anti-roll bar has slight play in a pin/bush (2.4.G.2)	

MOT #2	2011-05-26 13:28
MOT test number	959736841194
Result	✓ Passed

MOT #1	2011-05-19 13:41
MOT test number	859179631119
Result	🗙 Failed
Fail Parking brake: efficiency below requirements (3.7.B.7)	



Tax & MOT check

Taxed Tax due: 1 August 2024	MOT Expires: 26 October 2024
Tax status	Valid until 1 August
Days left	93
MOT expiry date	26 October 2024
Full MOT history	See MOT history

Tax calculation

Vehicle class	48
Band	К
Single payment (12 months)	£ 395,00,-
Single six month payment	£ 217,25,-
Total payable by 12 monthly instalments	£ 414,75,-





Damage history

Check the damage history for this HYUNDAI. See if, where and when this HYUNDAI had damage and the car repair costs. We also check if this HYUNDAI was scrapped. Download the premium report <u>here</u> for the results.

Damage 1	
Date	FEIDO
Category	Lamp
Туре	
Damage 2	VAMPL
Date	
Category	AMP
Туре	

Extra HYUNDAI salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.





Vehicle valuation

What is this car worth? See the vehicle value of this HYUNDAI in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	4.00.000
Auction value	4 10.000
Average private trade value	4 10.200





Owner history

For how long did the current and previous owner(s) have this HYUNDAI? How many owners did this HYUNDAI have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

And a second s	

	More info >
Plate changes	
See in this check if this HYUNDAI had different number plates.	
Number of plates	,
Current registration	
Plate since	
Current registration	
Plate since	







Finance check

Check if this HYUNDAI is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this HYUNDAI has been settled.

If not, and you buy this HYUNDAI then you could lose the money and the car you paid for.


Download the premium report <u>here</u> and check if this HYUNDAI is financed.

Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	



Mileage check

Odometer	In miles
Mileage registrations	27
First mileage registration	2008-05-28
Last registration	2023-10-27
Complete history	See info



CarCheck.co.uk		page 19/20
Registration #26		11.777 est
Registration #25		11.777 esi
Registration #24		11.777 est
Registration #23		11.777 mi
Registration #22		10.200 est
Registration #21		10.207 mi
Registration #20		11.777 mi
Registration #19		11.777 mi
Registration #18		11.777 est
Registration #17		11.777 mi
Registration #16		11.777 mi
Registration #15		11.777 mi
Registration #14	2018-09-03	53.030 mi
Registration #13	2018-09-03	53.030 mi
Registration #12	2017-08-01	46.992 mi
Registration #11	2016-08-25	41.952 mi
Registration #10	2016-08-22	41.950 mi
Registration #9	2015-07-03	36.649 mi
Registration #8	2015-07-01	36.605 mi
Registration #7	2014-07-09	31.370 mi
Registration #6	2014-07-09	31.369 mi
Registration #5	2013-07-04	24.921 mi
Registration #4	2012-06-06	19.552 mi
Registration #3	2011-05-26	14.672 mi
Registration #2	2011-05-19	14.521 mi
Registration #1	2008-05-28	9 mi



Car features

S0225	Air conditionin
\$0295	
50482	
S0501	
\$0566	
\$0567	
S0569	

Dimensions & weight

Width	1760 mm
Height	1330 mm
Length	4395 mm
Wheel base	2530 mm
Kerb weight	1342 kg
Max. allowed weight	1740 kg

Additional information

Fuel tank capacity	55 I
Fuel delivery	Multi-Point Injection
Number of doors	3
Number of seats	4
Number of axles	2
Engine number	G4GC8269994