



BG07HWP

report date: 2024-03-28

General information

Make	FORD
Model	TRANSIT 260 SWB LR P/V 85
Colour	White
Year of manufacture	2007
Gearbox	5 speed Manual

Engine & fuel consumption

Power	84 BHP
Max. torque	250 Nm at 1.500 rpm
Engine capacity	2.198 cc
Cylinders	4
Fuel type	Diesel



LABEL UNKNOWN



MOT history

MOT expiry date	2024-01-28
MOT pass rate	59 %
MOT passed	13
Failed MOT tests	9
Total advice items	61
Total items failed	43
MOT #22	2024-02-07 16:43
MOT test number	907377001224
Result	✗ Failed

Fail Rear Vehicle structure or chassis has excessive corrosion, seriously affecting its strength within 30cm of a body mounting both sides rear panel/spring hangers (6.2.2 (d) (i))

Advice Integral body structure is corroded but structural rigidity is not significantly reduced complete under body (6.1.1 (c) (i))

Fail Headlamp aim too low both (4.1.2 (a))

Advice Offside Front mirror cracked

Advice Offside Front Track rod end ball joint has slight play (2.1.3 (b) (i))

Advice Nearside Front Integral body structure is corroded but structural rigidity is not significantly reduced inner wheel arch (holed) (6.1.1 (c) (i))

Fail Engine MIL inoperative or indicates a malfunction (8.2.1.2 (h))

Minor Nearside Registration plate lamp missing in the case of multiple lamps or light sources (4.7.1 (b) (i))

Advice Vehicle structure or chassis corroded within 30cm of a mounting, but not seriously affecting overall security both sides front inner wheel archs (6.2.2 (d) (i))

Advice Rear exhaust section showing signs of corrosion

Advice Front Brake disc worn, pitted or scored, but not seriously weakened both sides inner faces corroded (1.1.14 (a) (ii))

Advice Suspension arm pin or bush worn but not resulting in excessive movement both sides front arms rear bush's (5.3.4 (a) (i))

Advice Nearside Integral body structure is corroded but structural rigidity is not significantly reduced outer sill (6.1.1 (c) (i))

Advice Offside Front Integral body structure is corroded but structural rigidity is not significantly reduced inner wheel arch (6.1.1 (c) (i))

**MOT #21**

2023-01-14 09:02

MOT test number

810582628547

Result

✓ Passed

Minor

Nearside Front Steering rack gaiter damaged or deteriorated, but preventing the ingress of dirt (2.1.3 (g) (i))

Advice

Nearside Front Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))

Advice

Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))

Advice

Power steering close to minimum mark (2.1.5 (b) (i))

Advice

Oil leak, but not excessive (8.4.1 (a) (i))

Advice

Integral body structure is corroded but structural rigidity is not significantly reduced (6.1.1 (c) (i))

MOT #20

2022-01-04 08:58

MOT test number

767941566977

Result

✓ Passed

Advice

Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))

Advice

Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))

Advice

Offside Rear Wheel bearing slightly noisy (5.1.3 (b) (i))

Advice

Oil leak, but not excessive (8.4.1 (a) (i))

Advice

Rear Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))

Advice

Nearside Front Lower Suspension arm ball joint has slight play (5.3.4 (a) (i))

MOT #19

2021-01-29 15:46

MOT test number

325936433761

Result

✓ Passed

**MOT #18** 2019-06-20 14:48**MOT test number** 132061189454**Result** ✓ Passed

- Advice** 2x Sill corroded but not excessive
- Advice** Rear Brake disc worn, pitted or scored, but not seriously weakened x2 (1.1.14 (a) (ii))
- Advice** Nearside Front Seat belt anchorage prescribed area is corroded but not considered excessive (7.1.1 (a) (i))
- Minor** Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i))
- Advice** Front Brake disc worn, pitted or scored, but not seriously weakened x2 (1.1.14 (a) (ii))

MOT #17 2019-06-12 10:52**MOT test number** 351294170208**Result** ✗ Failed

- Fail** Nearside Front Tyre tread depth below requirements of 1.6mm (5.2.3 (e))
- Fail** Offside Front Position lamp not working (4.2.1 (a))
- Advice** Front Brake disc worn, pitted or scored, but not seriously weakened x2 (1.1.14 (a) (ii))
- Fail** Rear Brakes imbalanced across an axle Axle 2 (1.2.1 (b) (i))
- Minor** Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i))
- Advice** Nearside Front Seat belt anchorage prescribed area is corroded but not considered excessive (7.1.1 (a) (i))
- Fail** Offside Front Tyre tread depth below requirements of 1.6mm (5.2.3 (e))
- Fail** Nearside Front Direction indicator not working (4.4.1 (a) (ii))
- Advice** Rear Brake disc worn, pitted or scored, but not seriously weakened x2 (1.1.14 (a) (ii))
- Advice** 2x Sill corroded but not excessive

MOT #16 2018-06-15 13:33**MOT test number** 998502424641**Result** ✓ Passed

**MOT #15**

2018-06-09 10:19

MOT test number

292673259263

Result**✗ Failed**

- Fail** Offside Front Anti-roll bar linkage ball joint excessively worn (5.3.4 (a) (i))
- Fail** Nearside Rear Brake pipe excessively corroded (1.1.11 (c))
- Fail** Nearside Front Headlamp not working on dipped beam (4.1.1 (a) (ii))
- Fail** Brake pipe excessively corroded front to rear x2 (1.1.11 (c))
- Fail** Nearside Front Anti-roll bar linkage ball joint excessively worn (5.3.4 (a) (i))
- Fail** Nearside Front Position lamp not working (4.2.1 (a))
- Fail** Offside Rear Brake pipe excessively corroded (1.1.11 (c))
- Fail** Offside Front Headlamp not working on dipped beam (4.1.1 (a) (ii))
- Fail** Brake pad(s) wear indicator illuminated (1.1.13 (a) (i))

MOT #14

2017-06-01 15:17

MOT test number

666901395395

Result**✓ Passed**

- Advice** Offside Rear Brake pipe slightly corroded (3.6.B.2c)
- Advice** Nearside front brake fluctuating, but not excessively (3.7.B.3)
- Advice** Offside Front Tyre worn close to the legal limit (4.1.E.1)

**MOT #13**

2017-05-30 09:53

MOT test number

595027724760

Result

✗ Failed

- Fail** Offside Rear brake disc in such a condition that it is seriously weakened (3.5.1i)
- Fail** Nearside Registration plate lamp not working (1.1.C.1d)
- Fail** Parking brake lever has no reserve travel (3.1.6b)
- Fail** Nearside Rear Leaf spring fractured (2.4.B.1a)
- Fail** Offside Front Brake pipe excessively corroded (3.6.B.2c)
- Advice** Nearside Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
- Advice** Offside Front Tyre worn close to the legal limit (4.1.E.1)
- Fail** Central Upper Stop lamp not working (1.2.1b)
- Advice** Nearside front brake fluctuating, but not excessively (3.7.B.3)
- Fail** Offside Front wheel bearing rough when rotated (2.5.A.2)
- Advice** Offside Rear Brake pipe slightly corroded (3.6.B.2c)

MOT #12

2016-06-21 12:44

MOT test number

441342766029

Result

✓ Passed

- Advice** Nearside Rear Brake pipe slightly corroded (3.6.B.2c)
- Advice** Offside Front Brake pipe slightly corroded (3.6.B.2c)
- Advice** Offside Rear Tyre worn close to the legal limit (4.1.E.1)

**MOT #11**

2016-06-13 15:17

MOT test number

555199851839

Result**✗ Failed****Advice**

Nearside Rear Brake pipe slightly corroded (3.6.B.2c)

Advice

Offside Rear Tyre worn close to the legal limit (4.1.E.1)

Advice

Offside Front Brake pipe slightly corroded (3.6.B.2c)

Fail

Nearside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)

Fail

Offside Front Track rod end ball joint has excessive play (2.2.B.1f)

MOT #10

2015-06-03 11:11

MOT test number

528484855179

Result**✓ Passed****Advice**

Parking brake lever has little reserve travel (3.1.6b)

Advice

Offside Front Tyre worn close to the legal limit (4.1.E.1)

Advice

Offside Front Lower Suspension arm has slight play in a ball joint (2.4.G.2)

Advice

Nearside Front Tyre worn close to the legal limit (4.1.E.1)

Advice

Offside Front Brake pipe slightly corroded (3.6.B.2c)



MOT #9	2015-06-02 08:59
MOT test number	878343155189
Result	✗ Failed
Advice	Nearside Front Tyre worn close to the legal limit (4.1.E.1)
Advice	Offside Front Brake pipe slightly corroded (3.6.B.2c)
Advice	Parking brake lever has little reserve travel (3.1.6b)
Fail	Nearside Front Windscreen wiper does not clear the windscreen effectively (8.2.2)
Fail	Offside Headlamp aim too high (1.8)
Advice	Offside Front Tyre worn close to the legal limit (4.1.E.1)
Advice	Offside Front Lower Suspension arm has slight play in a ball joint (2.4.G.2)
Fail	Offside Front Windscreen wiper does not clear the windscreen effectively (8.2.2)

MOT #8	2014-05-29 15:49
MOT test number	296889144135
Result	✓ Passed
Notice	O/s/f wiper

MOT #7	2013-06-04 11:39
MOT test number	318545353126
Result	✓ Passed

**MOT #6**

2013-05-29 11:22

MOT test number

556689743131

Result

✗ Failed

- Fail** Brake pedal spongy (3.3.B.1b)
- Fail** Nearside Front brake disc in such a condition that it is seriously weakened (3.5.1i)
- Fail** Nearside Front Brake pipe excessively corroded (3.6.B.2c)
- Fail** Nearside Front Windscreen washer provides insufficient washer liquid (8.2.3)
- Fail** Nearside Front suspension has excessive play in a lower suspension ball joint (2.5.B.1a)
- Fail** Brake pedal creeps down while the pedal is held under pressure (3.3.B.1a)
- Fail** Brake pedal creeps down under servo assistance and touches the floor (3.3.C.3)
- Fail** Offside Front brake disc in such a condition that it is seriously weakened (3.5.1i)
- Fail** Power steering component(s) leaking (2.3.3b)
- Fail** Offside Front Windscreen washer provides insufficient washer liquid (8.2.3)
- Fail** Brakes imbalanced across an axle (3.7.B.5b)

MOT #5

2012-05-15 12:16

MOT test number

516556432106

Result

✓ Passed

- Advice** Nearside Front Brake pipe slightly corroded (3.6.B.2c)
- Notice** Slight accident damage to nearside

**MOT #4** 2012-05-15 12:16**MOT test number** 165856332151**Result** ✗ Failed**Notice** Slight accident damage to nearside**Pass with rectification** Front Windscreen washer provides insufficient washer liquid (8.2.3)**Pass with rectification** Nearside Front Headlamp aim too low (1.8)**Advice** Nearside Front Brake pipe slightly corroded (3.6.B.2c)**MOT #3** 2011-05-07 10:23**MOT test number** 898407121152**Result** ✓ Passed**MOT #2** 2011-05-07 10:23**MOT test number** 865307221176**Result** ✗ Failed**Pass with rectification** Nearside Front Headlamp not working on dipped beam (1.7.5a)**MOT #1** 2010-03-23 11:49**MOT test number** 131192480445**Result** ✓ Passed



Damage history

Check the damage history for this FORD. See if, where and when this FORD had damage and the car repair costs. We also check if this FORD was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	

Damage 2

Date	
Category	
Type	



Extra FORD salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this FORD in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	£ 19,999
Auction value	£ 19,999
Average private trade value	£ 19,999

More info >



Owner history

For how long did the current and previous owner(s) have this FORD? How many owners did this FORD have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since

More info >

Plate changes

See in this check if this FORD had different number plates.

Number of plates	1
Current registration	
Plate since	2024-03-28
Current registration	
Plate since	2024-03-28

More info >



Finance check

Check if this FORD is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this FORD has been settled.

If not, and you buy this FORD then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this FORD is financed.


Finance company	XXXXXXXXXX	XXXX
Date of agreement	XXXXXXXXXX	XXXX
Agreement type	XXXXXXXXXX	XXXX
Agreement term	XXXXXXXXXX	XXXX
Agreement number	XXXXXXXXXX	XXXX
Contact info	XXXXXXXXXX	XXXX

More info >



Mileage check

Odometer	In miles
Mileage registrations	21
First mileage registration	2007-04-20
Last registration	2024-02-07
Complete history	See info



Registration #1	2007-04-20	15 mi
Registration #2	2010-03-23	50.809 mi
Registration #3	2011-05-07	57.593 mi
Registration #4	2012-05-15	62.836 mi
Registration #5	2013-05-29	67.094 mi
Registration #6	2013-06-04	67.115 mi
Registration #7	2014-05-29	70.433 mi
Registration #8	2015-06-02	77.294 mi
Registration #9	2015-06-03	77.327 mi
Registration #10	2016-06-13	85.949 mi
Registration #11	2016-06-21	86.079 mi
Registration #12	2016-06-21	86.079 mi
Registration #13	2016-06-21	86.079 mi
Registration #14	2016-06-21	86.079 mi
Registration #15	2016-06-21	86.079 mi
Registration #16	2016-06-21	86.079 mi
Registration #17	2016-06-21	86.079 mi
Registration #18	2016-06-21	86.079 mi
Registration #19	2016-06-21	86.079 mi
Registration #20	2016-06-21	86.079 mi
Registration #21	2016-06-21	86.079 mi

More info >



Car features

The FORD factory car options list is only available in the premium report.

S0225	Air conditioning
S0295	
S0482	
S0501	
S0566	
S0567	
S0569	

View the complete FORD factory list for this vehicle [here](#).

More info >

Safety ratings

NCAP rating ★★★★★

Video [see crash video](#)



Dimensions & weight

Width	2374 mm
Height	1997 mm
Length	4863 mm
Kerb weight	1580 kg
Max. allowed weight	2600 kg

Additional information

Fuel tank capacity	80 l
Fuel delivery	Direct Injection
Number of doors	5
Number of seats	3
Engine number	7Y20056