



UK

Y64INFM

report date: 2024-03-28

General information

Make	TOYOTA
Model	PREVIA VVTI CDX 7 STR
Colour	Silver
Year of manufacture	2001
Top speed	115 mph
0 - 60 mph	10.9 seconds
Gearbox	4 speed automatic

Engine & fuel consumption

Power	154 BHP
Max. torque	225 Nm at 4.000 rpm
Engine capacity	2.362 cc
Cylinders	4
Fuel type	Petrol
Consumption city	19.5 mpg
Consumption extra urban	32.5 mpg
Consumption combined	26.2 mpg
CO2 emission	259 g/km
CO2 label	M





Internet history

Entry 3

Date	2022-11-23
Pictures	6
Listing price	View report

source: [cargurus.co.uk](#)

Entry 2

Date	2022-11-22
Pictures	6
Listing price	View report

source: [autotrader.co.uk](#)

Entry 1

Date	2021-09-22
Pictures	16
Listing price	View report

source: [cargurus.co.uk](#)



MOT history

MOT expiry date	2024-12-07
MOT pass rate	62 %
MOT passed	18
Failed MOT tests	11
Total advice items	76
Total items failed	24

MOT #29	2023-11-24 16:04
MOT test number	210144349941
Result	✓ Passed
Next expiry date	2024-12-07
Advice	Rear Brake hose has slight corrosion to ferrule Both sides (1.1.12 (f) (i))
Minor	Front Headlamp lens slightly defective Both sides (4.1.1 (b) (i))
Advice	Rear Coil spring corroded Both sides (5.3.1 (b) (i))

MOT #28	2023-11-24 16:04
MOT test number	799324177364
Result	✗ Failed
Minor	Front Headlamp lens slightly defective Both sides (4.1.1 (b) (i))
Advice	Rear Coil spring corroded Both sides (5.3.1 (b) (i))
Pass with rectification	Nearside Rear Stop lamp(s) not working (4.3.1 (a) (ii))
Advice	Rear Brake hose has slight corrosion to ferrule Both sides (1.1.12 (f) (i))

MOT #27	2022-12-08 13:38
MOT test number	551752083260
Result	✓ Passed
Advice	Covers obscuring some components



MOT #26

2022-01-31 10:41

MOT test number

884342886164

Result

✓ Passed

Advice Rear Coil spring corroded x2 (5.3.1 (b) (i))**Advice** Rear Coil spring mounting corroded but not seriously weakened slightly corroded both (5.3.1 (b) (i))

MOT #25

2021-11-08 12:34

MOT test number

697955065637

Result

✗ Failed

Advice Offside Rear Shock absorbers has light misting of oil (5.3.2 (b))**Fail** Front Headlamp has a product on the light source so that the light output is severely reduced x2 (4.1.4 (b))**Advice** Offside Front Inner Tyre worn close to legal limit/worn on edge (5.2.3 (e))**Fail** Rear Axle swivel pins and bushes swivel pin and/or bush excessively worn both sides (5.1.2 (b) (i))**Advice** Offside Rear Coil spring corroded (5.3.1 (b) (i))



MOT #24

2021-04-30 13:54

MOT test number

462131989788

Result

✖ Failed

Fail Offside Front Headlamp has a product on the light source so that the light output is severely reduced (4.1.4 (b))

Fail Nearside Rear Suspension arm pin or bush excessively worn split and perished (5.3.4 (a) (i))

Advice Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))

Advice Nearside Rear Coil spring corroded and offside rear (5.3.1 (b) (i))

Fail Nearside Front Headlamp light source and lamp not compatible (4.1.4 (c))

Fail Nearside Front Headlamp has a product on the light source so that the light output is severely reduced (4.1.4 (b))

Advice Offside Front Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))

Fail Offside Rear Suspension arm pin or bush excessively worn spilt and perished (5.3.4 (a) (i))

Fail Offside Front Headlamp light source and lamp not compatible (4.1.4 (c))

MOT #23

2020-05-19 07:58

MOT test number

838265876243

Result

✓ Passed

Advice Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))

MOT #22

2019-05-20 08:06

MOT test number

988533653909

Result

✓ Passed

Advice Rear Brake pad(s) wearing thin (1.1.13 (a) (ii))



MOT #21

2018-05-08 13:24

MOT test number

236374600043

Result

✓ Passed

- Advice** Nearside Front Suspension arm rubber bush deteriorated but not resulting in excessive movement
(2.4.G.2)
- Advice** Nearside Rear Suspension arm rubber bush deteriorated but not resulting in excessive movement
(2.4.G.2)
- Advice** Front Brake pad(s) wearing thin (3.5.1g)
- Advice** Offside Front Suspension arm rubber bush deteriorated but not resulting in excessive movement
(2.4.G.2)
- Advice** Offside Rear Suspension arm rubber bush deteriorated but not resulting in excessive movement
(2.4.G.2)

MOT #20

2018-05-08 09:33

MOT test number

351024083503

Result

✗ Failed

- Advice** Nearside Front Suspension arm rubber bush deteriorated but not resulting in excessive movement
(2.4.G.2)
- Advice** Nearside Rear Suspension arm rubber bush deteriorated but not resulting in excessive movement
(2.4.G.2)
- Advice** Front Brake pad(s) wearing thin (3.5.1g)
- Fail** Offside Headlamp has a product on the lens so that the light output is severely reduced (1.7.5a)
- Fail** Offside Windscreen wiper does not clear the windscreen effectively (8.2.2)
- Advice** Offside Front Suspension arm rubber bush deteriorated but not resulting in excessive movement
(2.4.G.2)
- Advice** Offside Rear Suspension arm rubber bush deteriorated but not resulting in excessive movement
(2.4.G.2)
- Fail** Nearside Headlamp has a product on the lens so that the light output is severely reduced (1.7.5a)



MOT #19

2017-05-13 14:42

MOT test number

516326162914

Result

Passed

- Advice** Nearside Rear Sub-frame rubber bush deteriorated but not resulting in excessive movement axle beam bush (chalked) (2.4.G.2)
- Advice** Nearside Rear Inner Suspension arm rubber bush deteriorated but not resulting in excessive movement rear bush (2.4.G.2)
- Advice** Items removed from driver's view prior to test
- Advice** Offside Rear Inner Brake pad(s) wearing thin beginning to look low (3.5.1g)
- Advice** Offside Front Headlamp has a product on the lens but not seriously reducing light output (1.7.5a)
- Advice** Offside Rear coil spring corroded (2.4.C.1b)
- Advice** Offside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
- Advice** Offside Rear Sub-frame rubber bush deteriorated but not resulting in excessive movement axle beam bush (chalked) (2.4.G.2)
- Advice** Offside Rear Inner Suspension arm rubber bush deteriorated but not resulting in excessive movement rear bush (2.4.G.2)
- Advice** Nearside Front Headlamp has a product on the lens but not seriously reducing light output (1.7.5a)
- Advice** Nearside Rear coil spring corroded (2.4.C.1b)
- Advice** Nearside Rear Lower sill / jacking point distorted/damaged
- Advice** Nearside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
- Advice** Offside Front Brake pad(s) wearing thin 4mm (3.5.1g)



MOT #18

2017-05-06 13:53

MOT test number

487665043841

Result

✗ Failed

Advice Offside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)**Fail** Offside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)**Advice** Offside Rear Sub-frame rubber bush deteriorated but not resulting in excessive movement axle beam bush (chalked) (2.4.G.2)**Advice** Nearside Rear Lower sill / jacking point distorted/damaged**Advice** Offside Rear Inner Suspension arm rubber bush deteriorated but not resulting in excessive movement rear bush (2.4.G.2)**Advice** Nearside Front Headlamp has a product on the lens but not seriously reducing light output (1.7.5a)**Advice** Nearside Rear coil spring corroded (2.4.C.1b)**Advice** Nearside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)**Fail** Nearside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)**Advice** Nearside Rear Sub-frame rubber bush deteriorated but not resulting in excessive movement axle beam bush (chalked) (2.4.G.2)**Fail** Offside Rear Tyre has ply or cords exposed (4.1.D.1b)**Advice** Nearside Rear Inner Suspension arm rubber bush deteriorated but not resulting in excessive movement rear bush (2.4.G.2)**Advice** Items removed from driver's view prior to test**Advice** Offside Rear Inner Brake pad(s) wearing thin beginning to look low (3.5.1g)**Advice** Offside Front Headlamp has a product on the lens but not seriously reducing light output (1.7.5a)**Advice** Offside Rear coil spring corroded (2.4.C.1b)

MOT #17

2016-05-16 14:07

MOT test number

974052942255

Result

✓ Passed

Advice Both front tyres worn low on outer edges



MOT #16	2015-05-18 12:14
---------	------------------

MOT test number	158358035192
-----------------	--------------

Result	✓ Passed
--------	----------

MOT #15	2014-05-19 08:25
---------	------------------

MOT test number	285019434161
-----------------	--------------

Result	✓ Passed
--------	----------

Advice	Front Brake pad(s) wearing thin (3.5.1g)
--------	--

Advice	Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
--------	--

MOT #14	2014-05-19 08:25
---------	------------------

MOT test number	959079134133
-----------------	--------------

Result	✗ Failed
--------	----------

Pass with rectification	Offside Windscreen wiper does not clear the windscreen effectively (8.2.2)
-------------------------	--

Advice	Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
--------	--

Advice	Front Brake pad(s) wearing thin (3.5.1g)
--------	--

MOT #13	2013-05-16 13:58
---------	------------------

MOT test number	128726833123
-----------------	--------------

Result	✓ Passed
--------	----------

MOT #12	2012-05-19 12:02
---------	------------------

MOT test number	879450242104
-----------------	--------------

Result	✓ Passed
--------	----------

Notice	Eml light on
--------	--------------

Notice	Both rear tyres perished and worn on inner edges
--------	--

Notice	Childseat fitted to nsf seat
--------	------------------------------



MOT #11	2012-05-19 12:02
MOT test number	388460942190
Result	✗ Failed
Pass with rectification	Nearside Windscreen wiper does not clear the windscreen effectively (8.2.2)
Notice	Childseat fitted to nsf seat
Notice	Eml light on
Notice	Both rear tyres perished and worn on inner edges

MOT #10	2011-04-27 14:12
MOT test number	226957611162
Result	✓ Passed
Notice	Both rear tyres badly cracked/perished would advise early replacement 205/65/15h

MOT #9	2010-05-13 16:07
MOT test number	501283130155
Result	✓ Passed

MOT #8	2010-05-13 09:31
MOT test number	522943530173
Result	✗ Failed
Fail	Nearside Front Tyre not fitted in accordance with side wall instructions (4.1.D.1f)
Fail	Offside Front Windscreen wiper does not clear the windscreen effectively (8.2.2)

MOT #7	2009-05-22 11:56
MOT test number	264932149406
Result	✓ Passed



MOT #6	2009-05-20 12:24
MOT test number	271660849155
Result	✗ Failed
Fail	Nearside Rear Tyre has a tear, caused by separation or partial failure of its structure (4.1.D.1b)
Advice	Offside Front Tyre worn close to the legal limit (4.1.E.1)
Fail	Nearside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)
Advice	Offside Rear Tyre worn close to the legal limit (4.1.E.1)
Notice	O/s wiper split on end.

MOT #5	2008-06-06 13:53
MOT test number	313788658197
Result	✓ Passed
MOT #4	2008-05-21 17:27
MOT test number	510412148163
Result	✗ Failed
Fail	Offside rear parking brake recording little or no effort (3.7.B.6a)
Notice	Engine management light on
Notice	Small cracks appearing in both rear tyres between the tread
Fail	Parking brake: efficiency below requirements (3.7.B.7)
Notice	Child seat fitted not allowing full inspection of adult belt
Notice	Offside rear tyre worn on inner edge

MOT #3	2007-06-04 16:15
MOT test number	112895157151
Result	✓ Passed



MOT #2

2007-06-04 14:09

MOT test number

272515257462

Result

✗ Failed

Notice Engine management light on**Fail** Windscreen wiper blade deteriorated (8.2.2)**Notice** O.S.R tyre low on inner edge**Notice** Rear suspension bushes starting to wear

MOT #1

2006-03-29 09:15

MOT test number

953448486023

Result

✓ Passed



Tax & MOT check

✓
Taxed

Tax due:
1 June 2024

✓
MOT

Expires:
7 December 2024

Tax status

Valid until 1 June

Days left

33

MOT expiry date

7 December 2024

Full MOT history

[See MOT history](#)

Tax calculation

Vehicle class	48
Band	K
Single payment (12 months)	£ 395,00,-
Single six month payment	£ 217,25,-
Total payable by 12 monthly instalments	£ 414,75,-



Damage history


Check the damage history for this TOYOTA. See if, where and when this TOYOTA had damage and the car repair costs. We also check if this TOYOTA was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date

Category

Type




Damage 2

Date

Category

Type



Extra TOYOTA salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

[More info >](#)



Owner history

For how long did the current and previous owner(s) have this TOYOTA? How many owners did this TOYOTA have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

.....

.....

.....

.....

.....

.....

.....

.....

More info >

Plate changes

See in this check if this TOYOTA had different number plates.

Number of plates

Current registration

Plate since: 0000-00-00

UK

Current registration

Plate since: 0000-00-00

UK

More info >



Finance check

Check if this TOYOTA is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this TOYOTA has been settled.

If not, and you buy this TOYOTA then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this TOYOTA is financed.

Finance company

Date of agreement

Agreement type

Agreement term

Agreement number


Contact info

More info >



Mileage check

Odometer	In miles
Mileage registrations	31
First mileage registration	2001-05-23
Last registration	2023-11-24
Complete history	See info



Registration #1	2001-05-23	21 mi
Registration #2	2006-03-29	37.685 mi
Registration #3	2007-06-04	40.618 mi
Registration #4	2007-06-04	40.618 mi
Registration #5	2008-05-21	42.433 mi
Registration #6	2008-06-06	42.582 mi
Registration #7	2009-05-20	44.143 mi
Registration #8	2009-05-22	44.251 mi
Registration #9	2010-05-13	45.816 mi
Registration #10	2010-05-13	45.816 mi
Registration #11	2011-04-27	48.542 mi
Registration #12	2012-05-19	51.661 mi
Registration #13	2013-05-16	55.018 mi
Registration #14	2014-05-19	58.453 mi
Registration #15	2015-05-18	62.136 mi
Registration #16	2016-05-16	66.382 mi
Registration #17
Registration #18
Registration #19
Registration #20
Registration #21
Registration #22
Registration #23
Registration #24
Registration #25
Registration #26

Registration #27	0000.00.00	00.000.000
Registration #28	0000.00.00	00.000.000
Registration #29	0000.00.00	00.000.000
Registration #30	0000.00.00	00.000.000
Registration #31	0000.00.00	00.000.000

More info >



Car features

The TOYOTA factory car options list is only available in the premium report.

S0225

Air conditioning

S0295**S0482****S0501****S0566****S0567****S0569**

View the complete TOYOTA factory list for this vehicle [here](#).

[More info >](#)

Safety ratings

NCAP rating**Video**[see crash video](#)

Dimensions & weight

Width

1790 mm

Height

1770 mm

Length

4750 mm

Additional information

Fuel tank capacity

76 l

Fuel delivery

Multi-Point Injection

Number of doors

5

Number of axles

2

Engine number

2AZ0190424