



X397EKV

report date: 2024-03-28

General information

Make	CITROEN
Model	RELAY 1800 LWB C/C 2.5TD
Colour	White
Year of manufacture	2001
Gearbox	-Manual

Engine & fuel consumption

Engine capacity	2.446 cc
Fuel type	Diesel



LABEL UNKNOWN



Internet history

Entry 1

Date	2021-01-29
Pictures	1
Listing price	<a href="#">View report</a>



source: [autoonline.co.uk](https://www.autoonline.co.uk)



MOT history

MOT expiry date	2024-09-08
MOT pass rate	55 %
MOT passed	17
Failed MOT tests	14
Total advice items	104
Total items failed	52

MOT #31	2023-08-31 17:19
MOT test number	528588297464
Result	✓ Passed
Next expiry date	2024-09-08
Advice	Steering rack has slight free play detected at steering wheel (2.3 (a) (i))
Advice	Play in steering rack inner joint(s)

MOT #30	2023-08-31 17:19
MOT test number	145920699610
Result	✗ Failed
Advice	Steering rack has slight free play detected at steering wheel (2.3 (a) (i))
Pass with rectification	Horn not working (7.7 (a))
Advice	Play in steering rack inner joint(s)

**MOT #29**

2022-09-09 16:00

**MOT test number**

436512323939

**Result**

✓ Passed

**Advice** Oil leak, but not excessive (8.4.1 (a) (i))**Advice** Underside has slight corrosion**Advice** Nearside Front Seat belt anchorage prescribed area is corroded but not considered excessive (7.1.1 (a) (i))**Advice** Underside has undergone extensive welding and repairs covered in underseal**MOT #28**

2021-08-09 13:51

**MOT test number**

153474169174

**Result**

✓ Passed

**Advice** Underside of cab has been heavily welded and undersealed**Advice** Slight play in NS and OS bottom ball joints. Lower Suspension NS and OS arms corroded**Advice** Slight blow on exhaust box**MOT #27**

2021-07-29 10:17

**MOT test number**

466065313572

**Result**

✗ Failed

**Advice** Slight blow on exhaust box**Fail** Offside Rear Brake pipe excessively corroded (1.1.11 (c))**Advice** Underside of cab has been heavily welded and undersealed**Advice** Slight play in NS and OS bottom ball joints. Lower Suspension NS and OS arms corroded**Fail** Offside Front Vehicle structure has excessive corrosion which adversely affects braking or steering (6.1.1 (c) (ii))

**MOT #26** 2020-07-16 12:19**MOT test number** 881398147311**Result** ✓ Passed**Minor** Windscreen damaged but not adversely affecting driver's view (3.2 (a) (i))**Advice** Offside Seat belt anchorage prescribed area is corroded but not considered excessive step (7.1.1 (a) (i))**MOT #25** 2020-01-13 16:02**MOT test number** 355580425443**Result** ✓ Passed**Advice** Offside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))**Advice** Offside Front Integral body structure is corroded but structural rigidity is not significantly reduced body (6.1.1 (c) (i))**Advice** Rear Coil spring corroded both sides (5.3.1 (b) (i))**Advice** Nearside Front Integral body structure is corroded but structural rigidity is not significantly reduced body (6.1.1 (c) (i))**Advice** Front Integral body structure is corroded but structural rigidity is not significantly reduced crossmember (6.1.1 (c) (i))

**MOT #24**

2018-11-23 10:38

**MOT test number**

222353034529

**Result****✗ Failed****Minor** Central Front Windscreen damaged but not adversely affecting driver's view (3.2 (a) (i))**Fail** Nearside Rear Coil spring fractured or broken (5.3.1 (b) (i))**Fail** Offside Front Tyre has ply or cords damaged (5.2.3 (d) (ii))**Advice** Offside Rear Wheel bearing has slight play (5.1.3 (a) (i))**Fail** Nearside Front Windscreen wiper does not clear the windscreen effectively (3.4 (b) (ii))**Advice** Rear Registration plate deteriorated but not likely to be misread (0.1 (b))**Fail** Offside Front Headlamp not working on main beam (4.1.1 (a) (ii))**Advice** Central Exhaust mounting defective rubber bracket broken (6.1.2 (a))**Advice** Nearside Rear Wheel bearing has slight play (5.1.3 (a) (i))**Fail** Offside Front Brake pipe excessively corroded (1.1.11 (c))**Pass with rectification** Offside Front Headlamp aim too low (4.1.2 (a))**Advice** Offside Front light lens damage**Fail** Offside Rear Rear fog lamp not working (4.5.1 (a) (ii))**MOT #23**

2017-11-23 16:00

**MOT test number**

984433604739

**Result****✓ Passed****Advice** Nearside Front Subframe mounting prescribed area is corroded but not considered excessive (2.4.A.3)**Advice** Offside Front Suspension spring mounting prescribed area is corroded but not considered excessive (2.4.A.3)

**MOT #22** 2017-11-23 16:00**MOT test number** 166863261050**Result** ✗ Failed**Pass with rectification** Offside Rear position lamp(s) not working (1.1.A.3b)**Advice** Offside Front Suspension spring mounting prescribed area is corroded but not considered excessive (2.4.A.3)**Advice** Nearside Front Subframe mounting prescribed area is corroded but not considered excessive (2.4.A.3)**MOT #21** 2017-01-17 15:33**MOT test number** 725006261760**Result** ✓ Passed**MOT #20** 2017-01-11 10:00**MOT test number** 859978482738**Result** ✗ Failed**Fail** Nearside Front Suspension spring mounting prescribed area is excessively corroded (2.4.A.3)**Fail** Nearside Front Subframe mounting prescribed area is excessively corroded (2.4.A.3)**Fail** Offside Headlamp not working on main beam (1.7.5a)**Fail** Front Brake pad(s) less than 1.5 mm thick (3.5.1g)**Fail** Offside Front Suspension spring mounting prescribed area is excessively corroded (2.4.A.3)**Fail** Parking brake: efficiency below requirements (3.7.B.7)**Fail** Offside Rear fog lamp not working (1.3.2b)

**MOT #19**

2016-01-13 16:55

**MOT test number**

364754165791

**Result**

✓ Passed

- Advice** Front cross member very corroded
- Advice** Nearside Rear Brake pipe slightly corroded (3.6.B.2c)
- Advice** Some exhaust rubbers broken and missing but still adequately supported
- Advice** Exhaust has a minor leak of exhaust gases (7.1.2)

**MOT #18**

2016-01-11 09:57

**MOT test number**

924187157758

**Result**

✗ Failed

- Fail** Nearside Front Suspension component mounting prescribed area is excessively corroded top shock mount (2.4.A.3)
- Advice** Front cross member very corroded
- Advice** Nearside Rear Brake pipe slightly corroded (3.6.B.2c)
- Fail** Offside Headlamp not working on main beam (1.7.5a)
- Fail** Nearside Front Subframe mounting prescribed area is excessively corroded (2.4.A.3)
- Advice** Some exhaust rubbers broken and missing but still adequately supported
- Advice** Exhaust has a minor leak of exhaust gases (7.1.2)
- Fail** Offside Front position lamp(s) not working (1.1.A.3b)



**MOT #17**

2015-01-09 11:48

**MOT test number**

906019305049

**Result**

✓ Passed

- Notice** Exhaust rubbers in bad condition and broken
- Advice** Nearside Front Front wheel bearing has slight play (2.5.A.3c)
- Notice** Front cross member is badly corroded
- Advice** Front Brake pad(s) wearing thin (3.5.1g)

**MOT #16**

2015-01-06 14:34

**MOT test number**

356346905012

**Result**

✗ Failed

- Advice** Front Brake pad(s) wearing thin (3.5.1g)
- Fail** Nearside Front Brake pipe excessively corroded (3.6.B.2c)
- Fail** Nearside Rear Brake pipe excessively corroded (3.6.B.2c)
- Notice** Exhaust rubbers in bad condition and broken
- Fail** Offside Front Subframe mounting prescribed area is excessively corroded (2.4.A.3)
- Advice** Nearside Suspension component mounting prescribed area is corroded but not considered excessive (2.4.A.3)
- Fail** Offside Headlamp not working on main beam (1.7.5a)
- Advice** Nearside Front Front wheel bearing has slight play (2.5.A.3c)
- Fail** Offside Front Brake pipe excessively corroded (3.6.B.2c)
- Fail** Nearside Front Brake pipe leaking (3.6.A.1)
- Notice** Front cross member is badly corroded
- Fail** Offside Front Suspension component mounting prescribed area is excessively corroded (2.4.A.3)
- Fail** Offside Windscreen wiper does not clear the windscreen effectively (8.2.2)

**MOT #15**

2014-01-06 16:20

**MOT test number**

846966204067

**Result**

✓ Passed

- Notice** Front pads look close/on limit time test
- Notice** Spring mounts corroding
- Notice** N/s/f and rear wheel bearings have slight play
- Notice** Brake pipes and ferrules corroding

**MOT #14**

2014-01-06 10:53

**MOT test number**

489806904039

**Result**

✗ Failed

- Fail** Offside Headlamp not working on main beam (1.7.5a)
- Notice** N/s/f and rear wheel bearings have slight play
- Notice** Spring mounts corroding
- Notice** Brake pipes and ferrules corroding
- Fail** Nearside Rear Tyre has ply or cords exposed (4.1.D.1b)
- Notice** Front pads look close/on limit time test

**MOT #13**

2013-01-07 09:57

**MOT test number**

228447303070

**Result**

✓ Passed

- Advice** Nearside Rear Tyre worn close to the legal limit (4.1.E.1)
- Notice** All wheelbearings have slight play
- Notice** Discs poor condition
- Notice** Front pads look low?
- Notice** Rear brake pipes corroding/ferrules

**MOT #12**

2013-01-07 09:20

**MOT test number**

176187803483

**Result****✗ Failed**

- Notice** Front pads look low?
- Notice** Rear brake pipes corroding/ferrules
- Advice** Nearside Rear Tyre worn close to the legal limit (4.1.E.1)
- Notice** All wheelbearings have slight play
- Notice** Discs poor condition
- Fail** Offside Front Headlamp not working on main beam (1.7.5a)

**MOT #11**

2012-01-04 15:08

**MOT test number**

305894102028

**Result****✓ Passed**

- Notice** Various parts exausht deteriorating/exhausht rubbers deteriorating
- Notice** Various brake pipes corroding/ferrules corroding
- Notice** Slight play rear wheel bearings

**MOT #10**

2012-01-04 15:08

**MOT test number**

276014702083

**Result****✗ Failed**

- Pass with rectification** Offside Headlamp aim too high (1.8)
- Notice** Various parts exausht deteriorating/exhausht rubbers deteriorating
- Pass with rectification** Nearside Front Headlamp aim too low (1.8)
- Notice** Various brake pipes corroding/ferrules corroding
- Notice** Slight play rear wheel bearings
- Pass with rectification** Offside Front Headlamp not working on main beam (1.7.5a)

**MOT #9** 2011-01-07 16:26**MOT test number** 436307001057**Result** ✓ Passed**Advice** Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3.1d)**Advice** Front wheel bearing has slight play (2.5.A.3c)**Advice** Brake pipe slightly corroded (3.6.B.2c)**Advice** Centre Front Seat belt damaged but webbing not significantly weakened (5.2.2a)**Advice** Rear wheel bearing has slight play (2.6.2)**MOT #8** 2011-01-07 11:44**MOT test number** 307647001084**Result** ✗ Failed**Fail** Offside Tyre tread depth below requirements of 1.6mm (4.1.E.1)**Advice** Brake pipe slightly corroded (3.6.B.2c)**Advice** Centre Front Seat belt damaged but webbing not significantly weakened (5.2.2a)**Advice** Rear wheel bearing has slight play (2.6.2)**Fail** Nearside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)**Fail** Offside Front Headlamp not working on main beam (1.7.5a)**Advice** Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3.1d)**Advice** Front wheel bearing has slight play (2.5.A.3c)

**MOT #7**

2009-12-21 16:40

**MOT test number**

482395959444

**Result**

✓ Passed

- Advice** Nearside Front Suspension arm has slight play in a pin/bush (2.4.G.2)
- Advice** Rear wheel bearing has slight play (2.6.2)
- Advice** Brake pipe slightly corroded (3.6.B.2c)
- Advice** Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3.1d)
- Advice** Front wheel bearing has slight play (2.5.A.3c)
- Advice** Front Tyre worn close to the legal limit (4.1.E.1)
- Advice** Exhaust has a minor leak of exhaust gases (7.1.2)

**MOT #6**

2009-12-18 09:33

**MOT test number**

923252459348

**Result**

✗ Failed

- Fail** Exhaust has part of the system excessively deteriorated (7.1.1a)
- Advice** Exhaust has a minor leak of exhaust gases (7.1.2)
- Advice** Nearside Front Suspension arm has slight play in a pin/bush (2.4.G.2)
- Advice** Rear wheel bearing has slight play (2.6.2)
- Fail** Offside Front Headlamp not working on main beam (1.7.5a)
- Advice** Brake pipe slightly corroded (3.6.B.2c)
- Fail** Exhaust has a part missing (7.1.1a)
- Advice** Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3.1d)
- Advice** Front wheel bearing has slight play (2.5.A.3c)
- Fail** Offside Front Suspension arm has excessive play in a pin/bush (2.4.G.2)
- Advice** Front Tyre worn close to the legal limit (4.1.E.1)

**MOT #5** 2009-01-07 16:12**MOT test number** 234487909040**Result** ✓ Passed**Notice** Minor leak of gasses rear box/deteriated**Notice** Windscreen various damage**Notice** Slight play various wheel bearings**Notice** Slight play both bottom balljoints**MOT #4** 2008-01-08 14:06**MOT test number** 890848008065**Result** ✓ Passed**MOT #3** 2008-01-04 10:08**MOT test number** 614294308016**Result** ✗ Failed**Fail** Horn not working (1.6.2a)**Notice** Windscreen has damage zone b**Fail** Parking brake: efficiency below requirements (3.7.B.7)**Fail** Offside Front Headlamp not working on main beam (1.7.5a)**Fail** Rear Rear wheel bearing has excessive play (2.6.2)**Notice** N/s/f wheel bearing has slight play**MOT #2** 2007-01-08 16:58**MOT test number** 770948207091**Result** ✓ Passed



MOT #1

2007-01-08 12:02

MOT test number

373328707077

Result

✗ Failed

Fail

Rear Body insecure and dangerous to other road users (6.1.B.1b)

Advice

Front wheel bearing has slight play (2.5.A.3c)

Fail

Parking brake: efficiency below requirements (3.7.B.7)

Fail

Horn not working (1.6.2a)

Fail

Offside Rear Brake pipe excessively corroded (3.6.B.2c)

Advice

Rear wheel bearing has slight play (2.6.2)

Fail

Offside Headlamp not working on main beam (1.7.5a)



Tax & MOT check

✓  
**Taxed**

**Tax due:**  
1 September 2024

✓  
**MOT**

**Expires:**  
8 September 2024

Tax status		Valid until 1 September
Days left		125
MOT expiry date		8 September 2024
Full MOT history		<a href="#">See MOT history</a>





Damage history

Check the damage history for this CITROEN. See if, where and when this CITROEN had damage and the car repair costs. We also check if this CITROEN was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	

Damage 2

Date	
Category	
Type	



Extra CITROEN salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Owner history

For how long did the current and previous owner(s) have this CITROEN? How many owners did this CITROEN have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since

More info >

Plate changes

See in this check if this CITROEN had different number plates.

Number of plates	1
Current registration	X397EKV
Plate since	2019-09-28
Current registration	X397EKV
Plate since	2019-09-28

More info >



Finance check

Check if this CITROEN is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this CITROEN has been settled.

If not, and you buy this CITROEN then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this CITROEN is financed.

Finance company	XXXXXXXXXX	XXXX
Date of agreement	XXXXXXXXXX	XXXX
Agreement type	XXXXXXXXXX	XXXX
Agreement term	XXXXXXXXXX	XXXX
Agreement number	XXXXXXXXXX	XXXX
Contact info	XXXXXXXXXX	XXXX

More info >



Mileage check

Odometer	In miles
Mileage registrations	32
First mileage registration	2001-01-17
Last registration	2023-08-31
Complete history	<a href="#">See info</a>



Registration #1	2001-01-17	26 mi
Registration #2	2007-01-08	36.690 mi
Registration #3	2007-01-08	36.690 mi
Registration #4	2008-01-04	44.470 mi
Registration #5	2008-01-08	44.477 mi
Registration #6	2009-01-07	33.627 mi
Registration #7	2009-12-18	56.049 mi
Registration #8	2009-12-21	56.049 mi
Registration #9	2011-01-07	59.652 mi
Registration #10	2011-01-07	59.652 mi
Registration #11	2012-01-04	65.809 mi
Registration #12	2013-01-07	71.285 mi
Registration #13	2013-01-07	71.285 mi
Registration #14	2014-01-06	76.879 mi
Registration #15	2014-01-06	76.879 mi
Registration #16	2015-01-06	82.040 mi
Registration #17	2015-01-06	82.040 mi
Registration #18	2015-01-06	82.040 mi
Registration #19	2015-01-06	82.040 mi
Registration #20	2015-01-06	82.040 mi
Registration #21	2015-01-06	82.040 mi
Registration #22	2015-01-06	82.040 mi
Registration #23	2015-01-06	82.040 mi
Registration #24	2015-01-06	82.040 mi
Registration #25	2015-01-06	82.040 mi
Registration #26	2015-01-06	82.040 mi

Registration #27	2025-25-25	25,252,442
Registration #28	2025-25-25	25,252,442
Registration #29	2025-25-25	25,252,442
Registration #30	2025-25-25	25,252,442
Registration #31	2025-25-25	25,252,442
Registration #32	2025-25-25	25,252,442

More info >



Dimensions & weight

Width	1720 mm
Max. allowed weight	3500 kg

Additional information

Number of axles	2
Engine number	FZ1R0382094