

Ford



General information

| MakeFORDModelGALAXY GHIA TDIColourSilverYear of manufacture-Top speed112 mph0 - 60 mph13.7 secondsGearbox6 speed Manual | | |
|---|---------------------|-----------------|
| ColourSilverYear of manufacture-Top speed112 mph0 - 60 mph3.7 seconds | Make | FORD |
| Year of manufacture-Top speed112 mph0 - 60 mph13.7 seconds | Model | GALAXY GHIA TDI |
| Top speed 112 mph 0 - 60 mph 13.7 seconds | Colour | Silver |
| 0 - 60 mph 13.7 seconds | Year of manufacture | - |
| | Top speed | 112 mph |
| Gearbox 6 speed Manual | 0 - 60 mph | 13.7 seconds |
| | Gearbox | 6 speed Manual |

Engine & fuel consumption

| Power | 115 BHP |
|-------------------------|---------------------|
| Max. torque | 310 Nm at 1.900 rpm |
| Cylinders | 4 |
| Fuel type | Diesel |
| Consumption city | 34.0 mpg |
| Consumption extra urban | 46.3 mpg |
| Consumption combined | 44.8 mpg |





Internet history

Entry 1

Date

2021-12-31

Pictures

8

Listing price

View report



source: autotrader.co.uk



MOT history

| MOT #24 | 2024-01-09 07:58 |
|---|------------------|
| MOT test number | 162150937031 |
| Result | 🗸 Passed |
| Next expiry date | 2025-01-09 |
| Advice Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c)) | |

| MOT #2 | 23 | 2024-01-08 08:55 |
|------------------------|---|------------------|
| MOT te | st number | 293401653133 |
| Result | | 🗙 Failed |
| Fail | Offside Front Headlamp not working on dipped beam (4.1.1 (a) (ii)) | |
| Fail | Offside Rear Parking brake inoperative on one side (1.4.1 (a)) | |
| Fail | Parking brake efficiency less than 50% of the required value (1.4.2 (a) (ii)) | |
| Advid | Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (| c)) |
| Fail reducir | Offside Rear Suspension component mounting prescribed area excessively corrodeng structural strength outer sill (5.3.6 (a) (i)) | ed significantly |

| MOT #22 | | 2023-01-10 14:17 |
|----------|---|------------------|
| MOT test | number | 407597046459 |
| Result | | ✓ Passed |
| Advice | Nearside Front Tyre slightly damaged/cracking or perishing Cracking (5.2.3 (d) (i | i)) |
| Advice | Nearside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (| (c)) |
| Advice | Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c) |)) |



EOO6WHH report date: 2024-03-29

| MOT #21 | 2022-12-30 16:26 |
|---|-------------------|
| MOT test number | 866203896848 |
| Result | 🗙 Failed |
| Advice Nearside Rear Brake pipe corroded, covered in grease or other material (1.1.11 | (c)) |
| FailOffside Front Position lamp not working (4.2.1 (a) (ii)) | |
| Advice Nearside Front Tyre slightly damaged/cracking or perishing Cracking (5.2.3 (d) | (ii)) |
| Advice Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (| c)) |
| Fail Nearside Front Anti-roll bar linkage ball joint dust cover no longer prevents the ingl link (5.3.4 (b) (ii)) | ress of dirt Drop |
| Fail Nearside Front Position lamp not working (4.2.1 (a) (ii)) | |

| MOT #20 | 2021-12-24 10:05 |
|--|---------------------------------|
| MOT test number | 875269984969 |
| Result | ✓ Passed |
| Advice Nearside Front Brake disc worn, pitted or scored, but not serious | sly weakened corroding on inner |

face. (1.1.14 (a) (ii))

Advice Offside Front Brake disc worn, pitted or scored, but not seriously weakened corroding on inner face. (1.1.14 (a) (ii))

| MOT #19 | 2021-12-10 16:02 |
|---|--------------------|
| MOT test number | 820936590734 |
| Result | 🗙 Failed |
| Fail (b) (ii))Offside Upper Anti-roll bar linkage ball joint dust cover no longer prevents the ingre | ess of dirt (5.3.4 |
| Advice Nearside Front Brake disc worn, pitted or scored, but not seriously weakened co face. (1.1.14 (a) (ii)) | orroding on inner |
| Fail Offside Rear Shock absorbers has a serious fluid leak (5.3.2 (b)) | |
| Minor Nearside Lower Suspension component ball joint dust cover severely deteriorate | ed (5.3.4 (b) (i)) |
| FailOffside Side repeater incorrect colour (4.4.3 (a)) | |
| Fail Offside Lower Suspension component ball joint excessively worn (5.3.4 (a) (i)) | |
| Advice Offside Front Brake disc worn, pitted or scored, but not seriously weakened corface. (1.1.14 (a) (ii)) | roding on inner |





| MOT #18 | | 2020-12-18 14:26 |
|--------------------|--|----------------------|
| MOT test | number | 718175333822 |
| Result | | ✓ Passed |
| Advice | Nearside Rear Shock absorbers light misting of oil or has limited damping effe | ct (5.3.2 (b)) |
| Minor preventin | Nearside Front Lower Steering linkage ball joint ball joint dust cover damaged og the ingress of dirt (2.1.3 (g) (i)) | or deteriorated, but |
| Minor | Nearside Front Lower Brake hose slightly damaged (1.1.12 (b) (i)) | |
| Advice | Offside Front Inner Brake disc worn, but not excessively (1.1.14 (a) (i)) | |
| Minor preventin | Offside Front Lower Steering linkage ball joint ball joint dust cover damaged or g the ingress of dirt (2.1.3 (g) (i)) | deteriorated, but |
| Minor | Offside Front Lower Anti-roll bar ball joint dust cover severely deteriorated (5.3. | .4 (b) (i)) |
| Advice | Nearside Front Inner Brake disc worn, but not excessively (1.1.14 (a) (i)) | |

| MOT #17 | 2019-12-23 13:56 |
|---------------|--|
| MOT test | number 784826681307 |
| Result | ✓ Passed |
| Advice | Nearside Front Inner Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii)) |
| Advice | Nearside Rear Shock absorbers light misting of oil or has limited damping effect (5.3.2 (b)) |
| Minor (i)) | Nearside Front Lower Suspension component ball joint dust cover severely deteriorated (5.3.4 (b) |
| Advice | Offside Front Inner Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii)) |

| MOT #16 | | 2018-12-01 14:39 |
|----------|--|------------------|
| MOT test | number | 762642863572 |
| Result | | ✓ Passed |
| Advice | Nearside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e)) | |
| Advice | Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e)) | |
| Advice | Offside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e)) | |
| Advice | Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e)) | |



| MOT #15 | 2018-12-01 11:04 |
|--|------------------|
| MOT test number | 196565702977 |
| Result | 🗙 Failed |
| Advice Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e)) | |
| Fail Offside Front Headlamp not working on dipped beam (4.1.1 (a) (ii)) | |
| Advice Offside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e)) | |
| Advice Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e)) | |
| Advice Nearside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e)) | |
| Fail Offside Rear Stop lamp(s) not working (4.3.1 (a) (ii)) | |

| MOT #14 | 2017-12-30 14:26 |
|---|------------------|
| MOT test number | 824907412294 |
| Result | ✓ Passed |
| Advice Rear Rear seats folded down not allowing full inspection of ad | ult belts |
| Advice Offside Rear Tyre worn on inside edge | |
| Advice Nearside Rear Tyre worn on inside edge | |

| MOT #13 | 2017-12-30 12:48 |
|--|------------------|
| MOT test number | 479262876096 |
| Result | 🗙 Failed |
| Advice Nearside Rear Tyre worn on inside edge | |
| Fail Nearside Stop lamp not working (1.2.1b) | |
| Advice Rear Rear seats folded down not allowing full inspection of adult belts | |
| Fail Nearside Headlamp aim beam image obviously incorrect (1.8.A.1b) | |
| Advice Offside Rear Tyre worn on inside edge | |





| MOT #12 | 2016-12-22 10:29 |
|---|----------------------------|
| MOT test number | 137522677110 |
| Result | ✓ Passed |
| | |
| MOT #11 | 2015-12-12 18:12 |
| MOT test number | 460190775863 |
| Result | ✓ Passed |
| | |
| MOT #10 | 2014-12-19 12:17 |
| MOT test number | 697753554353 |
| Result | ✓ Passed |
| Advice Offside Rear Rear position lamp(s) slightly affected by the operation of | of another lamp (1.1.A.3f) |

| MOT #9 | 2013-12-21 11:58 |
|-----------------|------------------|
| MOT test number | 269535453307 |
| Result | ✓ Passed |

| MOT #8 | 2012-12-07 17:58 |
|-----------------|------------------|
| MOT test number | 915352742390 |
| Result | ✓ Passed |

| MOT #7 | 2011-12-30 09:55 |
|-----------------------------------|------------------------------------|
| MOT test number | 355944261333 |
| Result | ✓ Passed |
| Advice Nearside Front Tyre worn | close to the legal limit (4.1.E.1) |
| Advice Nearside Rear Tyre worn of | lose to the legal limit (4.1.E.1) |
| Advice Offside Front Tyre worn cl | ose to the legal limit (4.1.E.1) |





| MOT #6 | 2011-03-19 10:12 |
|---|---|
| MOT test number | 47984827109 |
| Result | ✓ Passed |
| Notice Tyre inner edges getting low,rear age cracking,thorn in o/s/r | |
| MOT #5 | 2011-03-19 10:12 |
| MOT test number | 989078771006 |
| Result | 🗙 Failed |
| Notice Tyre inner edges getting low,rear age cracking,thorn in o/s/r | |
| Pass with rectification Offside Stop lamp not working (1.2.1b) | |
| MOT #4 | 2010-03-06 12:10 |
| MOT #4 | 954845160084 |
| Result | ✓ Passed |
| | • |
| MOT #3 | 2009-02-24 16:5 |
| MOT test number | 892855359048 |
| Result | ✓ Passed |
| MOT #2 | 2009-02-10 16:13 |
| MOT test number | 38102124901 |
| Result | ✓ Passed |
| MOT #1 | 2009-02-10 12:13 |
| MOT test number | 324611749094 |
| Result | 🗙 Failed |
| Fail Nearside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1) | |
| Advice Offside Front Tyre worn close to the legal limit (4.1.E.1) | |





Damage history

Check the damage history for this FORD. See if, where and when this FORD had damage and the car repair costs. We also check if this FORD was scrapped. Download the premium report <u>here</u> for the results.

| Damage 1 | | |
|----------|--|-------|
| Date | F | |
| Category | | ARME |
| Туре | | |
| Damage 2 | | AMPLE |
| | E E | |
| Date | | \$ |
| Category | AMP | |
| Туре | No. Contraction of the second se | |

Extra FORD salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.

More info \rightarrow





Vehicle valuation

What is this car worth? See the vehicle value of this FORD in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

| Trade retail value | 4 10.000 |
|-----------------------------|----------|
| Auction value | 4 10.000 |
| Average private trade value | 4 |

More info \rightarrow





Owner history

For how long did the current and previous owner(s) have this FORD? How many owners did this FORD have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

| And a second sec | |
|--|-------------|
| ************ | |
| ******** | |
| ******* | |
| *********** | |
| ******** | |
| | More info > |
| Plate changes | |
| See in this check if this FORD had different number plates. | |
| Number of plates | , |
| Current registration | |
| Plate since | |
| Current registration | |
| Plate since | |
| | More info > |





Finance check

Check if this FORD is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this FORD has been settled.

If not, and you buy this FORD then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this FORD is financed.

| Finance company | |
|-------------------|--|
| Date of agreement | |
| Agreement type | |
| Agreement term | |
| Agreement number | |
| Contact info | |

More info \rightarrow



EOO6WHH report date: 2024-03-29

Mileage check

| In miles |
|------------|
| 25 |
| 2006-03-17 |
| 2024-01-09 |
| See info |
| |



| Registration #1 | 2006-03-17 | 8 mi |
|--|------------|------------|
| Registration #2 | 2009-02-10 | 21.574 mi |
| Registration #3 | 2009-02-10 | 21.574 mi |
| Registration #4 | 2009-02-24 | 21.914 mi |
| Registration #5 | 2010-03-06 | 28.328 mi |
| Registration #6 | 2011-03-19 | 35.162 mi |
| Registration #7 | 2011-12-30 | 39.436 mi |
| Registration #8 | 2012-12-07 | 46.861 mi |
| Registration #9 | 2013-12-21 | 57.835 mi |
| Registration #10 | 2014-12-19 | 61.808 mi |
| Registration #11 | 2015-12-12 | 69.296 mi |
| Registration #12 | 2016-12-22 | 76.877 mi |
| Registration #12 | 2010 12 22 | /0.0// 111 |
| Registration #13 | 2017-12-30 | 84.542 mi |
| - | | |
| Registration #13 | 2017-12-30 | 84.542 mi |
| Registration #13 Registration #14 | 2017-12-30 | 84.542 mi |
| Registration #13 Registration #14 Registration #15 | 2017-12-30 | 84.542 mi |
| Registration #13 Registration #14 Registration #15 Registration #16 | 2017-12-30 | 84.542 mi |
| Registration #13 Registration #14 Registration #15 Registration #16 Registration #17 | 2017-12-30 | 84.542 mi |
| Registration #13 Registration #14 Registration #15 Registration #16 Registration #17 Registration #18 | 2017-12-30 | 84.542 mi |
| Registration #13 Registration #14 Registration #15 Registration #16 Registration #17 Registration #18 Registration #19 | 2017-12-30 | 84.542 mi |
| Registration #13 Registration #14 Registration #15 Registration #16 Registration #17 Registration #18 Registration #19 Registration #20 | 2017-12-30 | 84.542 mi |
| Registration #13 Registration #14 Registration #15 Registration #16 Registration #17 Registration #18 Registration #19 Registration #20 Registration #21 | 2017-12-30 | 84.542 mi |
| Registration #13 Registration #14 Registration #15 Registration #16 Registration #17 Registration #18 Registration #19 Registration #20 Registration #21 Registration #22 | 2017-12-30 | 84.542 mi |





Car features

| S0225 | Air conditioning |
|--------|------------------|
| \$0295 | |
| S0482 | |
| \$0501 | |
| S0566 | |
| S0567 | |
| S0569 | |

Safety ratings

NCAP rating

Video

**** see crash video



| Dimensions & weight | |
|-----------------------------------|------------------|
| Width | 2142 mm |
| Height | 1759 mm |
| Length | 4642 mm |
| Wheel base | 2835 mm |
| Kerb weight | 1666 kg |
| Max. allowed weight | 2510 kg |
| Additional information | |
| Fuel tank capacity | 70 |
| Fuel delivery | Direct Injection |
| Number of doors | 5 |
| Number of seats CarCheck.co.uk | 7 page 14/14 |

| Number of axles | 2 |
|-----------------|---------|
| Engine number | 5A17507 |