



Mercedes-Benz



report date: 2024-03-29

General information

Make	MERCEDES
Model	CLK CLK350 SPORT
Colour	Silver
Year of manufacture	2007
Top speed	155 mph
0 - 60 mph	6.7 seconds
Gearbox	7 speed automatic

Engine & fuel consumption

Power	268 BHP
Max. torque	350 Nm at 3.000 rpm
Engine capacity	3.498 cc
Cylinders	6
Fuel type	Petrol
Consumption city	19.3 mpg
Consumption extra urban	36.7 mpg
Consumption combined	27.7 mpg
CO2 emission	244 g/km
CO2 label	L






Internet history

Entry 1

Date	2021-10-27
Pictures	33
Listing price	View report



source: [autotrader.co.uk](https://www.autotrader.co.uk)



MOT history

MOT expiry date	2024-06-30
MOT pass rate	72 %
MOT passed	13
Failed MOT tests	5
Total advice items	85
Total items failed	8

MOT #18	2023-07-01 12:27
MOT test number	855682189684
Result	✓ Passed
Next expiry date	2024-06-30

MOT #17	2021-10-26 09:32
MOT test number	463770307962
Result	✓ Passed
Advice	Offside Front Wheel bearing has slight play (5.1.3 (a) (i))
Advice	Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))
Advice	Offside Front Suspension arm pin or bush worn but not resulting in excessive movement front (5.3.4 (a) (i))
Advice	Exhaust mounting defective (6.1.2 (a))
Advice	Offside Front Suspension arm ball joint has slight play front (5.3.4 (a) (i))

**MOT #16**

2021-10-26 07:54

MOT test number

613757275605

Result**✗ Failed**

- Fail** Road wheel fixing missing 1 from every wheel (5.2.1 (a) (i))
- Advice** Offside Front Suspension arm ball joint has slight play front (5.3.4 (a) (i))
- Advice** Offside Front Wheel bearing has slight play (5.1.3 (a) (i))
- Advice** Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))
- Fail** Nearside Headlamp aim projected beam image is obviously incorrect (4.1.2 (c))
- Fail** Offside Front Coil spring fractured or broken (5.3.1 (b) (i))
- Advice** Offside Front Suspension arm pin or bush worn but not resulting in excessive movement front (5.3.4 (a) (i))
- Advice** Exhaust mounting defective (6.1.2 (a))

MOT #15

2020-10-29 12:12

MOT test number

509374364298

Result**✓ Passed**

- Advice** Offside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- Advice** Nearside Rear Seat belt slightly damaged (7.1.2 (b) (i))
- Advice** Fluid leak, but not excessive o/s/f rack boot. (8.4.1 (a) (i))

MOT #14

2019-12-12 14:30

MOT test number

352026955117

Result**✓ Passed**

- Advice** Rear Exhaust mounting defective (6.1.2 (a))
- Advice** Nearside Rear Seat belt webbing slightly damaged or frayed (7.1.2 (b) (ii))
- Advice** Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))
- Advice** Offside Front Seat belt webbing slightly damaged or frayed (7.1.2 (b) (ii))

**MOT #13** 2019-12-06 16:18**MOT test number** 246552863254**Result** ✗ Failed

- Advice** Rear Exhaust mounting defective (6.1.2 (a))
- Advice** Nearside Rear Seat belt webbing slightly damaged or frayed (7.1.2 (b) (ii))
- Advice** Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))
- Fail** Offside Steering rack gaiter missing or no longer prevents the ingress of dirt split (2.1.3 (g) (ii))
- Advice** Offside Front Seat belt webbing slightly damaged or frayed (7.1.2 (b) (ii))

MOT #12 2018-12-10 12:20**MOT test number** 971117173382**Result** ✓ Passed

- Advice** Offside Front Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))
- Advice** Offside Front Wheel bearing has slight play (5.1.3 (a) (i))
- Advice** Nearside Front Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))
- Advice** Nearside Front Wheel bearing has slight play (5.1.3 (a) (i))



MOT #11

2018-11-29 12:52

MOT test number

240137285776

Result

✗ Failed

- Advice

Nearside Front Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))
- Advice

Offside Front Tyre worn close to legal limit/worn on edge worn on edges (5.2.3 (e))
- Advice

Nearside Front Wheel bearing has slight play (5.1.3 (a) (i))
- Advice

Offside Rear Tyre worn close to legal limit/worn on edge 2.0mm (5.2.3 (e))
- Fail

Offside Rear Coil spring fractured or broken (5.3.1 (b) (i))
- Advice

Offside Front Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))
- Advice

Nearside Rear Tyre worn close to legal limit/worn on edge 2.0mm (5.2.3 (e))
- Advice

Offside Front Wheel bearing has slight play (5.1.3 (a) (i))
- Fail

Nearside Rear Coil spring fractured or broken (5.3.1 (b) (i))



MOT #10

2017-12-01 11:52

MOT test number

179567425246

Result

✓ Passed

- Advice

Offside Front wheel bearing has slight play (2.5.A.3c)
- Advice

Nearside Front Brake hose slightly deteriorated (3.6.B.4d)
- Advice

Nearside Rear Brake hose slightly deteriorated (3.6.B.4d)
- Advice

Nearside Rear Brake pipe slightly corroded (3.6.B.2c)
- Advice

Rear exhaust hanger bracket rusty
- Advice

Nearside Front Suspension arm rubber bush deteriorated but not resulting in excessive movement tca (2.4.G.2)
- Advice

Nearside Front wheel bearing has slight play (2.5.A.3c)
- Advice

Offside Front Suspension arm rubber bush deteriorated but not resulting in excessive movement tca (2.4.G.2)
- Advice

Offside Rear coil spring corroded (2.4.C.1b)
- Advice

Offside Front Brake hose slightly deteriorated (3.6.B.4d)
- Advice

Offside Rear Brake hose slightly deteriorated (3.6.B.4d)
- Advice

Both front tyres perishing
- Advice

Nearside Front Suspension arm rubber bush deteriorated but not resulting in excessive movement rear (2.4.G.2)
- Advice

Offside Rear Brake pipe slightly corroded (3.6.B.2c)
- Advice

Offside Front Suspension arm rubber bush deteriorated but not resulting in excessive movement rear (2.4.G.2)



MOT #9

2016-11-25 11:52

MOT test number

892486209505

Result

✓ Passed

- Advice

Offside Rear Brake pad(s) wearing thin (3.5.1g)
- Advice

Nearside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
- Advice

Nearside Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)
- Advice

Nearside Front Brake pad(s) wearing thin (3.5.1g)
- Advice

Parking brake efficiency low
- Advice

Nearside Front Road wheel with a slightly distorted bead rim (4.2.A.1a)
- Advice

Nearside Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
- Advice

Nearside Rear Brake pad(s) wearing thin (3.5.1g)
- Advice

Nearside Rear Brake pipe slightly corroded (3.6.B.2c)
- Advice

Offside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
- Advice

Offside Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)
- Advice

Offside Front Brake pad(s) wearing thin (3.5.1g)
- Advice

Offside Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)

**MOT #8**

2016-11-25 10:57

MOT test number

566426871852

Result**✗ Failed**

- Advice** Nearside Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
- Advice** Nearside Rear Brake pad(s) wearing thin (3.5.1g)
- Advice** Nearside Rear Brake pipe slightly corroded (3.6.B.2c)
- Advice** Offside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
- Advice** Nearside Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)
- Advice** Offside Front Brake pad(s) wearing thin (3.5.1g)
- Advice** Nearside Front Road wheel with a slightly distorted bead rim (4.2.A.1a)
- Advice** Offside Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
- Advice** Parking brake efficiency low
- Advice** Offside Rear Brake pad(s) wearing thin (3.5.1g)
- Advice** Nearside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
- Fail** Offside Front Anti-roll bar linkage ball joint dust cover excessively deteriorated so that it no longer prevents the ingress of dirt (2.4.G.2)
- Advice** Nearside Front Brake pad(s) wearing thin (3.5.1g)
- Advice** Offside Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)

**MOT #7**

2015-11-27 11:14

MOT test number

428861288803

Result

✓ Passed

Advice Nearside Front Suspension arm rubber bush deteriorated but not resulting in excessive movement tca (2.4.G.2)

Advice Rear Brake pad(s) wearing thin (3.5.1g)

Advice Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3.1d)

Advice Offside Steering rack gaiter deteriorated (2.2.D.2d)

Advice Offside Front Suspension arm rubber bush deteriorated but not resulting in excessive movement rear (2.4.G.2)

Advice Offside Front Suspension arm rubber bush deteriorated but not resulting in excessive movement tca (2.4.G.2)

Advice Nearside Steering rack gaiter deteriorated (2.2.D.2d)

Advice Nearside Front Suspension arm rubber bush deteriorated but not resulting in excessive movement rear (2.4.G.2)

MOT #6

2014-11-28 11:40

MOT test number

788592434352

Result

✓ Passed

Notice Centre exhaust bracket corroded

Notice Nearside front tyre bald inner edge

MOT #5

2013-12-04 09:46

MOT test number

166428633366

Result

✓ Passed

MOT #4

2012-12-05 12:06

MOT test number

435750242321

Result

✓ Passed

Advice Nearside Outer Rear Suspension arm has slight play in a ball joint (2.4.G.2)

Advice Nearside Front Road wheel with a slightly distorted bead rim (4.2.A.1a)



MOT #3	2011-11-29 09:26
MOT test number	667623431323
Result	✓ Passed

MOT #2	2011-11-28 16:21
MOT test number	926102631394
Result	✗ Failed
<div>Fail</div> Offside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1)	

MOT #1	2010-07-06 13:43
MOT test number	732597880193
Result	✓ Passed



Tax & MOT check

✓
Taxed
Tax due:
1 March 2025

✓
MOT
Expires:
30 June 2024

Tax status	Valid until 1 March
Days left	305
MOT expiry date	30 June 2024
Full MOT history	See MOT history

Tax calculation

Vehicle class	48
Band	L
Single payment (12 months)	£ 675,00,-
Single six month payment	£ 371,25,-
Total payable by 12 monthly instalments	£ 708,75,-



Damage history

Check the damage history for this MERCEDES. See if, where and when this MERCEDES had damage and the car repair costs. We also check if this MERCEDES was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	



Damage 2

Date	
Category	
Type	



Extra MERCEDES salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this MERCEDES in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	£ 19,999
Auction value	£ 19,999
Average private trade value	£ 19,999

More info >



Owner history

For how long did the current and previous owner(s) have this MERCEDES? How many owners did this MERCEDES have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since

More info >

Plate changes

See in this check if this MERCEDES had different number plates.

Number of plates	1
Current registration	 DA07DXF
Plate since	2024-03-29
Current registration	 DA07DXF
Plate since	2024-03-29

More info >



Finance check

Check if this MERCEDES is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this MERCEDES has been settled.

If not, and you buy this MERCEDES then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this MERCEDES is financed.

Finance company	XXXXXXXX	XXXX
Date of agreement	XXXXXXXX	XXXX
Agreement type	XXXXXXXX	XXXX
Agreement term	XXXXXXXX	XXXX
Agreement number	XXXXXXXX	XXXX
Contact info	XXXXXXXX	XXXX

More info >



Mileage check

Odometer	In miles
Mileage registrations	20
First mileage registration	2007-05-31
Last registration	2023-07-01
Complete history	See info



Registration #1	2007-05-31	9 mi
Registration #2	2010-07-06	27.783 mi
Registration #3	2011-11-28	43.370 mi
Registration #4	2011-11-29	43.370 mi
Registration #5	2012-12-05	49.270 mi
Registration #6	2013-12-04	55.802 mi
Registration #7	2014-11-28	70.381 mi
Registration #8	2015-11-27	80.178 mi
Registration #9	2016-11-25	90.540 mi
Registration #10	2016-11-25	90.540 mi
Registration #11	2016-11-25	90.540 mi
Registration #12	2016-11-25	90.540 mi
Registration #13	2016-11-25	90.540 mi
Registration #14	2016-11-25	90.540 mi
Registration #15	2016-11-25	90.540 mi
Registration #16	2016-11-25	90.540 mi
Registration #17	2016-11-25	90.540 mi
Registration #18	2016-11-25	90.540 mi
Registration #19	2016-11-25	90.540 mi
Registration #20	2016-11-25	90.540 mi

More info >



Dimensions & weight

Width	1991 mm
Height	1415 mm
Length	4652 mm
Wheel base	2690 mm
Kerb weight	1735 kg

Additional information

Fuel tank capacity	62 l
Fuel delivery	Multi-Point Injection
Number of doors	2
Number of seats	4
Number of axles	2
Engine number	27296030650740