



PEUGEOT



report date: 2024-03-28

General information

Make	PEUGEOT
Model	EXPERT E7 TAXI
Colour	Blue
Year of manufacture	-
Top speed	103 mph
Gearbox	5 speed Manual

Engine & fuel consumption

Power	107 BHP
Max. torque	270 Nm at 1.750 rpm
Cylinders	4
Fuel type	Diesel
Consumption city	31.7 mpg
Consumption extra urban	47.1 mpg
Consumption combined	40.4 mpg



LABEL UNKNOWN



Internet history

Entry 2


Date	2021-08-13
Pictures	12
Listing price	View report



source: cargurus.co.uk

Entry 1

Date	2021-08-12
Pictures	18
Listing price	View report



source: autotrader.co.uk



MOT history

MOT #28	2023-09-12 15:34
MOT test number	327170130756
Result	✓ Passed
Next expiry date	2024-09-14
Advice	Rear Registration plate deteriorated but not likely to be misread (0.1 (b))
Minor	Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i))

MOT #27	2023-09-09 09:05
MOT test number	474553967493
Result	✗ Failed
Fail	Nearside Front Windscreen wiper does not clear the windscreen effectively (3.4 (b) (ii))
Pass with rectification	Nearside Front Road wheel more than one fixing loose (5.2.1 (a) (ii))
Fail	Exhaust has a major leak of exhaust gases (6.1.2 (a))
Advice	Rear Registration plate deteriorated but not likely to be misread (0.1 (b))
Minor	Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i))

MOT #26	2022-09-15 14:40
MOT test number	531330008311
Result	✓ Passed
Advice	A.b.s mounting corroded
Advice	Both front strut top bearing slight rough
Advice	Nearside Front Track rod end ball joint has slight play (2.1.3 (b) (i))

MOT #25	2021-09-13 11:55
MOT test number	842594045641
Result	✓ Passed

**MOT #24**

2021-08-12 11:59

MOT test number

279139036561

Result**✗ Failed**

- Fail** Nearside Subframe mounting prescribed area excessively corroded significantly reducing structural strength inner sill (5.3.6 (a) (i))
- Fail** Nearside Headlamp insecure (4.1.1 (c))
- Fail** Offside Subframe mounting prescribed area is inadequately repaired outer sill (5.3.6 (a) (i))
- Advice** Radiator support heavily corroded
- Fail** Nearside Suspension component mounting prescribed area excessively corroded significantly reducing structural strength outer sill (5.3.6 (a) (i))
- Fail** Suspension component mounting prescribed area excessively corroded significantly reducing structural strength rear axle (5.3.6 (a) (i))
- Fail** Offside Seat belt anchorage prescribed area strength or continuity significantly reduced outer sill (7.1.1 (a) (i))
- Advice** Offside Front Valve stem slightly damaged (5.2.3 (j))
- Fail** Offside Headlamp aim too low (4.1.2 (a))
- Fail** Offside Parking brake mechanism/associated mounting prescribed area is excessively corroded inner sill (1.1.21 (e) (i))
- Advice** Nearside Front Shock absorbers light misting of oil or has limited damping effect (5.3.2 (b))
- Fail** Offside Subframe mounting prescribed area excessively corroded significantly reducing structural strength inner sill (5.3.6 (a) (i))
- Fail** Nearside Subframe mounting prescribed area excessively corroded significantly reducing structural strength outer sill (5.3.6 (a) (i))
- Fail** Brake pipe excessively corroded front to rear (1.1.11 (c))
- Fail** Offside Suspension component mounting prescribed area excessively corroded significantly reducing structural strength outer sill (5.3.6 (a) (i))
- Advice** Nearside Front Valve stem slightly damaged (5.2.3 (j))
- Fail** Front Sub-frame corroded and seriously weakened (5.3.3 (b) (i))
- Fail** Offside Suspension component mounting prescribed area excessively corroded significantly reducing structural strength inner sill (5.3.6 (a) (i))
- Fail** Offside Rear Valve stem seriously damaged (5.2.3 (j))
- Advice** Front Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))

**MOT #23**

2021-08-11 09:32

MOT test number

119028540169

Result

✗ Failed

Fail Offside Headlamp aim too low (4.1.2 (a))**Advice** Front radiator support corroded**Advice** Offside Rear Child Seat fitted not allowing full inspection of adult belt**Advice** Offside Front Lower Suspension arm pin or bush worn but not resulting in excessive movement rear bush (5.3.4 (a) (i))**Advice** Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))**Fail** Offside Seat belt anchorage prescribed area strength or continuity significantly reduced floor to sill (7.1.1 (a) (i))**Advice** Front Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))**Advice** Nearside Rear Child Seat fitted not allowing full inspection of adult belt**Advice** Oil leak, but not excessive (8.4.1 (a) (i))**Advice** General signs of under body corrosion**Fail** Nearside Rear Axle fractured (5.1.1 (a))**Fail** Nearside Seat belt anchorage prescribed area strength or continuity significantly reduced floor to sill (7.1.1 (a) (i))**Fail** Nearside Seat belt anchorage prescribed area strength or continuity significantly reduced outer sill (7.1.1 (a) (i))**MOT #22**

2020-08-15 10:07

MOT test number

363145215536

Result

✓ Passed

Minor Offside Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i))**Advice** Front Brakes imbalanced requirements only just met. It would appear that the braking system requires adjustment or repair. (1.2.1 (b) (i))

**MOT #21**

2020-08-14 13:03

MOT test number

862459699819

Result

✗ Failed

Advice Front Brakes imbalanced requirements only just met. It would appear that the braking system requires adjustment or repair. (1.2.1 (b) (i))

Minor Offside Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i))

Fail Nearside Other passenger door cannot be opened from outside the vehicle (6.2.3 (a))

MOT #20

2019-08-24 08:27

MOT test number

240568264625

Result

✓ Passed

Advice Both front floors/sills showing slight corrosion

Advice Front and rear brake pipes greased

MOT #19

2018-12-17 16:55

MOT test number

436520735467

Result

✓ Passed

Advice Front Subframe mounting prescribed area is corroded but not considered excessive (5.3.6 (a) (i))

Advice Central Brake pipe corroded, covered in grease or other material (1.1.11 (c))

Advice Nearside Rear Coil spring corroded (5.3.1 (b) (i))

Advice Nearside Front Headlamp has a product on the lens but not seriously reducing light output (4.1.4 (b))

Advice Offside Side repeater slightly discoloured (4.4.3 (a))

Advice Offside Front Seat belt anchorage prescribed area is corroded but not considered excessive outer sill (7.1.1 (a) (i))

Advice Offside Rear Coil spring corroded (5.3.1 (b) (i))

Advice Offside Front Headlamp has a product on the lens but not seriously reducing light output (4.1.4 (b))



MOT #18

2018-12-17 11:17

MOT test number

935673536748

Result

✗ Failed

- Advice

Front Subframe mounting prescribed area is corroded but not considered excessive (5.3.6 (a) (i))
- Fail

Offside Front Tyre tread depth below requirements of 1.6mm (5.2.3 (e))
- Advice

Nearside Rear Coil spring corroded (5.3.1 (b) (i))
- Advice

Offside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))
- Advice

Offside Front Headlamp has a product on the lens but not seriously reducing light output (4.1.4 (b))
- Advice

Central Brake pipe corroded, covered in grease or other material (1.1.11 (c))
- Fail

Nearside Front Tyre tread depth below requirements of 1.6mm (5.2.3 (e))
- Advice

Offside Front Seat belt anchorage prescribed area is corroded but not considered excessive outer sill (7.1.1 (a) (i))
- Advice

Nearside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))
- Advice

Offside Rear Coil spring corroded (5.3.1 (b) (i))
- Advice

Nearside Front Headlamp has a product on the lens but not seriously reducing light output (4.1.4 (b))
- Advice

Offside Side repeater slightly discoloured (4.4.3 (a))

**MOT #17**

2017-12-13 17:58

MOT test number

407308541954

Result

✓ Passed

- Advice** Nearside Front tyre worn on outer edge
- Advice** Front Sub-frame corroded but not seriously weakened and front cross member (2.4.G.1)
- Advice** Offside Rear coil spring corroded (2.4.C.1b)
- Advice** Offside Front Side repeater slightly discoloured (1.4.A.2f)
- Advice** Nearside Front Shock absorber has slight corrosion to the casing (2.7.2a)
- Advice** Offside Front Brake pipe slightly corroded crossover (3.6.B.2c)
- Advice** Nearside Front Suspension arm rubber mounting deteriorated but not resulting in excessive movement (2.4.G.2)
- Advice** Only able to check front seatbelts due to childseats fitted in rear
- Advice** Offside Front Subframe mounting prescribed area is corroded but not considered excessive sill (2.4.A.3)
- Advice** Nearside Rear coil spring corroded (2.4.C.1b)
- Advice** Nearside Front Side repeater slightly discoloured (1.4.A.2f)
- Advice** Nearside Rear Trailing arm rubber mounting deteriorated but not resulting in excessive movement (2.4.G.2)
- Advice** Brake pipe slightly corroded around abs unit (3.6.B.2c)
- Advice** Offside Front Shock absorber has slight corrosion to the casing (2.7.2a)
- Advice** Nearside Front Subframe mounting prescribed area is corroded but not considered excessive sill (2.4.A.3)
- Advice** Offside Front Suspension arm rubber mounting deteriorated but not resulting in excessive movement (2.4.G.2)

**MOT #16**

2017-12-04 18:11

MOT test number

807063313843

Result**✗ Failed**

- Advice** Offside Front Subframe mounting prescribed area is corroded but not considered excessive sill (2.4.A.3)
- Advice** Offside Front Side repeater slightly discoloured (1.4.A.2f)
- Advice** Offside Front Suspension arm rubber mounting deteriorated but not resulting in excessive movement (2.4.G.2)
- Advice** Nearside Rear coil spring corroded (2.4.C.1b)
- Fail** Front brakes release unevenly (3.7.B.4)
- Advice** Nearside Rear Trailing arm rubber mounting deteriorated but not resulting in excessive movement (2.4.G.2)
- Advice** Brake pipe slightly corroded around abs unit (3.6.B.2c)
- Advice** Only able to check front seatbelts due to childseats fitted in rear
- Advice** Nearside Front Shock absorber has slight corrosion to the casing (2.7.2a)
- Advice** Nearside Front Subframe mounting prescribed area is corroded but not considered excessive sill (2.4.A.3)
- Advice** Nearside Front Side repeater slightly discoloured (1.4.A.2f)
- Advice** Nearside Front Suspension arm rubber mounting deteriorated but not resulting in excessive movement (2.4.G.2)
- Advice** Front Sub-frame corroded but not seriously weakened and front cross member (2.4.G.1)
- Fail** Front brake application uneven (3.7.B.2)
- Advice** Offside Rear coil spring corroded (2.4.C.1b)
- Fail** Offside Rear Brake pipe excessively corroded main (3.6.B.2c)
- Fail** Offside Front Suspension arm ball joint dust cover excessively deteriorated so that it no longer prevents the ingress of dirt (2.4.G.2)
- Advice** Nearside Front tyre worn on outer edge
- Advice** Offside Front Brake pipe slightly corroded crossover (3.6.B.2c)
- Advice** Offside Front Shock absorber has slight corrosion to the casing (2.7.2a)



MOT #15	2016-12-16 11:06
MOT test number	694997996453
Result	✓ Passed
Advice	Rear Lower Brake pipe slightly corroded fr to rear (3.6.B.2c)

MOT #14	2016-12-12 11:44
MOT test number	181984345568
Result	✗ Failed
Advice	Rear Lower Brake pipe slightly corroded fr to rear (3.6.B.2c)
Pass with rectification	Wheel bolt(s) loose rusty wheel please re check regularly (4.2.A.1e)
Advice	Offside Rear Brake pipe slightly corroded (3.6.B.2c)
Advice	Offside Front slight brake or general tightness
Fail	Offside Rear Brake pipe excessively corroded (3.6.B.2c)

MOT #13	2016-08-17 08:53
MOT test number	655188757789
Result	✓ Passed
Advice	Offside Front Tyre worn close to the legal limit (4.1.E.1)
Advice	Nearside Front Tyre worn close to the legal limit (4.1.E.1)

**MOT #12** 2016-08-16 14:23**MOT test number** 983889622430**Result** ✗ Failed**Advice** Offside Front Tyre worn close to the legal limit (4.1.E.1)**Fail** Offside Front Brake pipe excessively corroded (3.6.B.2c)**Advice** Nearside Front Tyre worn close to the legal limit (4.1.E.1)**Fail** Exhaust has a major leak of exhaust gases (7.1.2)**Fail** Brake pipe excessively corroded front to rear (3.6.B.2c)**MOT #11** 2015-08-10 09:55**MOT test number** 392077218308**Result** ✓ Passed**MOT #10** 2014-08-11 12:03**MOT test number** 178543024213**Result** ✓ Passed**MOT #9** 2013-08-14 15:35**MOT test number** 435236723287**Result** ✓ Passed**MOT #8** 2013-08-14 14:37**MOT test number** 626906223268**Result** ✗ Failed**Fail** Offside Front Lower Suspension arm has excessive play in a ball joint (2.4.G.2)**MOT #7** 2012-08-13 11:46**MOT test number** 708216322261**Result** ✓ Passed

**MOT #6** 2011-08-15 10:05**MOT test number** 449367521214**Result** ✓ Passed**Advice** Offside Front Steering pivot point has slight play (2.2.B.1g)**MOT #5** 2010-08-13 10:11**MOT test number** 783695820280**Result** ✓ Passed**Notice** Damage to o/s/f wing**MOT #4** 2010-08-13 10:11**MOT test number** 913745320264**Result** ✗ Failed**Pass with rectification** Nearside Headlamp aim too low (1.8)**Notice** Damage to o/s/f wing**MOT #3** 2009-03-17 09:57**MOT test number** 524816079071**Result** ✓ Passed**MOT #2** 2008-04-03 10:26**MOT test number** 134354498427**Result** ✓ Passed**Notice** Damage to o/s/f wing**MOT #1** 2007-03-12 11:58**MOT test number** 190571177459**Result** ✓ Passed



Damage history

Check the damage history for this PEUGEOT. See if, where and when this PEUGEOT had damage and the car repair costs. We also check if this PEUGEOT was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	

Damage 2

Date	
Category	
Type	



Extra PEUGEOT salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Owner history

For how long did the current and previous owner(s) have this PEUGEOT? How many owners did this PEUGEOT have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration

More info >

Plate changes

See in this check if this PEUGEOT had different number plates.

Number of plates	1
Current registration	XXXXXX
Plate since	2024-03-28
Current registration	XXXXXX
Plate since	2024-03-28

More info >



Finance check

Check if this PEUGEOT is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this PEUGEOT has been settled.

If not, and you buy this PEUGEOT then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this PEUGEOT is financed.

Finance company	XXXXXXXX XX
Date of agreement	XXXXXXXX XX
Agreement type	XXXXXXXX XX
Agreement term	XXXXXXXX XX
Agreement number	XXXXXXXX XX
Contact info	XXXXXXXX XX

More info >



Mileage check

Odometer	In miles
Mileage registrations	30
First mileage registration	2004-03-23
Last registration	2023-09-12
Complete history	See info



Registration #1	2004-03-23	29 mi
Registration #2	2007-03-12	17.761 mi
Registration #3	2008-04-03	24.124 mi
Registration #4	2009-03-17	29.920 mi
Registration #5	2010-08-13	41.199 mi
Registration #6	2011-08-15	52.763 mi
Registration #7	2012-08-13	61.424 mi
Registration #8	2013-08-14	72.551 mi
Registration #9	2013-08-14	72.551 mi
Registration #10	2014-08-11	81.415 mi
Registration #11	2015-08-10	86.739 mi
Registration #12	2016-08-16	87.939 mi
Registration #13	2016-08-17	87.939 mi
Registration #14	2016-12-12	88.009 mi
Registration #15	2016-12-16	88.011 mi
Registration #16	2016-12-16	88.011 mi
Registration #17	2016-12-16	88.011 mi
Registration #18	2016-12-16	88.011 mi
Registration #19	2016-12-16	88.011 mi
Registration #20	2016-12-16	88.011 mi
Registration #21	2016-12-16	88.011 mi
Registration #22	2016-12-16	88.011 mi
Registration #23	2016-12-16	88.011 mi
Registration #24	2016-12-16	88.011 mi
Registration #25	2016-12-16	88.011 mi
Registration #26	2016-12-16	88.011 mi

Registration #27	2025-25-25	25,252 442
Registration #28	2025-25-25	25,252 442
Registration #29	2025-25-25	25,252 442
Registration #30	2025-25-25	25,252 442

More info >



Car features

The PEUGEOT factory car options list is only available in the premium report.

S0225	Air conditioning
S0295	
S0482	
S0501	
S0566	
S0567	
S0569	

View the complete PEUGEOT factory list for this vehicle [here](#).

More info >

Dimensions & weight

Width	1810 mm
Height	1927 mm
Length	4440 mm
Max. allowed weight	2505 kg

Additional information

Number of seats	8
Number of axles	2
Engine number	DYRW4016489