



OU09WHK

report date: 2024-03-29

General information

Make	FORD
Model	TRANSIT 260 LR P/V
Colour	Silver
Year of manufacture	2009
Gearbox	5 speed Manual

Engine & fuel consumption

Power	84 BHP
Max. torque	250 Nm at 1.500 rpm
Engine capacity	2.198 cc
Cylinders	4
Fuel type	Diesel



LABEL UNKNOWN



## MOT history

MOT expiry date	2025-02-25
MOT pass rate	59 %
MOT passed	10
Failed MOT tests	7
Total advice items	48
Total items failed	45

## MOT #17 2024-02-26 12:58

MOT test number 137704036322

Result ✓ Passed

Next expiry date 2025-02-25

**Advice** N/s/f & o/s/f steps corroded**Advice** Rear Brake pad(s) wearing thin (1.1.13 (a) (ii))**Advice** O/s/f outer cv joint noisy**Advice** Nearside Front Suspension arm pin or bush worn but not resulting in excessive movement tca rear bush deteriorated (5.3.4 (a) (i))**Advice** O/s/r chassis corroded**Advice** Offside Front Suspension arm pin or bush worn but not resulting in excessive movement tca rear bush deteriorated (5.3.4 (a) (i))

## MOT #16 2022-08-04 14:56

MOT test number 280594586375

Result ✓ Passed**Advice** Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))**Minor** Offside Front Drive shaft joint constant velocity boot severely deteriorated (6.1.7 (g) (i))**Advice** Offside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))**Advice** Offside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))**Minor** Offside Front Obligatory mirror slightly damaged (3.3 (b) (i))

**MOT #15**

2022-02-22 13:30

**MOT test number**

903019871767

**Result****✗ Failed****Fail** Body component damaged and likely to cause injury Fuel flap does not close (6.2.1 (a) (i))**Fail** Offside Rear Tyre has a cut in excess of the requirements deep enough to reach the ply or cords (5.2.3 (d) (i))**Advice** Nearside Front Anti-roll bar linkage pin or bush worn but not resulting in excessive movement D bush (5.3.4 (a) (i))**Fail** Nearside Rear Suspension component mounting prescribed area excessively corroded significantly reducing structural strength (5.3.6 (a) (i))**Fail** Offside Headlamp aim too low (4.1.2 (a))**Advice** Offside Front Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))**Fail** Engine MIL inoperative or indicates a malfunction (8.2.2.2 (g))**Fail** Nearside Front Tyre tread depth below requirements of 1.6mm (5.2.3 (e))**Fail** Nearside Rear Direction indicator incorrect colour (4.4.3 (a))**Fail** Offside Front Seat belt anchorage prescribed area strength or continuity significantly reduced Roof area holed (7.1.1 (a) (i))**Fail** Offside Front Suspension component mounting prescribed area excessively corroded significantly reducing structural strength Step area (5.3.6 (a) (i))**Fail** Nearside Rear Suspension component mounting prescribed area excessively corroded significantly reducing structural strength Inner wheel arch area (5.3.6 (a) (i))**Fail** Nearside Registration plate lamp inoperative in the case of a single lamp or all lamps (4.7.1 (b) (ii))**Fail** Offside Driver's view of the road through the swept area of the windscreen significantly affected by an obstruction (3.1 (a) (ii))**Fail** Offside Front Tyre has a cut in excess of the requirements deep enough to reach the ply or cords (5.2.3 (d) (i))**Fail** Offside Rear Suspension component mounting prescribed area excessively corroded significantly reducing structural strength Outer wheel arch area (5.3.6 (a) (i))**Advice** Central Upper Brake light not working**Fail** Offside Headlamp insecure (4.1.1 (c))**Advice** Nearside Front Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))**Fail** Offside Windscreen washer not working (3.5 (a))

- Fail** Offside Front Seat belt anchorage prescribed area strength or continuity significantly reduced Step area (7.1.1 (a) (i))
- Fail** Offside Driver's seat insecure (6.2.5 (a) (ii))
- Fail** Nearside Side repeater incorrect colour (4.4.3 (a))
- Fail** Nearside Front Seat belt anchorage prescribed area strength or continuity significantly reduced Roof area holed (7.1.1 (a) (i))
- Fail** Offside Rear Shock absorbers damaged to the extent that it does not function Flattened (5.3.2 (b))
- Fail** Nearside Front Suspension component mounting prescribed area excessively corroded significantly reducing structural strength Step area (5.3.6 (a) (i))
- Fail** Nearside Front Position lamp not working (4.2.1 (a) (ii))
- Fail** Windscreen damaged and affecting the driver's view of the road (3.2 (a) (ii))
- Fail** Offside Front Suspension arm ball joint dust cover no longer prevents the ingress of dirt (5.3.4 (b) (ii))
- Fail** Offside Rear Suspension component mounting prescribed area excessively corroded significantly reducing structural strength Inner wheel arch area (5.3.6 (a) (i))
- Fail** Offside Registration plate lamp inoperative in the case of a single lamp or all lamps (4.7.1 (b) (ii))

**MOT #14**

2020-12-03 14:29

**MOT test number**

874933846460

**Result**

✓ Passed

**MOT #13**

2020-11-09 07:50

**MOT test number**

639903430382

**Result**

✗ Failed

- Fail** Front Headlamp aim too low (4.1.2 (a))
- Fail** Offside Front Lower Suspension arm ball joint dust cover no longer prevents the ingress of dirt Lower ball joint (5.3.4 (b) (ii))
- Advice** Front Oil leak, but not excessive (8.4.1 (a) (i))
- Fail** Front Windscreen washer provides insufficient washer liquid (3.5 (a))
- Fail** Obligatory mirror does not provide a view to the rear (3.3 (c))
- Fail** Nearside Front Side repeater incorrect colour (4.4.3 (a))
- Fail** Offside Rear Position lamp adversely affected by the operation of another lamp (4.2.3 (c))
- Fail** Front Windscreen wiper does not clear the windscreen effectively (3.4 (b) (ii))

**MOT #12**

2019-07-08 11:52

**MOT test number**

359619201367

**Result**

✓ Passed

- Advice** Nearside side door and wheel arch damaged
- Advice** Nearside Front sensor wire broken
- Advice** Engine covers fitted
- Advice** Nearside mirror outer cover missing
- Advice** Oil leak, but not excessive engine (8.4.1 (a) (i))
- Advice** Offside Front Outer sill damaged

**MOT #11**

2019-07-08 11:52

**MOT test number**

767757653517

**Result****✗ Failed**

- Advice** Nearside mirror outer cover missing
- Advice** Offside Front Outer sill damaged
- Advice** Oil leak, but not excessive engine (8.4.1 (a) (i))
- Advice** Nearside side door and wheel arch damaged
- Advice** Nearside Front sensor wire broken
- Pass with rectification** Nearside Headlamp aim too high (4.1.2 (a))
- Advice** Engine covers fitted

**MOT #10**

2019-06-26 11:25

**MOT test number**

464022144173

**Result****✗ Failed**

- Advice** Oil leak, but not excessive (8.4.1 (a) (i))
- Advice** Nearside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- Advice** Offside Front Lower Suspension arm pin or bush worn but not resulting in excessive movement rear bush (5.3.4 (a) (i))
- Advice** Brake pad warning light illuminated
- Fail** Offside Registration plate lamp inoperative in the case of a single lamp or all lamps (4.7.1 (b) (ii))
- Advice** Central Upper Stop lamp(s) non-obligatory stop lamp not working (4.3.1 (a) (ii))
- Advice** Nearside Front Lower Suspension arm pin or bush worn but not resulting in excessive movement rear bush (5.3.4 (a) (i))
- Fail** Nearside Registration plate lamp inoperative in the case of a single lamp or all lamps (4.7.1 (b) (ii))
- Fail** Offside Front Seat belt anchorage prescribed area strength or continuity significantly reduced inner sill (7.1.1 (a) (i))



<b>MOT #9</b>	2018-01-25 15:46
<b>MOT test number</b>	402851426417
<b>Result</b>	✓ Passed
<b>Advice</b>	Offside Rear Tyre worn close to the legal limit (4.1.E.1)

<b>MOT #8</b>	2017-01-10 15:18
<b>MOT test number</b>	125011311373
<b>Result</b>	✓ Passed
<b>Advice</b>	Nearside Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement rear bush (2.4.G.2)
<b>Advice</b>	Offside Front Suspension arm ball joint dust cover deteriorated, but preventing the ingress of dirt (2.4.G.2)
<b>Advice</b>	Offside Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement rear bush (2.4.G.2)

<b>MOT #7</b>	2017-01-10 11:38
<b>MOT test number</b>	922634721653
<b>Result</b>	✗ Failed
<b>Fail</b>	Offside Rear fog lamp not working (1.3.2b)
<b>Advice</b>	Offside Front Suspension arm ball joint dust cover deteriorated, but preventing the ingress of dirt (2.4.G.2)
<b>Advice</b>	Offside Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement rear bush (2.4.G.2)
<b>Fail</b>	Upper Stop lamp not working high level (1.2.1b)
<b>Fail</b>	Nearside Front Direction indicator incorrect colour (1.4.A.2f)
<b>Advice</b>	Nearside Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement rear bush (2.4.G.2)



## MOT #6

2016-01-11 15:11

MOT test number

834334753541

## Result

✓ Passed

**Advice** Nearside Front Anti-roll bar rubber mounting deteriorated but not resulting in excessive movement (2.4.G.2)

**Advice** Front wipers split ends but still clear

**Advice** Offside Front Anti-roll bar rubber mounting deteriorated but not resulting in excessive movement (2.4.G.2)

## MOT #5

2014-07-09 15:49

MOT test number

868570394136

## Result

✓ Passed

**Advice** Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3.1d)

**Advice** Windscreen has damage to an area less than a 10mm circle within zone 'A' (8.3.1a)

## MOT #4

2014-07-09 15:49

MOT test number

777630194116

## Result

✗ Failed

**Advice** Windscreen has damage to an area less than a 10mm circle within zone 'A' (8.3.1a)

**Pass with rectification** Nearside Obligatory mirror seriously damaged, affecting the rear view (8.1.2a)

**Advice** Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3.1d)

## MOT #3

2013-04-05 15:36

MOT test number

887045393050

## Result

✓ Passed





MOT #2	2013-04-05 12:56
MOT test number	278615193084
Result	✗ Failed
Fail	Offside Rear Registration plate lamp not working (1.1.C.1d)
Fail	Nearside Rear Registration plate lamp shows direct white light to the rear (1.1.C.1f)
Fail	Front Windscreen wiper does not clear the windscreen effectively (8.2.2)

MOT #1	2012-04-03 15:27
MOT test number	649144792017
Result	✓ Passed



Tax & MOT check

✓  
**Taxed**  
**Tax due:**  
1 April 2025

✓  
**MOT**  
**Expires:**  
25 February 2025

<b>Tax status</b>	Valid until 1 April
<b>Days left</b>	337
<b>MOT expiry date</b>	25 February 2025
<b>Full MOT history</b>	<a href="#">See MOT history</a>



Damage history

Check the damage history for this FORD. See if, where and when this FORD had damage and the car repair costs. We also check if this FORD was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	

Damage 2

Date	
Category	
Type	



Extra FORD salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this FORD in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	£ 19,999
Auction value	£ 19,999
Average private trade value	£ 19,999

More info >



Owner history

For how long did the current and previous owner(s) have this FORD? How many owners did this FORD have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration

More info >

Plate changes

See in this check if this FORD had different number plates.

Number of plates	1
Current registration	<b>OU09WHK</b>
Plate since	2024-03-29
Current registration	<b>OU09WHK</b>
Plate since	2024-03-29

More info >



Finance check

Check if this FORD is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this FORD has been settled.

If not, and you buy this FORD then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this FORD is financed.

Finance company	XXXXXXXXXX	XXXX
Date of agreement	XXXXXXXXXX	XXXX
Agreement type	XXXXXXXXXX	XXXX
Agreement term	XXXXXXXXXX	XXXX
Agreement number	XXXXXXXXXX	XXXX
Contact info	XXXXXXXXXX	XXXX

More info >



Mileage check

Odometer	In miles
Mileage registrations	17
First mileage registration	2009-04-16
Last registration	2024-02-26
Complete history	<a href="#">See info</a>



Registration #1	2009-04-16	20 mi
Registration #2	2012-04-03	58.846 mi
Registration #3	2013-04-05	75.635 mi
Registration #4	2013-04-05	75.635 mi
Registration #5	2014-07-09	90.105 mi
Registration #6	2016-01-11	108.783 mi
Registration #7	2017-01-10	117.797 mi
Registration #8	2017-01-10	117.797 mi
Registration #9	2018-01-25	124.051 mi
Registration #10	2019-05-20	131.377 mi
Registration #11	2019-05-20	131.377 mi
Registration #12	2019-05-20	131.377 mi
Registration #13	2019-05-20	131.377 mi
Registration #14	2019-05-20	131.377 mi
Registration #15	2019-05-20	131.377 mi
Registration #16	2019-05-20	131.377 mi
Registration #17	2019-05-20	131.377 mi

More info >



Car features

The FORD factory car options list is only available in the premium report.

S0225	Air conditioning
S0295	
S0482	
S0501	
S0566	
S0567	
S0569	

View the complete FORD factory list for this vehicle [here](#).

More info >

Dimensions & weight

Width	2360 mm
Height	1989 mm
Length	4863 mm
Kerb weight	1699 kg
Max. allowed weight	2600 kg

Additional information

Fuel tank capacity	80 l
Fuel delivery	Direct Injection
Number of doors	3
Number of seats	3
Engine number	9R16420