





### General information

Make	FIAT
Model	PUNTO ACTIVE
Colour	Grey
Year of manufacture	-
Top speed	96 mph
0 - 60 mph	14.5 seconds
Gearbox	5 speed Manual

# Engine & fuel consumption

Power	64 BHP
Max. torque	102 Nm at 3.000 rpm
Cylinders	4
Fuel type	Petrol
Consumption city	35.8 mpg
Consumption extra urban	55.4 mpg
Consumption combined	46.3 mpg





Internet history	
Entry 1	
Date	2021-05-24
Pictures	0
Listing price	View report

source: autotrader.co.uk



## MOT history

МОТ #20	2020-08-04 15:10
MOT test number	930636607617
Result	✓ Passed
Next expiry date	2021-08-03
Advice Nearside Brake pipe corroded, covered in grease or other material front to rea	ar (1.1.11 (c))
Advice Nearside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))	
<b>Advice</b> Nearside Rear Suspension component mounting prescribed area is corroded be excessive (5.3.6 (a) (i))	out not considered
Advice Oil leak, but not excessive (8.4.1 (a) (i))	
Advice Both outer sills corroded along length	
Advice Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Advice Offside Brake pipe corroded, covered in grease or other material front to rear	(1.1.11 (c))
Advice Offside Rear Suspension component mounting prescribed area is corroded bu excessive (5.3.6 (a) (i))	t not considered
Advice Offside Front inner wing plastic liner damaged.	





MOT #19 2020-08-04 10:25
<b>MOT test number</b> 255947848718
Result X Failed
Advice Nearside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))
Fail (b) (ii))Nearside Front Anti-roll bar linkage ball joint dust cover no longer prevents the ingress of dirt (5.3.4
Advice Nearside Brake pipe corroded, covered in grease or other material front to rear (1.1.11 (c))
Advice Nearside Rear Suspension component mounting prescribed area is corroded but not considered excessive (5.3.6 (a) (i))
Fail Nearside Stop lamp(s) not working (4.3.1 (a) (ii))
Advice Both outer sills corroded along length
Advice Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))
<b>Fail</b> Offside Rear Position lamp with a multiple light source more than 1/2 not functioning (4.2.1 (a) (ii))
Advice Oil leak, but not excessive (8.4.1 (a) (i))
Advice Offside Brake pipe corroded, covered in grease or other material front to rear (1.1.11 (c))
Advice Offside Front inner wing plastic liner damaged.
Advice Offside Rear Suspension component mounting prescribed area is corroded but not considered excessive (5.3.6 (a) (i))
<b>Fail</b> Registration plate lamp inoperative in the case of a single lamp or all lamps (4.7.1 (b) (ii))

MOT #18	20	)19-07-29 11:07
MOT test	number	349142931013
Result		✓ Passed
Advice	Oil leak, but not excessive (8.4.1 (a) (i))	
Advice	Offside Front wheel arch trim incomplete	
Advice	Oil leak, but not excessive (8.4.1 (a) (i))	
Advice	Brake pipe corroded, covered in grease or other material both front to rear (1.1.11	(c))





MOT #17	2019-07-18 14:20
MOT test number	620752312680
Result	🗙 Failed
Advice Brake pipe corroded, covered in grease or other material both front to rear (1.1.1	L1 (c))
Fail Offside Front Position lamp not working (4.2.1 (a) (ii))	
Advice Oil leak, but not excessive (8.4.1 (a) (i))	
<b>Fail</b> Offside Rear Shock absorbers has a serious fluid leak (5.3.2 (b))	
Fail Nearside Headlamp not working on dipped beam (4.1.1 (a) (ii))	
Advice Oil leak, but not excessive (8.4.1 (a) (i))	
Advice Offside Front wheel arch trim incomplete	

MOT #16	2018-07-23 13:23
MOT test number	868992052500
Result	✓ Passed

MOT #15	2018-07-17 10:57
MOT test number	969721343912
Result	🗙 Failed
<b>Fail</b> Boot lid cannot be secured in the closed position (6.2.1 (e))	
Fail Parking brake lever has excessive movement indicating incorrect adjustment (1)	1.1.6 (c))
<b>Fail</b> Nearside Front Tyre tread depth below requirements of 1.6mm (5.2.3 (e))	
FailNearside Front Upper Anti-roll bar linkage ball joint dust cover no longer preven(5.3.4 (b) (ii))	nts the ingress of dirt
Fail Nearside Stop lamp(s) not working (4.3.1 (a) (ii))	
<b>Fail</b> Offside Front Tyre tread depth below requirements of 1.6mm (5.2.3 (e))	





MOT #14	2017-07-27 17:51
MOT test number	701610383052
Result	✓ Passed
AdviceRear coil spring corroded (2.4.C.1b)AdviceOffside Brake pipe slightly corroded front to rear at rear (3.6.B.2c)	
MOT #13	2017-07-26 17:04
NOT to at much an	561765725602

#### **MOT test number** 561765735692 Result X Failed Rear coil spring corroded (2.4.C.1b) Advice Advice Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i) Fail Offside Front Front position lamp(s) not working (1.1.A.3b) Fail Offside Front coil spring broken (2.4.C.1a) Fail Nearside Front Outer Brake pad(s) less than 1.5 mm thick (3.5.1g) Advice Offside Brake pipe slightly corroded front to rear at rear (3.6.B.2c) Fail Nearside Front Anti-roll bar ball joint dust cover insecure so that it no longer prevents the ingress of dirt (2.4.G.2)

MOT #12		2016-07-15 15:12
MOT test	number	488388357615
Result		✓ Passed
Advice	Brake pipe slightly corroded Both front to rear pipes at front joins (3.6.B.2c)	
Advice	Alternator noisy	
Advice	Offside Rear Brake pipe slightly corroded Front to rear pipe at rear (3.6.B.2c)	





MOT #11		2016-07-12 11:23
MOT test	number	527465122273
Result		🗙 Failed
Fail	learside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)	
Fail	learside Front Front position lamp(s) not working (1.1.A.3b)	
Advice	Alternator noisy	
Fail	learside Front Headlamp excessively damaged so that the light output is severely	reduced (1.7.5a)
Advice	Brake pipe slightly corroded Both front to rear pipes at front joins (3.6.B.2c)	
<b>Fail</b>	ront Exhaust system not adequately supported At gearbox mount (7.1.1)	
<b>Fail</b>	Parking brake: efficiency below requirements (3.7.B.7)	
Fail	Offside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)	
Advice	Off side rear handbrake cable slightly deterioated	
Fail	learside Front Headlamp not working on dipped beam (1.7.5a)	
Fail	learside Front Body insecure and dangerous to other road users bumber (6.1.B.1b)	
Advice	Offside Rear Brake pipe slightly corroded Front to rear pipe at rear (3.6.B.2c)	

MOT #10	2015-07-08 08:36
MOT test number	949659685137
Result	✓ Passed
MOT #9	2015-07-07 09:29

MOT test number	639738185196
Result	× Failed
<b>Fail</b> Stop lamp has less than 50% of the light sources illuminating (1.2.1b)	





MOT #8	2014-08-20 12:04
MOT test number	845592034246
Result	✓ Passed
Notice Exh rer box corroded	
Advice Rear registration plate deteriorated but not likely to be misread (6.3.1d)	
Advice Nearside Rear Brake pipe slightly corroded (3.6.B.2c)	
MOT #7	2014-08-19 12:17
MOT test number	378051034407
Result	🗙 Failed

Fail Front registration plate deteriorated (6.3.1d)
Advice Rear registration plate deteriorated but not likely to be misread (6.3.1d)
Fail Nearside Front Windscreen wiper does not clear the windscreen effectively (8.2.2)
Fail Nearside Rear Shock absorber has a serious fluid leak (2.7.3)
Advice Nearside Rear Brake pipe slightly corroded (3.6.B.2c)
Notice Exh rer box corroded

MOT #6	2013-09-03 14:29
MOT test number	559676343279
Result	✓ Passed

MOT #5	2013-09-03 12:07
MOT test number	538036743218
Result	🗙 Failed
<b>Fail</b> Offside Front Windscreen wiper does not clear the windscreen effectively (8.2.2)	•
Notice OFFSIDE FRONT TYRE ON LIMIT	
Notice NEARSIDE FRONT TYRE ON LIMIT	



MOT #4		2012-08-14 15:34
MOT test	number	335927322217
Result		✓ Passed
Notice	Rear silencer casing corroded	
Notice	N/s/r tyre sidewall perished	
Advice	Front registration plate delaminated but not likely to be misread (6.3.1d)	
Notice	Two bulbs on high level brake light inop	
Advice	Rear registration plate deteriorated but not likely to be misread (6.3.1d)	
Notice	O/s/r tyre sidewall perished	
Notice	O/s/r upper sidelight inop	

MOT #3		2012-08-14 13:01
MOT test	number	386497222429
Result		× Failed
Notice	Two bulbs on high level brake light inop	
Advice	Front registration plate delaminated but not likely to be misread (6.3.1d)	
Notice	N/s/r tyre sidewall perished	
Notice	O/s/r upper sidelight inop	
Advice	Rear registration plate deteriorated but not likely to be misread (6.3.1d)	
Notice	Rear silencer casing corroded	
Notice	O/s/r tyre sidewall perished	
Fail Offside Rear passenger door cannot be opened from outside the vehicle (6.2.B.1c)		







MOT #2		2011-08-16 14:50
MOT test	number	338658621222
Result		✓ Passed
Advice	Front registration plate delaminated but not likely to be misread (6.3.1d)	
Notice	One bulb inop on high level brake light	
Advice	Rear Exhaust has part of the system slightly deteriorated (7.1.1a)	
Notice	N/s/r tyre slightly perished	
Advice	Offside Front Tyre worn close to the legal limit (4.1.E.1)	
Advice	Rear registration plate deteriorated but not likely to be misread (6.3.1d)	
Advice	Front Brake pad(s) wearing thin (3.5.1g)	
Notice	Front brake discs pitted around edges	
Advice	Nearside Front Tyre worn close to the legal limit (4.1.E.1)	
Notice	O/s/r tyre slightly perished	

MOT #1	2010-08-05 11:48
MOT test number	741627810200
Result	✓ Passed





#### Damage history

Check the damage history for this FIAT. See if, where and when this FIAT had damage and the car repair costs. We also check if this FIAT was scrapped. Download the premium report <u>here</u> for the results.

Damage 1	
Date	
Category	Lamp
Туре	
Damage 2	AMPLE
Damage 2	E E E E
Date	S.
Category	ame
Туре	

#### Extra FIAT salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.





#### Vehicle valuation

What is this car worth? See the vehicle value of this FIAT in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	4 10.000
Auction value	4 10.000
Average private trade value	4





### Owner history

For how long did the current and previous owner(s) have this FIAT? How many owners did this FIAT have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

And a second s	
***********	
*******	
*******	
**********	
********	
	More info >
Plate changes	
See in this check if this FIAT had different number plates.	
Number of plates	,
Current registration	
Plate since	
Current registration	
Plate since	
	More info >





#### Finance check

Check if this FIAT is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this FIAT has been settled.

If not, and you buy this FIAT then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this FIAT is financed.

Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	





# Mileage check

Odometer	In miles
Mileage registrations	22
First mileage registration	2007-08-30
Last registration	2020-08-04
Complete history	See info



Registration #1	2007-08-30	21 mi
Registration #2	2010-08-05	19.880 mi
Registration #3	2011-08-16	26.635 mi
Registration #4	2012-08-14	33.524 mi
Registration #5	2012-08-14	33.524 mi
Registration #6	2013-09-03	45.074 mi
Registration #7	2013-09-03	45.074 mi
Registration #8	2014-08-19	52.779 mi
Registration #9	2014-08-20	52.782 mi
Registration #10	2015-07-07	58.607 mi
Registration #11	2015-07-08	58.607 mi
Registration #11 Registration #12	2015-07-08	58.607 mi
	2015-07-08	58.607 mi
Registration #12		58.607 mi
Registration #12 Registration #13		58.607 mi
Registration #12 Registration #13 Registration #14		58.607 mi
Registration #12 Registration #13 Registration #14 Registration #15		58.607 mi
Registration #12 Registration #13 Registration #14 Registration #15 Registration #16		58.607 mi
Registration #12 Registration #13 Registration #14 Registration #15 Registration #16 Registration #17		58.607 mi
Registration #12 Registration #13 Registration #14 Registration #15 Registration #16 Registration #17 Registration #18		58.607 mi
Registration #12 Registration #13 Registration #14 Registration #15 Registration #16 Registration #17 Registration #18 Registration #19		58.607 mi





#### Car features

S0225	Air conditioning
S0295	
50482	
S0501	
S0566	
S0567	
S0569	

# Safety ratings

**NCAP** rating

Video

\*\*\*\* see crash video



Dimensions & weight	
Width	1687 mm
Height	1490 mm
Length	4030 mm
Wheel base	2510 mm
Kerb weight	1030 kg
Max. allowed weight	1590 kg
Additional information	
Fuel tank capacity	45
Fuel delivery	Multi-Point Injection
Number of doors	5
Number of seats CarCheck.co.uk	5 page 16/16

Number of axles	2
Engine number	4018117