





General information

| Make | MERCEDES-BENZ |
|---------------------|-----------------------|
| Model | C C180K AVANTGARDE SE |
| Colour | Silver |
| Year of manufacture | - |
| Top speed | 137 mph |
| 0 - 60 mph | 9.9 seconds |
| Gearbox | 5 speed automatic |

Engine & fuel consumption

| Power | 141 BHP |
|-------------------------|---------------------|
| Max. torque | 220 Nm at 2.500 rpm |
| Cylinders | 4 |
| Fuel type | Petrol |
| Consumption city | 23.3 mpg |
| Consumption extra urban | 44.8 mpg |
| Consumption combined | 33.6 mpg |





Internet history

Entry 2

Date

2021-07-12

5

Pictures

Listing price

_

View report



source: autotrader.co.uk

| Entry 1 | | |
|---------------|-------------|--|
| Date | 2021-06-12 | |
| Pictures | 5 | |
| Listing price | View report | |
| | | |



source: autotrader.co.uk









MOT history

| MOT #23 | 2021-01-05 15:46 |
|--|--------------------------|
| MOT test number | 306437020933 |
| Result | ✓ Passed |
| Next expiry date | 2022-01-04 |
| Advice Rear Brake hose has slight corrosion to ferrule both sides (1.1.12 (f) (i)) | |
| Advice Rear Brake pipe corroded, covered in grease or other material both sides (| (1.1.11 (c)) |
| Minor Rear Inner Drive shaft joint constant velocity boot severely deteriorated bo | th sides (6.1.7 (g) (i)) |
| Advice Rear Brake disc worn, pitted or scored, but not seriously weakened both si | ides (1.1.14 (a) (ii)) |
| Advice Suspension component corroded but not seriously weakened front & rear | (5.3.3 (b) (i)) |

| MOT #22 | | 2021-01-05 15:46 |
|---|--|---------------------------------------|
| MOT test number | | 154578347648 |
| Result | | 🗙 Failed |
| Advice Rear Brake disc | worn, pitted or scored, but not seriously | weakened both sides (1.1.14 (a) (ii)) |
| Advice Rear Brake pipe | corroded, covered in grease or other ma | terial both sides (1.1.11 (c)) |
| Pass with rectification Front Windscreen wiper does not clear the windscreen effectively both sides (3.4 | | |
| (b) (ii)) | | |
| Minor Rear Inner Drive shaft joint constant velocity boot severely deteriorated both sides (6.1.7 (g) (i)) | | |
| Advice Suspension com | nponent corroded but not seriously weake | ened front & rear (5.3.3 (b) (i)) |
| Advice Rear Brake hose | e has slight corrosion to ferrule both sides | s (1.1.12 (f) (i)) |



| BX04EGD |
|-------------------------|
| report date: 2024-03-29 |

| MOT #21 | | 2019-05-03 16:49 |
|---------------|--|--------------------|
| MOT test | number | 421820102725 |
| Result | | ✓ Passed |
| Advice | Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c) |)) |
| Advice | Offside Front Wheel bearing has slight play (5.1.3 (a) (i)) | |
| Advice | Nearside Rear Play in steering rack inner joint(s) | |
| Advice | Headlamp has a product on the lens but not seriously reducing light output (4.1. | 4 (b)) |
| Advice | Offside Rear Tyre worn close to legal limit/worn on edge close to legal limit (5.2.) | 3 (e)) |
| Advice | Offside Rear Anti-roll bar ball joint has slight play (5.3.4 (a) (i)) | |
| Advice | Exhaust has a minor leak of exhaust gases back box (6.1.2 (a)) | |
| Advice | Nearside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (| (c)) |
| Minor (i)) | Offside Registration plate lamp inoperative in the case of multiple lamps or light s | sources (4.7.1 (b) |
| Advice | Nearside Rear Tyre worn close to legal limit/worn on edge close to legal limit (5.2 | 2.3 (e)) |



BX04EGD report date: 2024-03-29

| MOT #20 2019-05-03 08:51 |
|--|
| MOT test number 691969978983 |
| Result × Failed |
| Fail Engine MIL inoperative or indicates a malfunction (8.2.1.2 (h)) |
| Fail Nearside Front Wheel bearing has excessive play (5.1.3 (a) (i)) |
| Fail Windscreen washer not working (3.5 (a)) |
| Minor Offside Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i)) |
| Advice Nearside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c)) |
| Advice Offside Rear Tyre worn close to legal limit/worn on edge close to legal limit (5.2.3 (e)) |
| Advice Offside Rear Anti-roll bar ball joint has slight play (5.3.4 (a) (i)) |
| Advice Offside Front Wheel bearing has slight play (5.1.3 (a) (i)) |
| Advice Exhaust has a minor leak of exhaust gases back box (6.1.2 (a)) |
| Advice Nearside Rear Play in steering rack inner joint(s) |
| Advice Headlamp has a product on the lens but not seriously reducing light output (4.1.4 (b)) |
| Advice Nearside Rear Tyre worn close to legal limit/worn on edge close to legal limit (5.2.3 (e)) |
| Advice Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c)) |

| MOT #19 | | 2018-04-18 15:58 |
|----------|--|------------------|
| MOT test | number | 451719846197 |
| Result | | ✓ Passed |
| Advice | Nearside Headlamp deteriorated but light output not reduced (1.7.5a) | |
| Advice | Nearside Front slight noise on front but no obvious defect | |
| Advice | Exhaust has a minor leak of exhaust gases (7.1.2) | |
| Advice | Offside Headlamp damaged but light output not reduced (1.7.5a) | |





| MOT #18 | 2018-04-17 08:27 |
|--|-------------------------|
| MOT test number | 637308017726 |
| Result | 🗙 Failed |
| Advice Nearside Headlamp deteriorated but light output not reduced (1.7.5a) | |
| FailOffside Front Lower Anti-roll bar linkage ball joint dust cover excessively deterlonger prevents the ingress of dirt (2.4.G.2) | eriorated so that it no |
| Advice Exhaust has a minor leak of exhaust gases (7.1.2) | |
| Pass with rectification Offside Headlamp aim too low (1.8) | |
| Advice Offside Headlamp damaged but light output not reduced (1.7.5a) | |
| Fail Offside Front Anti-roll bar linkage has excessive play in a ball joint (2.4.G.2) | |

| MOT #17 | 2017-04-28 12:22 |
|-----------------|------------------|
| MOT test number | 821998140596 |
| Result | ✓ Passed |

| MOT #3 | 16 | 2017-04-05 09:44 |
|--------|---|------------------|
| MOT te | st number | 150275652047 |
| Result | | 🗙 Failed |
| Fail | Nearside Front Tyre has ply or cords exposed (4.1.D.1b) | |
| Fail | Nearside Rear Brake pipe excessively corroded (3.6.B.2c) | |
| Fail | Nearside Front Windscreen wiper does not clear the windscreen effectively (8.2.2) | |
| Fail | Offside Rear Registration plate lamp not working (1.1.C.1d) | |
| Fail | Nearside Front Suspension arm has excessive play in a ball joint rear arm (2.4.G.2) | |
| Fail | Offside Rear Brake pipe excessively corroded (3.6.B.2c) | |
| Fail | Offside Front Windscreen wiper does not clear the windscreen effectively (8.2.2) | |
| Fail | Exhaust has a major leak of exhaust gases from centre back (7.1.2) | |





| MOT #15 | 2016-04-05 07:57 | |
|-------------------------------------|--|--|
| MOT test | number 419716863245 | |
| Result | ✓ Passed | |
| Advice Advice Advice | Offside Front brake disc worn, pitted or scored, but not seriously weakened inner face (3.5.1i) Nearside Front brake disc worn, pitted or scored, but not seriously weakened inner face (3.5.1i) Exhaust has a minor leak of exhaust gases (7.1.2) | |
| MOT #14 | 2014-12-17 12:41 | |
| MOT test number 228811154305 | | |
| Result | Result VPasse | |

| MOT #13 | | 2013-10-17 16:56 |
|---------------------|---|------------------|
| MOT test number | | 749310993272 |
| Result | | ✓ Passed |
| Advice Nearside Fr | ont Road wheel with a slightly distorted bead rim | (4.2.A.1a) |
| Notice EML on india | cating a fault | |





| MOT #12 2013- | 10-04 11:36 |
|---|-------------|
| MOT test number 729 | 627473221 |
| Result | 🗙 Failed |
| Fail Offside Front Front suspension has excessive play in a lower suspension ball joint (2.5.B.1a) |) |
| Notice EML on indicating a fault | |
| Fail Nearside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1) | |
| Fail Nearside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1) | |
| Fail Nearside Front Electrical wiring insecure (1.9.2a) | |
| Advice Nearside Front Road wheel with a slightly distorted bead rim (4.2.A.1a) | |
| FailNearside Front position lamp(s) not working (1.1.A.3b) | |
| Fail Offside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1) | |
| Fail Offside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1) | |

| MOT #11 | 2013-04-11 15:30 |
|---|------------------|
| MOT test number | 876621503107 |
| Result | 🗙 Failed |
| Fail Windscreen washer provides insufficient washer liquid (8.2.3) | |
| Fail Nearside Rear Brake pad(s) locking device insecure (3.5.1l) | |
| Advice Offside Front Front suspension has slight play in a lower suspension ball joint (2.5 | .B.1a) |
| Fail Offside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1) | |
| Advice Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i) | |
| Advice Nearside Front Road wheel with a slightly distorted bead rim (4.2.A.1a) | |

| MOT #10 | 2012-04-23 14:15 |
|-----------------|------------------|
| MOT test number | 259764612145 |
| Result | ✓ Passed |



BX04EGD report date: 2024-03-29

| MOT #9 | 2012-04-20 16:4 |
|--------------------------|--|
| MOT test number | 69992111210 |
| Result | × Failed |
| Fail Nearside Front coil | spring fractured (2.4.C.1a) |
| MOT #8 | 2011-07-22 14:1 |
| MOT test number | 72980380121 |
| Result | ✓ Passed |
| | |
| MOT #7 | 2011-07-15 15:2 |
| MOT test number | 63629659119 |
| Result | × Failed |
| Fail Lower Suspension a | rm has excessive play in a ball joint (2.4.G.2) |
| MOT #6 | 2010-06-25 16:0 |
| MOT test number | 33120697016 |
| Result | ✓ Passed |
| | |
| MOT #5 | 2010-06-25 16:0 |
| MOT test number | 564596670170 |
| Result | × Failed |
| Pass with rectification | Parking brake lever has no reserve travel (3.1.6b) |
| Pass with rectification | Nearside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1) |
| | |

| MOT #4 | 2009-07-01 16:31 |
|---|------------------|
| MOT test number | 960022989173 |
| Result | ✓ Passed |
| Advice Nearside Rear Tyre worn close to the legal limit (4.1.E.1) | |



Result

BX04EGD report date: 2024-03-29

🗸 Passed

| МОТ #3 | 2009-07-01 16:31 |
|-------------------------|--|
| MOT test number | 661052989127 |
| Result | × Failed |
| Advice Nearside Rear Ty | yre worn close to the legal limit (4.1.E.1) |
| Pass with rectification | Offside Front Track rod end ball joint has excessive play (2.2.B.1f) |
| | |
| MOT #2 | 2008-07-22 12:14 |
| MOT test number | 943244508276 |

 MOT #1
 2007-04-02 15:02

 MOT test number
 312452497029

 Result
 ✓ Passed





Damage history

Check the damage history for this MERCEDES-BENZ. See if, where and when this MERCEDES-BENZ had damage and the car repair costs. We also check if this MERCEDES-BENZ was scrapped. Download the premium report <u>here</u> for the results.

| Damage 1 | |
|----------|---------------------------------------|
| Date | FERRE |
| Category | A PLANE |
| Туре | |
| Damage 2 | AMPLE |
| | A A A A A A A A A A A A A A A A A A A |
| Date | 1. E |
| Category | ant |
| Туре | |

Extra MERCEDES-BENZ salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.

More info >





Vehicle valuation

What is this car worth? See the vehicle value of this MERCEDES-BENZ in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

| Trade retail value | 4.00.000 |
|-----------------------------|----------|
| Auction value | 4 10.000 |
| Average private trade value | 4 10.200 |

More info \rightarrow





Owner history

For how long did the current and previous owner(s) have this MERCEDES-BENZ? How many owners did this MERCEDES-BENZ have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

| NUMBER OF TAXABLE PARTY | |
|--|-------------|
| ******** | |
| ******** | |
| | |
| | |
| ********** | |
| ******** | |
| | More info > |
| Plate changes | |
| See in this check if this MERCEDES-BENZ had different number plates. | |
| Number of plates | , |
| Current registration | |
| Plate since | |
| Current registration | |
| Plate since | |
| | More info > |





Finance check

Check if this MERCEDES-BENZ is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this MERCEDES-BENZ has been settled.

If not, and you buy this MERCEDES-BENZ then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this MERCEDES-BENZ is financed.

| Finance company | |
|-------------------|--|
| Date of agreement | |
| Agreement type | |
| Agreement term | |
| Agreement number | |
| Contact info | |

More info \rightarrow



BX04EGD report date: 2024-03-29

Mileage check

| Odometer | In miles |
|----------------------------|------------|
| Mileage registrations | 24 |
| First mileage registration | 2004-04-16 |
| Last registration | 2021-01-05 |
| Complete history | See info |



| Registration #1 | 2004-04-16 | 15 mi |
|------------------|------------|------------|
| Registration #2 | 2007-04-02 | 28.914 mi |
| Registration #3 | 2008-07-22 | 36.381 mi |
| Registration #4 | 2009-07-01 | 47.868 mi |
| Registration #5 | 2010-06-25 | 54.230 mi |
| Registration #6 | 2011-07-15 | 67.598 mi |
| Registration #7 | 2011-07-22 | 67.863 mi |
| Registration #8 | 2012-04-20 | 74.410 mi |
| Registration #9 | 2012-04-23 | 74.410 mi |
| Registration #10 | 2013-04-11 | 98.346 mi |
| Registration #11 | 2013-10-04 | 105.712 mi |
| Registration #12 | 2013-10-17 | 105.712 mi |
| Registration #13 | | 11.777 esi |
| Registration #14 | | 11.777 est |
| Registration #15 | | 11.777 esi |
| Registration #16 | | 11.777 est |
| Registration #17 | | 11.777 esi |
| Registration #18 | | 11.777 est |
| Registration #19 | | 11.777 esi |
| Registration #20 | | 11.777 est |
| Registration #21 | | 11.227 est |
| Registration #22 | | 10.000 est |
| | | |
| Registration #23 | | 11.277 est |
| - | | 10.207 est |







Car features

| S0225 | Air conditioning |
|--------|------------------|
| S0295 | |
| S0482 | |
| S0501 | |
| S0566 | |
| \$0567 | |
| S0569 | |

Dimensions & weight

| Width | 1977 mm |
|-------------|---------|
| Height | 1426 mm |
| Length | 4526 mm |
| Wheel base | 2715 mm |
| Kerb weight | 1455 kg |

Additional information

| Fuel tank capacity | 62 l |
|--------------------|-----------------------|
| Fuel delivery | Multi-Point Injection |
| Number of doors | 4 |
| Number of seats | 5 |
| Number of axles | 2 |
| Engine number | 27194630369886 |