



WJ06HTD

report date: 2024-03-28

General information

Make	FORD
Model	FUSION ZETEC CLIMATE
Colour	Black
Year of manufacture	-
Top speed	109 mph
0 - 60 mph	12.7 seconds
Gearbox	5 speed automatic

Engine & fuel consumption

Power	100 BHP
Max. torque	145 Nm at 4.000 rpm
Cylinders	4
Fuel type	Petrol
Consumption city	27.4 mpg
Consumption extra urban	46.3 mpg
Consumption combined	37.2 mpg



LABEL UNKNOWN



Internet history

Entry 1

Date	2021-08-19
Pictures	38
Listing price	View report



source: cargurus.co.uk

**MOT history****MOT #18**

2022-07-26 13:43

MOT test number

833613031356

Result

✓ Passed

Next expiry date

2023-07-25

- Advice** Central Rear Upper Stop lamp(s) non-obligatory stop lamp not working (4.3.1 (a) (ii))
- Advice** Offside Rear Exhaust mounting defective (6.1.2 (a))
- Advice** Offside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))
- Advice** Nearside Rear Suspension component mounting prescribed area is corroded but not considered excessive inner sill (5.3.6 (a) (i))
- Advice** Nearside Rear Coil spring corroded (5.3.1 (b) (i))
- Advice** Offside Rear Tyre has a cut but not deep enough to reach the ply or cords (5.2.3 (d) (i))
- Advice** Nearside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- Advice** Offside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))
- Advice** Rear Exhaust has a minor leak of exhaust gases (6.1.2 (a))
- Advice** Nearside Rear Upper Coil spring mounting corroded but not seriously weakened (5.3.1 (b) (i))
- Advice** Offside Rear Coil spring corroded (5.3.1 (b) (i))



MOT #17	2022-07-18 15:14
MOT test number	536913590306
Result	✗ Failed

- Advice** Offside Front Inner Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))
- MAJOR** Nearside Front Shock absorbers has a serious fluid leak (5.3.2 (b))
- MAJOR** Nearside Front Service brake excessively fluctuating (1.2.1 (e))
- Advice** Offside Rear Tyre has a cut but not deep enough to reach the ply or cords (5.2.3 (d) (i))
- MAJOR** Nearside Front Suspension arm ball joint dust cover no longer prevents the ingress of dirt (5.3.4 (b) (ii))
- MAJOR** Nearside Rear Fuel cap/sealing device missing (6.1.3 (b) (i))
- MAJOR** Nearside Rear Inner Road wheel badly distorted (5.2.2 (c) (i))
- Advice** Offside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))
- MAJOR** Nearside Front Position lamp not working (4.2.1 (a) (ii))
- Advice** Rear Exhaust has a minor leak of exhaust gases (6.1.2 (a))
- Advice** Nearside Rear Suspension component mounting prescribed area is corroded but not considered excessive inner sill (5.3.6 (a) (i))
- Advice** Nearside Front Inner Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))
- MAJOR** Offside Rear Suspension component mounting prescribed area excessively corroded significantly reducing structural strength outer sill (5.3.6 (a) (i))
- Advice** Offside Rear Coil spring corroded (5.3.1 (b) (i))
- Advice** Nearside Rear Upper Coil spring mounting corroded but not seriously weakened (5.3.1 (b) (i))
- Advice** Offside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))
- MAJOR** Offside Front Shock absorbers has a serious fluid leak (5.3.2 (b))
- Advice** Offside Front Service brake fluctuating, but not excessively (1.2.1 (e))
- MAJOR** Nearside Rear Tyre has a cut in excess of the requirements deep enough to reach the ply or cords 195/55/16 (5.2.3 (d) (i))
- MAJOR** Offside Front Suspension arm ball joint dust cover no longer prevents the ingress of dirt (5.3.4 (b) (ii))
- MAJOR** Offside Front Windscreen washer jets misaligned and not providing sufficient fluid to the windscreen (3.5 (a))
- Advice** Offside Rear Exhaust mounting defective (6.1.2 (a))
- MAJOR** Nearside Front Tyre(s) of different sizes are fitted on the same axle. (5.2.3 (b))
- Advice** Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- Advice** Central Rear Upper Stop lamp(s) non-obligatory stop lamp not working (4.3.1 (a) (ii))
- Advice** Nearside Rear Coil spring corroded (5.3.1 (b) (i))
- MAJOR** Offside Rear Suspension component mounting prescribed area excessively corroded significantly reducing structural strength inner sill (5.3.6 (a) (i))

**MOT #16** 2021-03-24 16:42**MOT test number** 831709788669**Result** ✓ Passed**Advice** Nearside Front Service brake fluctuating, but not excessively (1.2.1 (e))**Advice** Offside Front Service brake fluctuating, but not excessively (1.2.1 (e))**MOT #15** 2020-03-26 17:01**MOT test number** 778680223946**Result** ✓ Passed**Advice** Nearside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))**Advice** Offside Direction indicator slightly discoloured (4.4.3 (a))**Advice** Nearside Rear Direction indicator slightly discoloured (4.4.3 (a))**MOT #14** 2019-03-22 13:58**MOT test number** 707003740185**Result** ✓ Passed**Advice** Offside Front Nail in tyre**Advice** Nearside Rear Direction indicator slightly discoloured (4.4.3 (a))**Advice** Offside Front Brake pad(s) wearing thin (1.1.13 (a) (ii))**Advice** Nearside Front Brake pad(s) wearing thin (1.1.13 (a) (ii))**Advice** Offside Rear Direction indicator slightly discoloured (4.4.3 (a))**MOT #13** 2018-03-16 14:38**MOT test number** 308586484350**Result** ✓ Passed**Advice** Front Brake pad(s) wearing thin (3.5.1g)**Advice** Front suspension ball joint dust cover deteriorated, but preventing the ingress of dirt Both front (2.4.G.2)

**MOT #12** 2017-03-17 14:32**MOT test number** 205420948848**Result** ✓ Passed

Advice Offside Lower Front suspension ball joint dust cover damaged, but preventing the ingress of dirt (2.4.G.2)

Advice Nearside Lower Front suspension ball joint dust cover damaged, but preventing the ingress of dirt (2.4.G.2)

MOT #11 2016-03-18 14:44**MOT test number** 400002680288**Result** ✓ Passed

Advice Nearside front tyre worn to its minimum limit on the inner edge

Advice Offside front tyre worn on the inner edge

MOT #10 2015-03-27 14:39**MOT test number** 276896285045**Result** ✓ Passed

Advice Nearside Rear Tyre worn close to the legal limit (4.1.E.1)

Notice Nail in offside rear tyre

Advice Offside Rear Tyre worn close to the legal limit (4.1.E.1)

Notice Engine management light on

MOT #9 2014-03-14 13:51**MOT test number** 186243674061**Result** ✓ Passed

Advice Nearside Rear Direction indicator slightly discoloured (1.4.A.2f)

Advice Offside Rear Direction indicator slightly discoloured (1.4.A.2f)

**MOT #8** 2013-03-26 07:54**MOT test number** 569455983000**Result** ✓ Passed**MOT #7** 2013-03-22 16:17**MOT test number** 109681683426**Result** ✗ Failed**Fail** Offside Front coil spring incomplete (2.4.C.1a)**MOT #6** 2012-03-02 14:54**MOT test number** 717752762062**Result** ✓ Passed**Advice** Offside Front Tyre worn close to the legal limit (4.1.E.1)**Advice** Nearside Front Tyre worn close to the legal limit (4.1.E.1)**MOT #5** 2011-03-18 13:44**MOT test number** 638027271024**Result** ✓ Passed**MOT #4** 2010-04-01 08:06**MOT test number** 123871290416**Result** ✓ Passed**MOT #3** 2010-03-31 16:28**MOT test number** 534370590057**Result** ✗ Failed**Fail** Offside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1)



MOT #2	2009-04-01 13:39
MOT test number	761081799040
Result	✓ Passed
Advice	Front Brake pad(s) wearing thin (3.5.1g)
Advice	Offside Front Tyre worn close to the legal limit (4.1.E.1)

MOT #1	2009-04-01 13:39
MOT test number	134301999072
Result	✗ Failed
Pass with rectification	Centre Stop lamp not working (1.2.1b)
Advice	Front Brake pad(s) wearing thin (3.5.1g)
Pass with rectification	Offside Rear Stop lamp not working (1.2.1b)
Advice	Offside Front Tyre worn close to the legal limit (4.1.E.1)



Damage history

Check the damage history for this FORD. See if, where and when this FORD had damage and the car repair costs. We also check if this FORD was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	

Damage 2

Date	
Category	
Type	



Extra FORD salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this FORD in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	£ 19,299
Auction value	£ 19,299
Average private trade value	£ 19,299

More info >



Owner history

For how long did the current and previous owner(s) have this FORD? How many owners did this FORD have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since

More info >

Plate changes

See in this check if this FORD had different number plates.

Number of plates	1
Current registration	WJ06HTD
Plate since	2019-09-29
Current registration	WJ06HTD
Plate since	2019-09-29

More info >



Finance check

Check if this FORD is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this FORD has been settled.

If not, and you buy this FORD then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this FORD is financed.


Finance company	XXXXXXXXXX	XXXX
Date of agreement	XXXXXXXXXX	XXXX
Agreement type	XXXXXXXXXX	XXXX
Agreement term	XXXXXXXXXX	XXXX
Agreement number	XXXXXXXXXX	XXXX
Contact info	XXXXXXXXXX	XXXX

More info >



Mileage check

Odometer	In miles
Mileage registrations	19
First mileage registration	2006-05-03
Last registration	2022-07-26
Complete history	See info



Registration #1	2006-05-03	23 mi
Registration #2	2009-04-01	31.159 mi
Registration #3	2010-03-31	35.068 mi
Registration #4	2010-04-01	35.068 mi
Registration #5	2011-03-18	39.692 mi
Registration #6	2012-03-02	45.126 mi
Registration #7	2013-03-22	52.143 mi
Registration #8	2013-03-26	52.149 mi
Registration #9	2014-03-14	57.477 mi
Registration #10	2015-03-27	63.663 mi
Registration #11	2016-03-29	69.849 mi
Registration #12	2017-03-29	76.035 mi
Registration #13	2018-03-29	82.221 mi
Registration #14	2019-03-29	88.407 mi
Registration #15	2020-03-29	94.593 mi
Registration #16	2021-03-29	100.779 mi
Registration #17	2022-03-29	106.965 mi
Registration #18	2023-03-29	113.151 mi
Registration #19	2024-03-29	119.337 mi

More info >



Car features

The FORD factory car options list is only available in the premium report.

S0225	Air conditioning
S0295	
S0482	
S0501	
S0566	
S0567	
S0569	

View the complete FORD factory list for this vehicle [here](#).

More info >

Safety ratings

NCAP rating ★★★★☆

Video [see crash video](#)



Dimensions & weight

Width	1963 mm
Height	1543 mm
Length	4013 mm
Wheel base	2485 mm
Kerb weight	1110 kg
Max. allowed weight	1630 kg

Additional information

Fuel tank capacity	45 l
Fuel delivery	Multi-Point Injection
Number of doors	5
Number of seats	5

Number of axles	2
Engine number	6S21610