



HONDA

YK080VB

report date: 2024-03-28

General information

Make	HONDA
Model	FR-V I-VTEC ES
Colour	Black
Year of manufacture	-
Top speed	115 mph
Gearbox	5 speed automatic

Engine & fuel consumption

Power	138 BHP
Max. torque	174 Nm at 4.300 rpm
Cylinders	4
Fuel type	Petrol
Consumption city	26.7 mpg
Consumption extra urban	42.8 mpg
Consumption combined	34.9 mpg



LABEL UNKNOWN

**MOT history**

MOT #18	2021-01-14 14:10
MOT test number	656480402494
Result	✓ Passed
Next expiry date	2022-01-14
Advice	Nearside Rear Inner Tyre worn close to legal limit/worn on edge (5.2.3 (e))
Advice	Nearside Rear Coil spring corroded (5.3.1 (b) (i))
Minor	Offside Front Lower Suspension arm ball joint dust cover severely deteriorated (5.3.4 (b) (i))
Advice	Nearside Front Anti-roll bar linkage ball joint has slight play (5.3.4 (a) (i))
Advice	Oil leak, but not excessive (8.4.1 (a) (i))
Advice	Offside Front Inner Tyre worn close to legal limit/worn on edge (5.2.3 (e))
Advice	Rear Anti-roll bar corroded but not seriously weakened (5.3.3 (b) (i))
Minor	Nearside Front Lower Suspension arm ball joint dust cover severely deteriorated (5.3.4 (b) (i))
Advice	Offside Rear Coil spring corroded (5.3.1 (b) (i))
Advice	Offside Front Anti-roll bar linkage ball joint has slight play (5.3.4 (a) (i))
Advice	Nearside Rear Tyre has a cut but not deep enough to reach the ply or cords (5.2.3 (d) (i))

**MOT #17**

2021-01-14 12:16

MOT test number

119806978052

Result**✗ Failed****Advice** Nearside Rear Tyre has a cut but not deep enough to reach the ply or cords (5.2.3 (d) (i))**Minor** Offside Front Lower Suspension arm ball joint dust cover severely deteriorated (5.3.4 (b) (i))**Advice** Nearside Rear Coil spring corroded (5.3.1 (b) (i))**Fail** Offside Front Headlamp not working on dipped beam (4.1.1 (a) (ii))**Advice** Nearside Front Anti-roll bar linkage ball joint has slight play (5.3.4 (a) (i))**Advice** Offside Front Inner Tyre worn close to legal limit/worn on edge (5.2.3 (e))**Fail** Exhaust Lambda reading after 2nd fast idle outside specified limits (8.2.1.2 (c))**Advice** Oil leak, but not excessive (8.4.1 (a) (i))**Minor** Nearside Front Lower Suspension arm ball joint dust cover severely deteriorated (5.3.4 (b) (i))**Advice** Rear Anti-roll bar corroded but not seriously weakened (5.3.3 (b) (i))**Fail** Nearside Front Position lamp not working (4.2.1 (a) (ii))**Advice** Offside Rear Coil spring corroded (5.3.1 (b) (i))**Fail** Nearside Rear Stop lamp(s) not working (4.3.1 (a) (ii))**Fail** Engine MIL inoperative or indicates a malfunction (8.2.1.2 (h))**Advice** Offside Front Anti-roll bar linkage ball joint has slight play (5.3.4 (a) (i))**Advice** Nearside Rear Inner Tyre worn close to legal limit/worn on edge (5.2.3 (e))**Advice** Front Exhaust has a minor leak of exhaust gases and corroding (6.1.2 (a))

**MOT #16**

2020-01-10 14:35

MOT test number

700338642298

Result

✓ Passed

- Advice** Exhaust has a minor leak of exhaust gases (6.1.2 (a))
- Minor** Nearside Front Windscreen wiper blade defective (3.4 (b) (i))
- Advice** Offside Rear Coil spring corroded (5.3.1 (b) (i))
- Minor** Nearside Front Lower Suspension arm ball joint dust cover severely deteriorated (5.3.4 (b) (i))
- Advice** Oil leak, but not excessive (8.4.1 (a) (i))
- Minor** Offside Front Windscreen wiper blade defective (3.4 (b) (i))
- Advice** Nearside Rear Coil spring corroded (5.3.1 (b) (i))
- Minor** Offside Rear Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i))
- Advice** Rear Anti-roll bar corroded but not seriously weakened (5.3.3 (b) (i))
- Minor** Offside Front Lower Suspension arm ball joint dust cover severely deteriorated (5.3.4 (b) (i))
- Advice** Steering slightly heavy
- Advice** Offside Front Inner Tyre worn close to legal limit/worn on edge (5.2.3 (e))

MOT #15

2019-01-14 11:01

MOT test number

771167127117

Result

✓ Passed

- Advice** General underbody component surface corrosion.
- Advice** Offside Rear Child Seat fitted not allowing full inspection of adult belt
- Minor** Nearside Front Lower Suspension arm ball joint dust cover severely deteriorated (5.3.4 (b) (i))
- Advice** Centre brake light not operating.
- Advice** Items removed from driver's view prior to test
- Minor** Offside Front Lower Suspension arm ball joint dust cover severely deteriorated (5.3.4 (b) (i))

**MOT #14**

2019-01-14 10:07

MOT test number

507341762821

Result**✗ Failed**

- Advice** General underbody component surface corrosion.
- Advice** Offside Rear Child Seat fitted not allowing full inspection of adult belt
- Minor** Nearside Front Lower Suspension arm ball joint dust cover severely deteriorated (5.3.4 (b) (i))
- Fail** Engine MIL inoperative or indicates a malfunction (8.2.1.2 (h))
- Advice** Centre brake light not operating.
- Advice** Items removed from driver's view prior to test
- Minor** Offside Front Lower Suspension arm ball joint dust cover severely deteriorated (5.3.4 (b) (i))

MOT #13

2018-01-15 11:23

MOT test number

427267075495

Result**✓ Passed**

- Advice** Rear Anti-roll bar corroded but not seriously weakened (2.4.G.1)
- Advice** Offside Rear coil spring corroded (2.4.C.1b)
- Advice** Offside Rear Suspension arm corroded but not seriously weakened (2.4.G.1)
- Advice** Nearside Rear Suspension arm corroded but not seriously weakened (2.4.G.1)

**MOT #12**

2018-01-12 16:58

MOT test number

869770818004

Result**✗ Failed****Fail**

Nearside Rear Brake pad(s) less than 1.5 mm thick (3.5.1g)

Advice

Offside Rear coil spring corroded (2.4.C.1b)

Advice

Offside Rear Suspension arm corroded but not seriously weakened (2.4.G.1)

Fail

Offside Rear Brake pad(s) less than 1.5 mm thick (3.5.1g)

Advice

Nearside Rear Suspension arm corroded but not seriously weakened (2.4.G.1)

Advice

Rear Anti-roll bar corroded but not seriously weakened (2.4.G.1)

MOT #11

2017-01-11 16:24

MOT test number

973625956244

Result**✓ Passed****Advice**

Nearside Front tyre has a cut in the outer wall

Advice

Items removed from driver's view prior to test

Advice

Offside Rear Child Seat fitted not allowing full inspection of adult belt

Advice

Offside Rear tyre pressure appears low

Advice

Offside Front Outer Suspension arm ball joint dust cover deteriorated, but preventing the ingress of dirt (2.4.G.2)

Advice

Nearside Rear Child Seat fitted not allowing full inspection of adult belt

Advice

Rear boot filled up not allowing full inspection

Advice

Nearside Front Outer Suspension arm ball joint dust cover deteriorated, but preventing the ingress of dirt (2.4.G.2)

**MOT #10**

2017-01-11 16:24

MOT test number

161087141807

Result**✗ Failed**

Advice Offside Front Outer Suspension arm ball joint dust cover deteriorated, but preventing the ingress of dirt (2.4.G.2)

Advice Rear boot filled up not allowing full inspection

Advice Nearside Front tyre has a cut in the outer wall

Advice Nearside Rear Child Seat fitted not allowing full inspection of adult belt

Advice Nearside Front Outer Suspension arm ball joint dust cover deteriorated, but preventing the ingress of dirt (2.4.G.2)

Pass with rectification Offside Front Windscreen wiper blade insecure (8.2.2)

Advice Offside Rear tyre pressure appears low

Advice Items removed from driver's view prior to test

Advice Offside Rear Child Seat fitted not allowing full inspection of adult belt

MOT #9

2016-12-31 11:21

MOT test number

466182431544

Result**✗ Failed**

Advice Nearside Rear Child Seat fitted not allowing full inspection of adult belt

Advice Offside Rear tyre pressure appears low

Fail Windscreen washer provides insufficient washer liquid (8.2.3)

Advice Offside Front Outer Suspension arm ball joint dust cover deteriorated, but preventing the ingress of dirt (2.4.G.2)

Advice Items removed from driver's view prior to test

Advice Rear boot filled up not allowing full inspection

Advice Offside Rear Child Seat fitted not allowing full inspection of adult belt

Advice Nearside Front tyre has a cut in the outer wall

Advice Nearside Front Outer Suspension arm ball joint dust cover deteriorated, but preventing the ingress of dirt (2.4.G.2)

**MOT #8** 2016-01-15 17:35**MOT test number** 561272574775**Result** ✓ Passed**MOT #7** 2015-03-03 10:03**MOT test number** 978012765096**Result** ✓ Passed**MOT #6** 2014-03-05 13:19**MOT test number** 125354964016**Result** ✓ Passed**MOT #5** 2014-03-04 14:20**MOT test number** 185593664432**Result** ✗ Failed**Fail** Nearside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)**Fail** Nearside Front Tyre has a cut in excess of the requirements deep enough to reach the ply or cords (4.1.D.1a)**Fail** Offside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)**MOT #4** 2013-02-25 12:12**MOT test number** 508686053029**Result** ✓ Passed**MOT #3** 2012-03-06 14:32**MOT test number** 496186062082**Result** ✓ Passed



MOT #2	2012-03-06 11:37
MOT test number	648296762011
Result	✗ Failed
Fail	Front Brake pad(s) less than 1.5 mm thick (3.5.1g)

MOT #1	2011-03-01 09:24
MOT test number	946530961065
Result	✓ Passed
Advice	Offside Front Tyre worn close to the legal limit (4.1.E.1)
Advice	Front Brake pad(s) wearing thin (3.5.1g)



Damage history

Check the damage history for this HONDA. See if, where and when this HONDA had damage and the car repair costs. We also check if this HONDA was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	

Damage 2

Date	
Category	
Type	



Extra HONDA salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this HONDA in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	£ 19,999
Auction value	£ 19,999
Average private trade value	£ 19,999

More info >



Owner history

For how long did the current and previous owner(s) have this HONDA? How many owners did this HONDA have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

Owner	From	To
Owner	From	To
Owner	From	To
Owner	From	To
Owner	From	To
Owner	From	To
Owner	From	To

More info >

Plate changes

See in this check if this HONDA had different number plates.

Number of plates	1
Current registration	YK080VB
Plate since	2019-03-28
Current registration	YK080VB
Plate since	2019-03-28

More info >



Finance check

Check if this HONDA is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this HONDA has been settled.

If not, and you buy this HONDA then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this HONDA is financed.

Finance company	XXXXXXXX	XXXX
Date of agreement	XXXXXXXX	XXXX
Agreement type	XXXXXXXX	XXXX
Agreement term	XXXXXXXX	XXXX
Agreement number	XXXXXXXX	XXXX
Contact info	XXXXXXXX	XXXX

More info >



Mileage check

Odometer	In miles
Mileage registrations	19
First mileage registration	2008-03-01
Last registration	2021-01-14
Complete history	See info



Registration #1	2008-03-01	8 mi
Registration #2	2011-03-01	16.381 mi
Registration #3	2012-03-06	23.389 mi
Registration #4	2012-03-06	23.389 mi
Registration #5	2013-02-25	29.792 mi
Registration #6	2014-03-04	37.333 mi
Registration #7	2014-03-05	37.333 mi
Registration #8	2015-03-03	42.612 mi
Registration #9	2016-01-15	46.098 mi
Registration #10	2016-12-31	48.056 mi
Registration #11	2019-05-20	55.277 mi
Registration #12	2019-05-20	55.277 mi
Registration #13	2019-05-20	55.277 mi
Registration #14	2019-05-20	55.277 mi
Registration #15	2019-05-20	55.277 mi
Registration #16	2019-05-20	55.277 mi
Registration #17	2019-05-20	55.277 mi
Registration #18	2019-05-20	55.277 mi
Registration #19	2019-05-20	55.277 mi

More info >



Safety ratings

NCAP rating	★★★★☆
Video	see crash video



Dimensions & weight

Width	1810 mm
Height	1610 mm
Length	4285 mm
Wheel base	2680 mm
Kerb weight	1449 kg
Max. allowed weight	2020 kg

Additional information

Fuel tank capacity	58 l
Fuel delivery	Multi-Point Injection
Number of doors	5
Number of seats	6
Number of axles	2
Engine number	R18A12301070