



report date: 2024-03-29

General information

Make	BMW
Model	Z3 Z3 ROADSTER
Colour	Silver
Year of manufacture	1998
Top speed	128 mph
0 - 60 mph	9.5 seconds
Gearbox	5 speed Manual

Engine & fuel consumption

Power	138 BHP
Max. torque	180 Nm at 4.300 rpm
Engine capacity	1.895 cc
Cylinders	4
Fuel type	Petrol
Consumption city	24.8 mpg
Consumption extra urban	47.1 mpg
Consumption combined	35.3 mpg




LABEL UNKNOWN



Internet history

Entry 1

Date	2022-04-20
Pictures	29
Listing price	View report



source: cargurus.co.uk

**MOT history**

MOT expiry date	2023-01-17
MOT pass rate	63 %
MOT passed	15
Failed MOT tests	9
Total advice items	48
Total items failed	28

MOT #24	2022-01-18 14:33
MOT test number	317398667710
Result	✓ Passed
Next expiry date	2023-01-17
Advice	Front Brake pipe corroded, covered in grease or other material offside and nearside (1.1.11 (c))

MOT #23	2021-09-28 08:04
MOT test number	483960574592
Result	✓ Passed
Advice	Nearside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))
Advice	Offside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))

MOT #22	2020-09-03 11:48
MOT test number	840548282955
Result	✓ Passed
Advice	All suspension components corroding
Advice	Nearside Brake pipe corroded, covered in grease or other material front to rear (1.1.11 (c))
Advice	Nearside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))
Advice	Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))
Advice	Offside Brake pipe corroded, covered in grease or other material front to rear (1.1.11 (c))

**MOT #21** 2020-08-28 08:14**MOT test number** 689526716774**Result** ✗ Failed

- Advice** Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- Advice** Nearside Brake pipe corroded, covered in grease or other material front to rear (1.1.11 (c))
- Advice** Nearside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))
- Fail** Nearside Headlamp aim projected beam image is obviously incorrect (4.1.2 (c))
- Advice** Offside Brake pipe corroded, covered in grease or other material front to rear (1.1.11 (c))
- Advice** All suspension components corroding
- Fail** Offside Front Anti-roll bar linkage pin or bush excessively worn (5.3.4 (a) (i))

MOT #20 2019-05-28 09:37**MOT test number** 526116343401**Result** ✓ Passed

- Advice** Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- Minor** Nearside Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i))
- Advice** Central Stop lamp(s) non-obligatory stop lamp not working (4.3.1 (a) (ii))

MOT #19 2019-05-28 09:34**MOT test number** 900119434162**Result** ✓ Passed**MOT #18** 2018-06-21 08:46**MOT test number** 986651689123**Result** ✓ Passed



MOT #17	2018-06-08 18:21
MOT test number	557940151711
Result	✗ Failed
Fail	Engine MIL inoperative or indicates a malfunction (8.2.1.2 (h))

MOT #16	2017-06-13 08:33
MOT test number	736299900438
Result	✓ Passed

MOT #15	2016-06-25 10:18
MOT test number	324679200221
Result	✓ Passed
Advice	Offside Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
Advice	Nearside Rear Brake pipe slightly corroded (3.6.B.2c)
Advice	Nearside Rear Trailing arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)
Advice	Nearside Front brake disc worn, pitted or scored, but not seriously weakened advise replacement (3.5.1i)
Advice	Nearside Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
Advice	Offside Rear Brake pipe slightly corroded (3.6.B.2c)
Advice	Offside Rear Trailing arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)
Advice	Offside Front brake disc worn, pitted or scored, but not seriously weakened advise replacement (3.5.1i)

**MOT #14**

2016-06-24 14:25

MOT test number

920694059738

Result

✗ Failed

- Advice** Nearside Rear Brake pipe slightly corroded (3.6.B.2c)
- Advice** Nearside Rear Trailing arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)
- Fail** Nearside Front position lamp(s) not working (1.1.A.3b)
- Advice** Offside Front brake disc worn, pitted or scored, but not seriously weakened advise replacement (3.5.1i)
- Fail** Offside Rear Tyre has a tear, caused by separation or partial failure of its structure inner sidewall (4.1.D.1b)
- Advice** Offside Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
- Advice** Offside Rear Brake pipe slightly corroded (3.6.B.2c)
- Advice** Offside Rear Trailing arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)
- Advice** Nearside Front brake disc worn, pitted or scored, but not seriously weakened advise replacement (3.5.1i)
- Advice** Nearside Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)

MOT #13

2015-08-24 14:17

MOT test number

490921747272

Result

✓ Passed

- Advice** Nearside Rear Sub-frame rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)
- Advice** Offside Rear Lower Suspension arm has slight play in a pin/bush (2.4.G.2)
- Advice** Offside Rear Sub-frame rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)

**MOT #12**

2015-08-22 09:17

MOT test number

227951113003

Result**✗ Failed**

Advice Nearside Rear Sub-frame rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)

Fail Front front brake application uneven (3.7.B.2)

Advice Offside Rear Lower Suspension arm has slight play in a pin/bush (2.4.G.2)

Advice Offside Rear Sub-frame rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)

MOT #11

2014-05-22 14:06

MOT test number

305852444139

Result**✓ Passed**

Advice Offside Front Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)

Advice Offside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)

Advice Exhaust noisy (7.1.4)

Advice Rear Brake pipe slightly corroded (3.6.B.2c)

MOT #10

2014-05-19 14:46

MOT test number

275049134441

Result**✗ Failed**

Advice Offside Front Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)

Advice Offside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)

Fail Nearside Rear Registration plate lamp not working (1.1.C.1d)

Fail Nearside Front Suspension arm rubber bush deteriorated resulting in excessive movement (2.4.G.2)

Advice Exhaust noisy (7.1.4)

Advice Rear Brake pipe slightly corroded (3.6.B.2c)

Fail Nearside Front position lamp(s) not working (1.1.A.3b)

**MOT #9** 2013-06-25 17:15**MOT test number** 637026573193**Result** ✓ Passed**MOT #8** 2013-06-25 15:16**MOT test number** 336796673169**Result** ✗ Failed**Fail** Rear Sub-frame attachment rubber mounting deteriorated resulting in excessive movement (2.4.G.2)**Fail** Nearside Front Wheel bolt(s) missing (4.2.A.1e)**Fail** Nearside Rear Wheel bolt(s) missing (4.2.A.1e)**Fail** Supplementary Restraint System warning lamp indicates a fault (5.4.2)**Fail** Offside Front Wheel bolt(s) missing (4.2.A.1e)**Fail** Offside Rear Wheel bolt(s) missing (4.2.A.1e)**MOT #7** 2012-07-06 14:01**MOT test number** 906518782123**Result** ✓ Passed**MOT #6** 2012-06-29 09:06**MOT test number** 496551882169**Result** ✗ Failed**Fail** Parking brake: efficiency below requirements (3.7.B.7)**MOT #5** 2008-07-21 12:30**MOT test number** 324783108442**Result** ✓ Passed**Advice** Centre Rear Exhaust has a minor leak of exhaust gases (7.1.2)



MOT #4	2007-07-21 12:45
MOT test number	102532807231
Result	✓ Passed

MOT #3	2007-07-14 11:04
MOT test number	434955397177
Result	✗ Failed
Fail	Exhaust emissions hydrocarbon content after 2nd fast idle excessive (7.3.D.3)
Fail	Front Brake pad(s) less than 1.5 mm thick (3.5.1g)
Fail	Exhaust emissions carbon monoxide content after 2nd fast idle excessive (7.3.D.3)
Fail	Exhaust emissions Lambda reading after 2nd fast idle outside specified limits (7.3.D.3)
Fail	Windscreen washer provides insufficient washer liquid (8.2.3)
Fail	Exhaust emissions carbon monoxide content at idle excessive (7.3.D.4)

MOT #2	2006-06-26 14:02
MOT test number	754257376109
Result	✓ Passed



MOT #1	2006-06-24 12:47
MOT test number	212085176497
Result	✗ Failed
Fail	Offside Headlamp aim too high when the centre of the headlamp is below 850mm from the ground (1.6.B2)
Fail	Nearside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)
Fail	Nearside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1)
Notice	Front number plate cracked - rear coil springs corroding - front brake pads close to limits - handbrake cable corroding
Fail	Windscreen washer provides insufficient washer liquid (8.2.3)
Fail	Offside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)
Fail	Offside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1)



Damage history

Check the damage history for this BMW. See if, where and when this BMW had damage and the car repair costs. We also check if this BMW was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	

Damage 2

Date	
Category	
Type	



Extra BMW salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Owner history

For how long did the current and previous owner(s) have this BMW? How many owners did this BMW have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since

More info >

Plate changes

See in this check if this BMW had different number plates.

Number of plates	1
Current registration	
Plate since	2024-03-29
Current registration	
Plate since	2024-03-29

More info >



Finance check

Check if this BMW is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this BMW has been settled.

If not, and you buy this BMW then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this BMW is financed.

Finance company	XXXXXXXX	XXXX
Date of agreement	XXXXXXXX	XXXX
Agreement type	XXXXXXXX	XXXX
Agreement term	XXXXXXXX	XXXX
Agreement number	XXXXXXXX	XXXX
Contact info	XXXXXXXX	XXXX

More info >



Mileage check

Odometer	In miles
Mileage registrations	26
First mileage registration	1998-10-23
Last registration	2022-01-18
Complete history	See info



Registration #1	1998-10-23	21 mi
Registration #2	2006-06-24	40.571 mi
Registration #3	2006-06-26	40.571 mi
Registration #4	2007-07-14	44.941 mi
Registration #5	2007-07-21	45.034 mi
Registration #6	2008-07-21	48.333 mi
Registration #7	2012-06-29	56.319 mi
Registration #8	2012-07-06	56.319 mi
Registration #9	2013-06-25	58.087 mi
Registration #10	2013-06-25	58.088 mi
Registration #11	2014-05-19	61.983 mi
Registration #12	2014-05-22	62.097 mi
Registration #13	2015-08-22	62.406 mi
Registration #14	2015-08-22	62.406 mi
Registration #15	2015-08-22	62.406 mi
Registration #16	2015-08-22	62.406 mi
Registration #17	2015-08-22	62.406 mi
Registration #18	2015-08-22	62.406 mi
Registration #19	2015-08-22	62.406 mi
Registration #20	2015-08-22	62.406 mi
Registration #21	2015-08-22	62.406 mi
Registration #22	2015-08-22	62.406 mi
Registration #23	2015-08-22	62.406 mi
Registration #24	2015-08-22	62.406 mi
Registration #25	2015-08-22	62.406 mi
Registration #26	2015-08-22	62.406 mi

More info >



Car features

The BMW factory car options list is only available in the premium report.

S0225	Air conditioning
S0295	
S0482	
S0501	
S0566	
S0567	
S0569	

View the complete BMW factory list for this vehicle [here](#).

More info >

Safety ratings

NCAP rating



Video

[see crash video](#)



Additional information

Fuel tank capacity	51 l
Fuel delivery	Multi-Point Injection
Number of doors	2
Number of axles	2
Engine number	07928965