





General information

Make	PEUGEOT
Model	307 SW SE HDI
Colour	White
Year of manufacture	-
Top speed	114 mph
0 - 60 mph	12.0 seconds
Gearbox	5 speed Manual

Engine & fuel consumption

Power	110 BHP
Max. torque	240 Nm at 1.750 rpm
Cylinders	4
Fuel type	Diesel
Consumption city	44.8 mpg
Consumption extra urban	62.8 mpg
Consumption combined	55.4 mpg





Internet history

Entry 1

Date Pictures 2021-12-09

17

Listing price

View report



source: autotrader.co.uk



MOT history

MOT #23		2023-06-06 16:52
MOT test	number	321427983333
Result		✓ Passed
Next exp	iry date	2024-06-12
Advice	Rear Axle swivel pins and bushes swivel pin and/or bush slightly worn bo	th sides (5.1.2 (b) (i))
Minor (4.7.1 (b)	Offside Rear Registration plate lamp inoperative in the case of multiple lan(i))	mps or light sources
Advice	Front Oil leak, but not excessive (8.4.1 (a) (i))	
Advice	Nearside Rear Suspension component pin or bush slightly worn (5.3.4 (a)) (i))
Advice	Offside Front Lower Suspension arm ball joint has slight play (5.3.4 (a) (i)))
Advice	Coil spring corroded all 4 (5.3.1 (b) (i))	

MOT #22	2022-05-27 08:42
MOT test	number 801013504624
Result	✓ Passed
Advice	Nearside Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))
Advice	Offside Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))

MOT #21	2022-05-26 11:02
MOT test number	569939504268
Result	🗙 Failed
Advice Nearside Front Brake disc worn, pitted or scored, but not seriously weake	ned (1.1.14 (a) (ii))
Fail Offside Front Suspension arm ball joint excessively worn (5.3.4 (a) (i))	
Advice Offside Front Brake disc worn, pitted or scored, but not seriously weakened	ed (1.1.14 (a) (ii))
Fail Offside Front Drive shaft joint constant velocity boot split or insecure, no long of dirt (6.1.7 (g) (ii))	ger prevents the ingress





MOT #20		2021-06-10 10:59
MOT test	number	162883125756
Result		✓ Passed
Advice	Oil leak, but not excessive (8.4.1 (a) (i))	
Advice (i))	Offside Front Suspension arm pin or bush worn but not resulting in excessive r	movement (5.3.4 (a)
Advice	Offside Front Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))	
Advice	Rear Axle swivel pins and bushes swivel pin and/or bush slightly worn (5.1.2 (h	o) (i))
Minor	Registration plate lamp inoperative in the case of multiple lamps or light source	es (4.7.1 (b) (i))
Advice	Offside Front Anti-roll bar linkage ball joint has slight play (5.3.4 (a) (i))	

MOT #19	202	0-06-01 09:22
MOT test	number 8	96158539705
Result		🗸 Passed
Advice	Headlamp has a product on the lens but not seriously reducing light output (4.1.4 (b)))
Advice	Oil leak, but not excessive (8.4.1 (a) (i))	
Advice (i))	Offside Front Suspension arm pin or bush worn but not resulting in excessive moveme	ent (5.3.4 (a)

MOT #18	2019-06-07 10:45
MOT test number	868644833219
Result	✓ Passed
Minor Nearside Windscreen damaged but not adversely affecting driver's view (3.2 (a) (i)))

MOT #17		2018-06-05 10:47
MOT test nu	mber	555200086168
Result		✓ Passed
Advice 0	ffside Front tyre worn on inner edge	



YT06	VSA
report date:	2024-03-29

MOT #16	2018-06-04 13:12
MOT test number	424559766538
Result	🗙 Failed
Fail Windscreen washer not working (3.5 (a))	
Advice Offside Front tyre worn on inner edge	
Fail Engine MIL inoperative or indicates a malfunction (8.2.2.2 (g))	
Fail Offside Rear Coil spring fractured or broken (5.3.1 (b) (i))	

MOT #15		2017-05-30 16:03
MOT test	number	107087637476
Result		✓ Passed
Advice	Engine management fault warning lamp lit	
Advice	Nearside Windscreen has damage to an area less than a 40mm circle outside zo	ne 'A' (8.3.1d)
Advice	Front tyres wearing on inner edge suspect tracking fault	
Advice	Offside rear brake fluctuating, but not excessively (3.7.B.3)	
Advice	Offside Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1	Li)
Advice	Nearside Rear Child Seat fitted not allowing full inspection of adult belt	
Advice	Nearside mirror insecure	
Advice	Nearside rear brake fluctuating, but not excessively (3.7.B.3)	
Advice	Rear exhaust heat shield insecure	
Advice	Nearside Rear brake disc worn, pitted or scored, but not seriously weakened (3.5	5.1i)
Advice	Oil leak	



YT06VSA report date: 2024-03-29

MOT #14 2017-05-30 11:27
MOT test number 596063831287
Result × Failed
Advice Oil leak
Fail Nearside Front position lamp(s) not working (1.1.A.3b)
Advice Nearside Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3.1d)
Advice Offside rear brake fluctuating, but not excessively (3.7.B.3)
Advice Nearside mirror insecure
Advice Offside Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
Advice Rear exhaust heat shield insecure
Fail Offside Rear Tyre has a bulge, caused by separation or partial failure of its structure as nearside (4.1.D.1b)
Advice Nearside Rear Child Seat fitted not allowing full inspection of adult belt
Advice Nearside rear brake fluctuating, but not excessively (3.7.B.3)
Advice Engine management fault warning lamp lit
Advice Nearside Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
Advice Front tyres wearing on inner edge suspect tracking fault
Fail Nearside Rear Tyre has a bulge, caused by separation or partial failure of its structure 205/55-16 kenda fitted (4.1.D.1b)





MOT #13		2016-06-13 14:19
MOT test	number	664244264156
Result		✓ Passed
Advice	Rear wiper	
Advice	Ns wing mirror glass damaged	
Advice	Heat shield loose	
Advice	Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)	
Advice	Coolant low	
Advice	Rear axle bushes deteriorated	
Advice	Front Brake pad(s) wearing thin (3.5.1g)	



YT06VSA
report date: 2024-03-29

MOT #12 2	016-06-11 12:16
MOT test number	213373965584
Result	🗙 Failed
Advice Front Brake pad(s) wearing thin (3.5.1g)	
Advice Rear wiper	
Fail Nearside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)	
Fail Offside Front Anti-roll bar linkage ball joint dust cover excessively damaged so that it is prevents the ingress of dirt (2.4.G.2)	no longer
Advice Ns wing mirror glass damaged	
Advice Heat shield loose	
FailOffside Rear Upper Rear position lamp(s) not working (1.1.A.3b)	
Advice Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)	
Advice Coolant low	
Fail Offside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)	
Advice Rear axle bushes deteriorated	
Fail Registration plate lamp not working (1.1.C.1d)	

MOT #11	2015-05-26 10:49
MOT test number	135836045193
Result	✓ Passed
MOT #10	2014-05-14 17:08

MOT test nu	umber	115454034131
Result		✓ Passed
Notice E	Eml warning light	



YT06	VSA
report date:	2024-03-29

МОТ #9	2014-05-14 10:17
MOT test number	535834534132
Result	🗙 Failed
FailOffside Front coil spring broken (2.4.C.1a)NoticeEml warning light	

MOT #8		2013-05-31 15:59
MOT test	number	687121953121
Result		Passed
Notice	Front and rear brake discs/pads appear worn.	
Notice	Rear seats stowed, seatbelts not fully checked.	

MOT #7	2013-05-29 14:44
MOT test number	626279343130
Result	🗙 Failed
Fail Offside Front coil spring fractured (2.4.C.1a)	
Notice Front and rear brake discs/pads appear worn.	
Fail Offside rear brake binding (3.7.B.1)	
Notice Nearside front tyre worn on edges,damage to outer wall and worn close to limit.	
Fail Offside Registration plate lamp not working (1.1.C.1d)	
FailOffside Front Tyre has ply or cords exposed (4.1.D.1b)	
Notice Rear seats stowed, seatbelts not fully checked.	
FailNearside rear brake binding (3.7.B.1)	
Notice Offside rear tyre worn uneven, close to limit and cracking.	
Fail Nearside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1)	





MOT #6		2012-06-01 15:59
MOT test	number	919333752185
Result		✓ Passed
Notice	Trim/mudlap loose under nearside front wheel arch.	
Notice	Child seat fitted to nearside rear, seat belts not fully checked.	
Notice	Cracking to nearside rear tyre.	
Notice	Offside front tyre wearing on inner edge.	
Notice	Deterioration to wiper blades.	
Notice	Deep cut in nearside front tyre.	

MOT #5	2011-05-16 10:49
MOT test number	908926231107
Result	✓ Passed

MOT #4		2010-06-11 12:43
MOT test number		253282060437
Result		✓ Passed
MOT #3		2010-06-11 12:43
MOT test number		183402360197
Result		🗙 Failed
Pass with rectification	Offside Front Headlamp aim too low (1.8)	
Pass with rectification	Nearside Front Headlamp aim too low (1.8)	

MOT #2	2010-02-18 15:46
MOT test number	120109840492
Result	✓ Passed





MOT #1	2009-03-02 14:38
MOT test number	221701969098
Result	✓ Passed





Damage history

Check the damage history for this PEUGEOT. See if, where and when this PEUGEOT had damage and the car repair costs. We also check if this PEUGEOT was scrapped. Download the premium report <u>here</u> for the results.

Damage 1	
Date	
Category	4. DEM PE
Туре	
Damage 2	AMPL
Damage 2	E Stand
Date	1. Ster
Category	amp
Туре	

Extra PEUGEOT salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.





Vehicle valuation

What is this car worth? See the vehicle value of this PEUGEOT in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	4 10.000
Auction value	4 10.000
Average private trade value	4





Owner history

For how long did the current and previous owner(s) have this PEUGEOT? How many owners did this PEUGEOT have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

	More info >
Plate changes	
See in this check if this PEUGEOT had different number plates.	
Number of plates	,
Current registration	
Plate since	
Current registration	
Plate since	





Finance check

Check if this PEUGEOT is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this PEUGEOT has been settled.

If not, and you buy this PEUGEOT then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this PEUGEOT is financed.


Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	





Mileage check

Odometer	In miles
Mileage registrations	24
First mileage registration	2006-03-13
Last registration	2023-06-06
Complete history	See info



Registration #1	2006-03-13	13 mi
Registration #2	2009-03-02	47.587 mi
Registration #3	2010-02-18	61.965 mi
Registration #4	2010-06-11	65.719 mi
Registration #5	2011-05-16	74.289 mi
Registration #6	2012-06-01	81.976 mi
Registration #7	2013-05-29	90.572 mi
Registration #8	2013-05-31	90.572 mi
Registration #9	2014-05-14	102.699 mi
Registration #10	2014-05-14	102.702 mi
Registration #11	2015-05-26	111.867 mi
Registration #12	2016-06-11	119.543 mi
Registration #13		11.777 mi
Registration #14		11.777 est
-		
Registration #15		11.777 mi
Registration #15 Registration #16		11.222 est
		01.000 est 01.000 est 01.000 est
Registration #16		01.000 est 01.000 est 01.000 est 01.000 est
Registration #16 Registration #17		01,000 est 01,000 est 01,000 est 01,000 est 01,000 est
Registration #16 Registration #17 Registration #18		01,000 est 01,000 est 01,000 est 01,000 est 01,000 est 01,000 est
Registration #16 Registration #17 Registration #18 Registration #19		01,000 460 01,000 460 01,000 460 01,000 460 01,000 460 01,000 460 01,000 460
Registration #16 Registration #17 Registration #18 Registration #19 Registration #20		00.000 est 0.000 est 0.000 est 0.000 est 0.000 est 0.000 est 0.000 est 0.000 est 0.000 est
Registration #16 Registration #17 Registration #18 Registration #19 Registration #20 Registration #21		00.000 460 0.000 460 0.000 460 0.000 460 0.000 460 0.000 460 0.000 460 0.000 460 0.000 460
Registration #16 Registration #17 Registration #18 Registration #19 Registration #20 Registration #21 Registration #22		00.000 460 00.000 460 00.000 460 00.000 460 00.000 460 00.000 460 00.000 460 00.000 460 00.000 460 00.000 460





Car features

S0225	Air conditioning
\$0295	
50482	
\$0501	
\$0566	
\$0567	
S0569	

Safety ratings

NCAP rating

Video

see crash video



Dimensions & weight	
Width	1762 mm
Height	1580 mm
Length	4428 mm
Wheel base	2708 mm
Kerb weight	1492 kg
Max. allowed weight	2000 kg
Additional information	
Fuel tank capacity	60 I
Fuel delivery	Direct Injection
Number of doors	5

7

Number of seats CarCheck.co.uk